



硬漢 國際有限公司 產品目錄



訂購專線：(02)2631-9518 (02)2631-9538



Wera德國總公司總監親臨本公司



創辦人 李君逸先生 至德國Wera
總公司參與全球代理商會議



GERMEN ENGINEERING Why choose Wera?

Wera 位於德國西部的“伍伯托 Wuppertal”
自建廠以來，就是以符合專業人士的需求為製造起子的理念。
並以領先世界的技術與非凡獨特的設計，
使我們的顧客在工作上能有完美的結果！
並在 Wera 超過 3000 種以上的產品內得到滿足。

偉大的專業與堅持

在超過 70 年的歲月裡，Wera 從未偏離他的核心產品 - 【起子】
70 年來專一的將起子做到最好，是 Wera 的堅持。
不斷的進步，使 Wera 在 screwdriving 的發展上，
從德國領先世界！

The Best Tools For The Job



Lasertip- 領先世界的技術【怪牙】

特殊的【防滑牙】設計，以昂貴的製造成本，讓
螺絲與起子，有著完美的結合。
在每一道 Lasertip 上佈滿著【無數的倒牙】，能
緊緊的抓住螺絲，【絕不滑牙】。

有【怪牙】就沒有拆不下來的螺絲

Kraftform Comfort and Comfort V.D.E.

最經典的設計，舒適型的 Comfort 系列，是 Wera 最暢銷的款式。
以“人”為出發點的設計，不再讓您的手因工作而生水泡及老繭，
超強的鋼料與舒適的手把，讓您在鎖每一個螺絲上，都能感到愉悅！





德國Wera怪牙加強型起子組6支裝-附展示架 334SK/6
 334 SK/6 Rack screwdriver set Kraftform Plus Lasertip and rack



德國 Wera 防滑牙精鍍型起子組 -6 支裝 (附展示架)

內容物：一字、十字防滑牙起子

334/6

產品編號	型號	內容物規格	售價
334/6	334	6.5x150	\$3,267
08105650001	335	3.0x80; 4.0x100; 5.5x125	
	360 PH	PH 1x80; PH 2x100	

產品編號	型號	內容物規格	售價
05007680001			\$4,834
	350 SK PH	1 x PH 1x80; 1 x PH 2x100	
	334 SK	1 x 0.6x3.5x75; 1 x 0.8x4.0x90; 1 x 1.0x5.5x100; 1 x 1.2x6.5x125	



德國 Wera 鍍鈦星型起子 7 支組 (附展示架)

應用：用於 TORX® 星型螺絲

HOLDING FUNCTION

產品編號	型號	內容物規格	售價
367/7HF	367HF	TX 8x60; TX 10x80	\$4,933
05223161001		TX 15x80; TX 20x100; TX 26x100; TX 27x115; TX 30x116	



德國 Wera 鍍鈦星型中孔起子 6 支組 (附展示架)

應用：用於 TORX® 星型螺絲

產品編號	型號	內容物規格	售價
367/6 BO	367BO	TX 10x80; TX 15x80	\$4,667
05138250001		TX 20x100; TX 26x100; TX 30x115; TX 40x130	

德國Wera起子套筒7支組 395HO/7
 395 HO/7 SM Nutdriver set



Application: Hexagon headed bolts, screws and nuts

Content: 7-piece set to display range

TIP: The hollow shaft enables: seized screws or those on long threads to be tightened and loosened

產品編號	型號	內容物規格	售價
0502510001			\$6,500
	395 HO	1 x 0.15x70; 1 x 0.2x70; 1 x 0.3x70; 1 x 0.4x80; 1 x 0.5x90; 1 x 0.6x100; 1 x 0.7x130	

德國Wera星型加長型300mm起子4支組(鍍鈦頭) 367HF/4
 367/4 TORX® HF Kraftform Plus screwdriver set with holding function and 300 mm-long blades



Application: TORX® with holding function, extra long (300 mm) blade

Content: 4-piece set

產品編號	型號	內容物規格	售價
05028074001			\$4,867
	367 TORX® HF	1 x TX 20x300; 1 x TX 26x300; 1 x TX 27x300; 1 x TX 30x300	



德國 Wera 起子組 -36 支組 (附陳列架)

W36A

\$23,760

產品編號	內容物	
W36A ⊕ 350-PH2x150	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350SK-PH2x100	6 支 - 德國 Wera 十字起子加強型 (鍍鈦銀防滑牙)	
350-PH2x100	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350-PH1x80	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
⊖ 335-4.0x100	6 支 - 德國 Wera 一字起子 (鍍鈦銀防滑牙)	
335-6.0x100	6 支 - 德國 Wera 一字起子 (鍍鈦銀防滑牙)	
W36A 陳列架	1 座 (寬 -27cm 深 -29.5cm 高 -18.5cm)	



德國 Wera 起子組 -36 支組 (附陳列架)

W36B

\$25,660

產品編號	內容物	
W36B ⊕ 350-PH2x150	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350SK-PH2x100	6 支 - 德國 Wera 十字起子加強型 (鍍鈦銀防滑牙)	
350-PH2x100	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350-PH1x80	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
1162i-PH2x100	6 支 - 德國 Wera 絕緣十字起子 舒適型	
⊖ 335-6.0x100	6 支 - 德國 Wera 一字起子 (鍍鈦銀防滑牙)	
W36B 陳列架	1 座 (寬 -27cm 深 -29.5cm 高 -18.5cm)	



德國 Wera 絕緣起子組 -36 支組 (附陳列架)

W36i

\$25,800

產品編號	內容物	
W36i ⊕ 1162i-PH1x80	6 支 - 德國 Wera 絕緣十字起子 舒適型	
1162i-PH2x100	6 支 - 德國 Wera 絕緣十字起子 舒適型	
1162i-PH3x150	6 支 - 德國 Wera 絕緣十字起子 舒適型	
⊖ 1160i-2.5x80	6 支 - 德國 Wera 絕緣一字起子 舒適型	
1160i-4.0x100	6 支 - 德國 Wera 絕緣一字起子 舒適型	
1160i-6.5x150	6 支 - 德國 Wera 絕緣一字起子 舒適型	
W36B 陳列架	1 座 (寬 -27cm 深 -29.5cm 高 -18.5cm)	


德國 Wera 起子組 -60 支組 (附陳列架)
W60A
\$40,860

產品編號	內容物	
W60A ⊕ 350-PH2x150	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350SK-PH2x100	6 支 - 德國 Wera 十字起子加錐型 (鍍鈦銀防滑牙)	
350-PH1x80	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350-PH0x60	6 支 - 德國 Wera 十字起子	
350-PH2x100	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
350-PH3x150	6 支 - 德國 Wera 十字起子 (鍍鈦銀防滑牙)	
⊖ 335 -2.5x75	6 支 - 德國 Wera 一字起子 舒適型 + 深孔型	
335-4.0x100	6 支 - 德國 Wera 一字起子 (鍍鈦銀防滑牙)	
335-6.0x100	6 支 - 德國 Wera 一字起子 (鍍鈦銀防滑牙)	
334-6.5x150	6 支 - 德國 Wera 一字起子 (鍍鈦銀防滑牙)	
W60A 陳列架	1 座 (寬-43cm 深-29.5cm 高-18.5cm)	


德國 Wera 電子起子組 -60 支組 (附陳列架)
WE60A
\$22,160

產品編號	內容物	
WE60A ⊕ 2050-PH00x40	6 支 - 德國 Wera 電子十字小起子	
2050-PH0x60	6 支 - 德國 Wera 電子十字小起子	
2050-PH1x60	6 支 - 德國 Wera 電子十字小起子	
⊖ 2035-1.5x40	6 支 - 德國 Wera 電子一字小起子	
2035-1.8x40	6 支 - 德國 Wera 電子一字小起子	
2035-2.0x40	6 支 - 德國 Wera 電子一字小起子	
2035-2.5x50	6 支 - 德國 Wera 電子一字小起子	
2035-3.0x50	6 支 - 德國 Wera 電子一字小起子	
2035-3.5x80	6 支 - 德國 Wera 電子一字小起子	
2035-4.0x80	6 支 - 德國 Wera 電子一字小起子	
WE60A 陳列架	1 座 (寬-28cm 深-20.5cm 高-11cm)	


德國 Wera 電子起子組 -60 支組 (附陳列架)
WE60B
\$31,400

產品編號	內容物	
WE60B ⊕ 2067-T5x40	6 支 - 德國 Wera 電子星型小起子	
2067-T6x40	6 支 - 德國 Wera 電子星型小起子	
⊗ 2067 BO-T7x60	6 支 - 德國 Wera 電子星型中孔小起子	
2067 BO-T8x60	6 支 - 德國 Wera 電子星型中孔小起子	
2067 BO-T9x60	6 支 - 德國 Wera 電子星型中孔小起子	
2067 BO-T10x60	6 支 - 德國 Wera 電子星型中孔小起子	
⊙ 2054-0.7x40	6 支 - 德國 Wera 電子六角小起子	
2054-0.9x40	6 支 - 德國 Wera 電子六角小起子	
2054-1.3x40	6 支 - 德國 Wera 電子六角小起子	
2054-1.5x60	6 支 - 德國 Wera 電子六角小起子	
WE60B 陳列架	1 座 (寬-28cm 深-20.5cm 高-11cm)	

Series Kraftform Micro



德國Wera精密電子起子組-6支組-附收納架
2035/6B-\$2,490



05118152001	
+	2050 PH Micro 1 x PH 00x60 ¹⁾ ; 1 x PH 1x60
-	2035 Micro 1 x 0.40x2.5x60; 1 x 0.50x3.0x60; 1 x 0.60x3.5x80; 1 x 0.80x4.0x80

¹⁾ Size 0 modified according to JIS 0 (Japanese Camera Industrial Standard)

德國Wera精密電子起子組-6支組-附收納架
2035/6A-\$2,664



05118150001	
+	2050 PH Micro 1 x PH 00x60 ¹⁾ ; 1 x PH 0x60 ¹⁾
-	2035 Micro 1 x 0.30x1.8x60; 1 x 0.40x2.0x60; 1 x 0.40x2.5x80; 1 x 0.50x3.0x80

¹⁾ Optimized for Asian PH screws

²⁾ Size 0 modified according to JIS 0 (Japanese Camera Industrial Standard)

德國Wera星型中孔精密電子起子組6支組
-附收納架 2067B0/6-\$4,267



05118154001	
+	2067 TORX [®] 1 x TX 7x60; 1 x TX 8x60; 1 x TX 9x60; B0 Micro 1 x TX 10x60; 1 x TX 15x60; 1 x TX 20x60

德國Wera精密電子i-phone起子6支組
-附收納架 2050/6-\$4,000



05030181001	
+	2050 PH Micro 1 x PH 000x40 ¹⁾ ; 1 x PH 00x40 ¹⁾ ; 1 x PH 0x40 ¹⁾
○	2067 IPR 1 x 1 IPR x 44
○	2072 1 x 110x40
-	2035 Micro 1 x 0.35x2.5x40

¹⁾ Optimized for Asian PH screws

²⁾ Size 0 modified according to JIS 0 (Japanese Camera Industrial Standard)

德國Wera電子i-Phone起子12支組
-精緻帆布包 2035/12E-\$9,000



NEW

05073677001	
+	2050 PH 1 x PH 000x60 ¹⁾ ; 1 x PH 00x40 ¹⁾ ; 1 x PH 0x40 ¹⁾
+	2067 TORX [®] 1 x TX 10x60; 1 x TX 15x60
○	2067 IPR 1 x 1 IPR x 44
-	2035 Micro 1 x 0.25x1.5x40; 1 x 0.35x2.5x40
+	2069 Micro 1 x 2.5x60; 1 x 3.0x60
○	2072 1 x 110x40
+	1429 1 x 1.0x3.5x50

¹⁾ Optimized for Asian PH screws


²⁾ Size 0 modified according to JIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro-Set/7

Code No.: 05128007001



1013 Micro



851/5 JIS 1 x PH 8x44

851/5 C J PH 1 x PH 8x44

800/5 C 1 x 0.4x2.2x44

807/5 C TORX[®] 1 x TX 4x44; 1 x TX 5x44

807/5 IPR TORX PLUS[®] 1 x 1 IPR x 44

德國Wera i-phone專用起子
7件組-精美帆布包
KK-M/7 - \$8,000



你用對工具嗎?

i-phone
專用起子7件組

Series Kraftform Micro

The refined screwdriver for electronics technicians

德國Wera精密電子起子12件-精緻帆布包 2035/12M
Kraftform Micro-Set/12 SB 1 Screwdriver set for
electronic applications



Application: Slotted and Phillips screws, TORX® socket screws, and Hexagon socket screws

Content: 12-piece set, in a belt pouch

		\$5,934
05073675001		
	2050 PH Micro 1 x PH 00x60; 1 x PH 0x60	
	2067 TORX® HF Micro 1 x TX 5x40; 1 x TX 6x40	
	2035 Micro 1 x 0,23x1,5x40; 1 x 0,30x1,8x60; 1 x 0,40x2,0x90; 1 x 0,40x2,5x90; 1 x 0,50x3,0x90	
	2054 Micro 1 x 0,8x40; 1 x 1,0x60; 1 x 2x60	

Pouch for up to 12-piece sets Kraftform Kompakt Micro, empty 德國Wera電子起子精緻帆布包 2035/12B



	mm	mm	
05671385001	235	115	\$1,500

德國Wera電子起子架 WERA RACK-M
Rack for Kraftform Micro screwdrivers



05434002001	130,0	80	\$434 1

德國Wera電子起子11件組-精美帆布包 KK-M/11
Kraftform Kompakt Micro-Set/11 SB



Pouch with 44 mm bits
11-piece set

1 Kraftform Micro bitholding screwdriver 1013

		\$5,600
05135838001		
	1013 Kraftform Micro 1 x 97	
	851/9 C 1 x PH 00x44; 1 x PH 0x44; 1 x PH 1x44	
	851/9 C 1 x PH 00x44; 1 x PH 0x44; 1 x PH 1x44	
	840/9 C 1 x 1,6x44; 1 x 2,0x44	
	800/9 C 1 x 0,23x1,5x44; 1 x 0,40x2,0x44; 1 x 0,50x3,0x44	
	867/9 C TORX® 1 x TX 5x44; 1 x TX 6x44	

德國Wera抗靜電ESD電子起子組-6支裝組(附固定座) 1578A/6
1578 A/6 Screwdriver set and rack for electronic
applications



Application: Slotted and Phillips screws
Content: 6-piece set and rack in display carton

		\$4,000
05030170001		
	1550 PH Micro 1 x PH 0x60; 1 x PH 1x80	
	1578 A Micro 1 x 0,23x1,5x40; 1 x 0,25x1,2x40; 1 x 0,30x1,8x60; 1 x 0,40x2,5x80	

Kraftform Plus – Series 100 VDE.

Insulated, individually tested as per IEC 60900.

160 iS/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack. With reduced blade diameter



產品編號	德國WeraVDE絕緣起子7支組 (附展示架)-深孔型	160is/7	\$5,834
CE006480001	162 iS	1 x PH 1x80; 1 x PH 2x100	
	165 iS PZ/S	1 x # 2x100	
	160 iS	1 x 0,8x3,5x100; 1 x 0,8x4,0x100; 1 x 1,0x5,5x125	
	247	1 x 0,5x3,0x70	

Product not available in the USA and Canada.

160 i/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack



德國 Wera 防滑牙鍍鈦 VDE 絕緣起子 7 支組 (附展示架)

內容物：一字、十字防滑牙絕緣起子

160i/7

產品編號	型號	內容物規格	牌價
160i/7	160i VDE	2.5x80	\$4,167
05006147001		3.5x100; 4.0x100; 5.5x125	
	162i PH VDE	PH 1x80; PH 2x100	
	247	3.0x70	

1000 V C



德國 WeraVDE 絕緣 1000V 7 件式 (工具袋式)

產品編號	型號	內容物	牌價
KK-VDE80i/7	B17VDE		\$5,000
05 003470 001	KK60i	2.5x154, 3.5x154 4.0x154, 5.5x154	
	KK62i	PH1x154, PH2x154	

德國Wera電子球頭六角小起子 2052



	⊙	⊙	┆	┆	∅	┆	
	mm		mm	mm	mm		
05118089001	1,3		60	97	3,0	2 1/8"	\$767
05118090001	1,5		60	97	3,0	2 1/8"	\$767
05118092001	2,0		60	97	3,0	2 1/8"	\$700
05118094001	2,5		60	97	4,0	2 1/8"	\$650
05118096001	3,0		60	97	4,0	2 1/8"	\$634
05118098001	-	1/8"	60	97	3,0	2 1/8"	
05118100001	-	3/16"	60	97	3,0	2 1/8"	
05118102001	-	1/4"	60	97	3,0	2 1/8"	
05118106001	-	5/16"	60	97	4,0	2 1/8"	
05118109001	-	3/8"	60	97	4,0	2 1/8"	

德國Wera絕緣不鏽鋼怪牙起子組-7支組 3160i/7 3160 i/7 Screwdriver set, stainless and rack



Kraftform stainless: the safety screwdriver for stainless steel screws, Lasertip blade + voltage tester + rack.

Application: Slotted and Phillips screws

Contents: Stainless steel, 7-piece set and rack in display carton

		\$5,334
05022728001		
⊖	3247	1 x 0.5x3.0x70
⊕	3162 VDE	1 x PH 1x80; 1 x PH 2x100
⊖	3160 VDE	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125

¹⁾ without Lasertip
Product not available in the USA and Canada.

Wera 不鏽鋼系列

MIT 最頂級防滑牙
不鏽鋼系列



全方位保護
您的被鎖物

不讓生鏽源經由起子
感染被鎖物
使您的機器能長保如新

德國 Wera 防滑牙不鏽鋼起子組 -6 支裝 (附展示架)

內容物：一字、十字怪牙不鏽鋼起子

產品編號	型號	內容物規格	售價
3334/8	⊖ 3334	6.5x160	\$4,300
05032069001	⊖ 3335	3.0x80 ; 4.0x100; 5.5x125	
	⊕ 3350 PH	PH 1x80; PH 2x100	



德國 Wera 十字起子 (鍍鈦銀防滑牙) 350

應用：用於十字螺絲 刀頭：鍍銀、激光加工
 刀身：圓形 手柄：人體工學防滑保護

Wera 怪牙系列
1支抵5支

產品編號		mm	mm	mm		售價	
350-PH0x60	1) PH 0	60	81	3,0	2 3/8"	\$467	v
350-PH0x100	1) PH 0	100	81	3,0	4"	\$650	v
350-PH1x80	PH 1	80	98	4,5	3 1/8"	\$567	v
350-PH1x200	PH 1	200	98	4,5	8"	\$800	v
350-PH1x300	1) PH 1	300	98	4,5	12"	\$883	v
350-PH2x100	PH 2	100	105	6,0	4"	\$688	v
350-PH2x150	PH 2	150	105	6,0	6"	\$783	v
350-PH2x200	PH 2	200	105	6,0	8"	\$1,187	v
350-PH2x300	1) PH 2	300	105	6,0	12"	\$1,500	v
350-PH3x150	PH 3	150	112	8,0	6"	\$1,200	v
350-PH4x200	1) PH 4	200	112	10,0	8"	\$1,500	v

1) 沒有 LaserTip



德國 Wera 十字起子加強型 (鍍鈦銀防滑牙) 350 SK

應用：用於十字螺絲 刀頭：鍍銀、激光加工
 刀身：六角形，尺寸 1-3 加強 手柄：人體工學防滑保護

產品編號		mm	mm	mm	mm	售價		
350 SK-PH0x60	1) PH 0	4		60	81	2 3/8"	\$650	v
350 SK-PH1x80	PH 1	5	8	80	98	3 1/8"	\$717	v
350 SK-PH2x100	PH 2	6	10	100	105	4"	\$787	v
350 SK-PH2x150	PH 2	6	10	150	105	6"	\$950	v
350 SK-PH3x150	PH 3	8	13	150	112	6"	\$1,467	v

1) 沒有 LaserTip



德國 Wera 十字起子 1350

應用：用於十字螺絲 刀頭：鍍銀、黑色
 刀身：圓形 手柄：舒適人體工學防滑保護

特殊鋼料
1支抵3支

產品編號		mm	mm	mm		售價	
1350-PH0x60	PH 0	60	81	3,0	2 3/8"	\$367	v
1350-PH1x80	PH 1	80	98	4,5	3 1/8"	\$437	v
1350-PH1x200	PH 1	200	98	4,5	8"	\$567	v
1350-PH1x300	PH 1	300	98	4,5	12"	\$640	v
1350-PH2x100	PH 2	100	105	6,0	4"	\$600	v
1350-PH2x200	PH 2	200	105	6,0	8"	\$707	v
1350-PH3x150	PH 3	150	112	8,0	6"	\$850	v



德國 Wera 十字起子 舒適型 + 加強型 1350 SK

應用：用於十字螺絲 刀頭：鍍銀、黑色
 刀身：六角形，尺寸 1-3 加強 手柄：舒適人體工學防滑保護

產品編號		mm	mm	mm	mm	售價		
1350 SK-PH2x100	PH 2	6	10	100	105	4"	\$717	v
1350 SK-PH3x150	PH 3	8	13	150	112	4"	\$1,037	v





德國 Wera 一字起子 舒適型 + 深孔型 1335

應用：用於一字螺絲 刀頭：鍍鉻，黑色
刀身：鍍形 手柄：舒適人體工學防滑保護

特殊鋼料
1支抵3支

產品編號	mm	mm	mm	mm	mm	mm	mm	吋	吋	牌價
1335-2.0x60	0,4	2,0	60	81	2,5	5/64"	2 3/8"	\$300	v	
1335-2.5x75	0,4	2,5	75	81	2,5	3/32"	3"	\$300	v	
1335-3.0x80	0,5	3,0	80	81	3,0	1/8"	3 1/8"	\$317	v	
1335-3.0x200	0,5	3,0	200	81	3,0	1/8"	8"	\$457	v	
1335-3.5x100	0,6	3,5	100	81	3,5	9/64"	4"	\$337	v	
1335-4.0x100	0,8	4,0	100	98	4,0	5/32"	4"	\$387	v	
1335-5.5x125	1,0	5,5	125	98	5,5	7/32"	5"	\$580	v	
1335-6.0x100	1,2	6,0	100	105	6,0	15/64"	4"	\$617	v	
1335-3.0x150	0,5	3,0	150	81	3,0	1/8"	6"	\$500	v	



德國 Wera 一字起子 舒適型 + 強力型 1334

應用：用於一字螺絲 刀頭：鍍鉻，黑色
刀身：鍍形 手柄：舒適人體工學防滑保護

特殊鋼料
1支抵3支

產品編號	mm	mm	mm	mm	mm	mm	mm	吋	吋	牌價
1334-6.5x150	1,2	6,5	150	105	1/4"	6"	\$660	v		
1334-6.5x200	1,2	6,5	200	105	1/4"	8"	\$760	v		
1334-7.0x150	1,2	7,0	150	105	9/32"	6"	\$850	v		
1334-8.0x175	1,2	8,0	175	112	5/16"	7"	\$937	v		
1334-8.0x175	1,5	8,0	175	112	5/16"	7"	\$883	v		
1334-10.0x200	1,5	10,0	200	112	3/8"	8"	\$1,117	v		

3160 | VDE Insulated Screwdriver for slotted screws, stainless 德國Wera絕緣不鏽鋼怪牙一字起子



產品編號	mm	mm	mm	mm	mm	mm	mm	牌價
05022729001	0,5	3,0	80	81	5/16"	3 1/4"	\$867	
05022739001	0,6	3,5	100	81	9/16"	4"	\$900	
05022731001	0,8	4,0	100	88	5/8"	4"	\$1,000	
05022732001	1,0	5,5	125	88	7/8"	5"	\$1,287	

3162 | PH VDE Insulated screwdriver for Phillips screws, stainless 3162i-PH



產品編號	mm	mm	mm	mm	牌價
05022733001	PH 1	80	88	3 1/4"	\$1,100
05022734001	PH 2	100	105	4"	\$1,500

德國 Wera 十字雙頭偏位起子 919

應用：用於十字螺絲
刀頭：90° + 180° - 圓錐

產品編號	mm	mm	mm	mm	牌價		
919-PH1+2	PH1+2	125.0	20	5"	25/32"	\$700	v
919-PH3+4	PH3+4					\$1,300	v



德國 Wera 一字雙頭偏位起子 920A

應用：用於一字螺絲
刀頭：90° + 180° - 圓錐

產品編號	mm	mm	mm	mm	牌價		
920A-5.5+5.5	5.5+5.5	125.0	16	5"	5/8"	\$700	v

德國Wera電路板電子小起子 1429



產品編號	mm	mm	mm	mm	牌價
05027456001	1,0	3,5	50	97	\$767



德國 Wera 星型起子 367-TX

367 Screwdriver for TORX® screws



Application: TORX® socket screws

Blade: Round

Design: Chrome-plated, Black Point

Handle: Kraftform with non-roll feature, multi-component

		mm	mm	mm		
05028000001	TX 5	60	70	3.5	2 1/2"	
05028001001	TX 6	60	70	3.5	2 1/2"	
05028002001	TX 7	60	70	3.5	2 1/2"	\$800
05028003001	TX 8	60	81	3.5	2 1/2"	\$800
05028004001	TX 9	60	81	4.0	2 1/2"	\$800
05028005001	TX 10	80	81	4.0	3 1/8"	\$800
05028008001	TX 15	80	98	4.0	3 1/8"	\$834
05028010001	TX 20	100	98	4.5	4"	\$850
05028012001	TX 25	100	105	5.0	4"	\$900
05028013001	TX 27	115	105	5.5	4 1/8"	\$984
05028015001	TX 30	115	105	6.0	4 1/8"	\$1,067
05028020001	TX 40	130	112	7.0	5 1/2"	
05028025001	TX 45	130	112	8.0	5 1/2"	

德國 Wera 口袋型一字起子隨身夾

335 MS Slotted screwdriver 335MS-3.0x50

NEW



Application: Suitable for less demanding screwdriving jobs and for general uses such as e.g. depth of profile measurements, checking for signs of rusting, removal of dirt

Blade: Round

Design: Stainless steel for high corrosion protection

Handle: Kraftform with non-roll feature, single-component, cellulose acetate, equipped with practical clip for attaching e. g. to the breast pocket

\$434

Code								
	mm	mm	mm	mm	mm			
0500004001	0.5	3.0	50	70	3.0	1/2"	2"	5



367 TORX® BO Screwdriver for tamper-proof TORX® screws 德國 Wera 星型中孔起子 367BO-TX



Application: TORX® screws with safety pin

(BO = with bore hole)

Blade: Round

Design: Bore hole in TORX® section, chrome-plated, Black Point

Handle: Kraftform with non-roll feature, multi-component

		mm	mm	mm		
06138257001	TX 7	60	70	3.5	2 1/2"	\$1,100
06138258001	TX 8	60	81	3.5	2 1/2"	\$1,100
06138259001	TX 9	60	81	4.0	2 1/2"	\$1,100
06138260001	TX 10	80	81	4.0	3 1/8"	\$1,100
06138268001	TX 10	300	81	4.0	12"	
06138261001	TX 15	80	98	4.0	3 1/8"	\$1,167
06138269001	TX 15	300	98	4.0	12"	
06138262001	TX 20	100	98	4.5	4"	\$1,234
06138270001	TX 20	300	98	4.5	12"	
06138263001	TX 25	100	105	5.0	4"	\$1,234
06138264001	TX 27	115	105	5.5	4 1/8"	\$1,334
06138265001	TX 30	115	105	6.0	4 1/8"	\$1,434
06138266001	TX 40	130	112	7.0	5 1/2"	\$1,534

德國 Wera 起子螺絲固定器 (怪手)

Wera 專利 - 起子螺絲固定器，

讓您在工作時不再掉螺絲讓您省去東找西找的麻煩

產品編號	適用範圍	牌價
1441	4.5m/m~6m/m 起子皆適用 (102) (107)	\$450



德國 Wera 之星 - 增消磁器

產品編號	mm	牌價
wera star	48,0	\$967



德國 Wera TRI WING 黃土型起子 375

應用：TRI-WING® 螺絲 刀頭：鍍鉻、黃色
 刀身：TRI-WING® 螺絲 手柄：人體工學防滑保護

產品編號		mm	mm	mm	mm	牌價
375-GR0x80	0	80	81	3.5	3 1/8"	\$930 V
375-GR1x80	1	80	81	3.5	3 1/8"	\$930 V
375-GR2x80	2	80	98	4.5	3 1/8"	\$930 V
375-GR3x80	3	80	98	4.8	3 1/8"	\$930 V
375-GR4x100	4	100	98	6.0	4"	\$1,087 V
375-GR5x100	5	100	98	6.0	4"	\$1,087 V



德國 Wera 星型起子 舒適型 1367

應用：用於 TORX® 星型螺絲 刀頭：鍍鉻、黑色
 刀身：圓形 手柄：舒適人體工學防滑保護

產品編號		mm	mm	mm	牌價
1367-TX5x60	TX 5	60	81	3.5	2 3/8" \$537 V
1367-TX6x60	TX 6	60	81	3.5	2 3/8" \$434 V
1367-TX7x60	TX 7	60	81	3.5	2 3/8" \$484 V
1367-TX8x60	TX 8	60	81	3.5	2 3/8" \$484 V
1367-TX9x60	TX 9	60	81	4.0	2 3/8" \$517 V



德國 Wera 大頭十字起子 KP

應用：用於十字螺絲 刀頭：鍍鉻、黑色
 刀身：圓形 手柄：人體工學強力柄

產品編號		mm	mm	mm	牌價
KP-PH1x25	PH1	25	54	4.5	1" \$450 V
KP-PH2x25	PH2	25	54	6	1" \$500 V
KP-PH3x25	PH3	25	54	6	1" \$600 V



德國 Wera 大頭一字起子 336

應用：用於一字螺絲 刀頭：鍍鉻、黑色
 刀身：圓形 手柄：人體工學強力柄

產品編號		mm	mm	mm	牌價
336-3.5x25	0.6	3.5	25	54	9/64" \$417 V
336-4.0x25	0.8	4.0	25	54	5/32" \$450 V
336-5.5x25	1.0	5.5	25	54	7/32" \$450 V
336-6.5x25	1.2	6.5	25	54	1/4" \$500 V



德國 Wera 星型中孔起子 1367 BO

應用：用於星型 TORX® 螺絲 (BO = 星型中孔螺絲，全世界獨家)
 刀頭：星型 TORX® 中孔，鍍鉻、黃色
 刀身：圓形 手柄：舒適人體工學防滑保護

產品編號		mm	mm	mm	牌價
1367BO-TX7x60	TX 7	60	81	3.5	2 3/8" \$650 V
1367BO-TX8x60	TX 8	60	81	3.5	2 3/8" \$650 V
1367BO-TX9x60	TX 9	60	81	4.0	2 3/8" \$650 V
1367BO-TX10x80	TX 10	80	81	4.0	3 1/8" \$650 V
1367BO-TX15x80	TX 15	80	98	4.0	3 1/8" \$687 V
1367BO-TX20x100	TX 20	100	98	4.5	4" \$687 V
1367BO-TX27x115	TX 27	115	105	5.5	4 9/16" \$717 V
1367BO-TX30x115	TX 30	115	105	6.0	4 9/16" \$767 V
1367BO-TX40x130	TX 40	130	112	7.0	5 1/8" \$800 V



德國 Wera 星型起子 1767

應用：用於 TORX® 星型螺絲 刀頭：鍍鉻、黑色
 刀身：圓形 手柄：舒適人體工學防滑保護

產品編號		mm	mm	mm	牌價
1767-TX8	TX 8	60	81	3.5	2 3/8" \$300 V
1767-TX9	TX 9	60	81	4.0	2 3/8" \$300 V
1767-TX10	TX 10	80	81	4.0	3 1/8" \$334 V
1767-TX15	TX 15	80	98	4.0	3 1/8" \$350 V
1767-TX20	TX 20	100	98	4.5	4" \$367 V
1767-TX25	TX 25	100	105	5.0	4" \$387 V
1767-TX30	TX 30	115	105	6.0	4 9/16" \$487 V
1767-TX40	TX 40	130	112	7.0	5 1/8" \$600 V

Kraftform Plus – Series 300

The right tool for every application

德國Wera內六角起子 354

354 Screwdriver for hexagon socket screws



Application: Hexagon socket screws

Blade: Round

Design: Hex-Plus, chrome-plated

Handle: Kraftform with non-roll feature, multi-component

	⊙	⊙	⊙	⊙	⊙	
	mm	mm	mm	mm	mm	
05023105001	2.0	75	70	3.0	3°	\$467
05023107001	2.5	75	81	3.0	3°	\$484
05023110001	3.0	75	81	4.0	3°	\$500
05023115001	4.0	75	98	5.0	3°	\$567
05023120001	5.0	80	105	6.0	3 1/2°	\$650
05023125001	6.0	80	105	7.0	3 1/2°	\$750
05023130001	8.0	100	112	10.0	4°	\$1,250

德國Wera球頭六角起子(黑頭+六角加強柄) 352-SW

352 Ball end screwdriver for hexagon socket screws



Application: Hexagon socket screws

Blade: Hexagonal

Design: Ball end hexagon, chrome-plated, Black Point

Handle: Kraftform with non-roll feature, multi-component, sizes W/F 12.0, W/F 1/2"; Kraftform with non-roll feature, single-component

	⊙	⊙	⊙	⊙	⊙	
	mm	mm	mm	mm	mm	
05022795001	1.5	60	70	2 1/2°		\$600
05022800001	2.0	100	70	4°		\$600
05138070001	2.5	100	81	4°		\$600
05022805001	3.0	100	81	4°		\$617
05022810001	4.0	100	98	4°		\$667
05022815001	5.0	100	105	4°		\$817
05022820001	6.0	125	105	5°		\$984
05022825001	8.0	150	112	6°		\$1,550
05022830001	10.0	150	112	6°		\$1,750
05022835001	12.0	150	117	6°		\$2,000
05022905001		1/2"	100	98	4°	\$700
05022910001		1/2"	100	105	4°	\$867
05022915001		1/2"	100	105	4°	\$934
05022920001		1/2"	125	105	5°	\$1,134
05022925001		1/2"	150	112	6°	\$1,567
05022930001		1/2"	150	112	6°	\$2,000
05022935001		1/2"	150	117	6°	\$2,400

德國Wera星型【加長型】起子-鑄鈦頭 367HF-TX

367 TORX® HF Screwdriver with holding function for TORX® screws



Application: TORX® socket screws

Blade: Round

Design: Holding function for TORX® screws made according to Acament Intellectual Properties specifications, chrome-plated

Handle: Kraftform with non-roll feature, multi-component

	★	⊙	⊙	⊙	⊙	
		mm	mm	mm	mm	
05028048001	TX 8	60	81	3.5	2 3/8"	
05028049001	TX 9	60	81	4.0	2 3/8"	
05028050001	TX 10	80	81	4.0	3 1/8"	\$917
05028051001	TX 15	80	98	4.0	3 1/8"	\$934
05028052001	TX 20	100	98	4.5	4"	\$950
05028070001	TX 20	300	98	4.5	12"	\$1,200
05028053001	TX 25	100	105	5.0	4"	\$1,034
05028071001	TX 25	300	105	6.0	12"	\$1,234
05028054001	TX 27	115	105	5.5	4 1/8"	\$1,067
05028072001	TX 27	300	105	6.0	12"	\$1,300
05028055001	TX 30	115	105	6.0	4 1/8"	
05028073001	TX 30	300	105	6.0	12"	\$1,334
05028056001	TX 40	130	112	7.0	5 1/8"	

392 Bitholding screwdriver with flexible shaft

德國Wera萬向快脫六角套筒起子 392-1/4x177



Application: Suitable for 1/4" DIN ISO 1173-C E,3 hexagon bits and Wera Series 1

Design: Wera quick-release chuck

Handle: Kraftform with non-roll feature, multi-component

	⊙	⊙	⊙	
		mm	mm	
05028160001	1/4"	177	98	7"

Kraftform Plus – Series 300

The right tool for every application

德國Wera TRI WING賓士型起子 375 375 TRI-WING® screwdriver for TRI-WING® screws



Application: TRI-WING® screws
Blade: Round
Design: Chrome-plated, Black Point
Handle: Kraftform with non-roll feature, multi-component

	mm	mm	mm	mm		
05028116001	0	80	81	3,5	3 1/2"	\$930
05028118001	1	80	81	3,5	3 1/2"	\$930
05028120001	2	80	98	4,5	3 1/2"	\$930
05028122001	3	80	98	4,5	3 1/2"	\$930
05028124001	4	100	98	6,0	4"	\$1,087
05028126001	5	100	98	6,0	4"	\$1,087

德國Wera可彎曲萬向起子 391-SW 391 Hose clamp screwdriver



Application: Hexagon headed bolts, screws and nuts
Blade: Round, flexible
Design: Nutdriver for hexagon head bolts
Handle: Kraftform with non-roll feature, multi-component

	mm	mm	mm	mm	
05028148001	6	167	98	6 3/8"	\$2,050
05028150001	7	167	98	6 3/8"	\$1,767
05028152001	8	167	98	6 3/8"	\$1,784



起子收納架 示意圖

德國Wera套筒起子 395 HO 395 HO Nutdriver



Application: Hexagon headed bolts, screws and nuts
Blade: Round
Design: Chrome-plated, hollow shaft for protruding threaded rods
Handle: Kraftform with non-roll feature, multi-component
TIP: The hollow shaft enables seized screws or those on long threads to be tightened and loosened

	mm	mm	mm	mm	mm	mm	
05029460001	5,0		70	98	7,2	2 7/8"	\$1,000
05029461001	5,5		70	98	7,2	2 7/8"	\$1,000
05029462001	6,0		70	98	7,2	2 7/8"	\$1,050
05029463001	7,0		80	105	7,2	3 1/8"	\$1,050
05029464001	8,0		80	105	9,3	3 1/2"	\$1,167
05029465001	10,0		80	112	9,3	3 1/2"	\$1,284
05029466001	13,0		80	112	11,0	3 1/2"	\$1,334
05029501001		3/8"	70	98	7,2	2 7/8"	
05029502001		1/4"	70	98	7,2	2 7/8"	
05029503001		3/16"	80	105	9,3	3 1/8"	
05029504001		11/32"	80	105	9,3	3 1/8"	
05029505001		7/16"	80	112	9,3	3 1/2"	
05029506001		1/2"	80	112	11,0	3 1/2"	
05029507001		5/8"	80	112	11,0	3 1/2"	

德國Wera起子架 WERA RACK-K Rack for Kraftform screwdrivers



mm	mm	mm	
05134001001	190,0	50,0	\$434



德國 Wera 絕緣十字起子 舒適型 1162i
1000 伏特絕緣 (10 倍安全係數獨立檢測)

應用：用於十字螺絲。刀頭：黑色鍍光特殊處理
 刀身：絕緣，依據 IEC 規範 60900：2004 標準獨立檢測
 手柄：舒適人體工學防滑保護，抗高壓電

產品編號	mm	mm	mm	吋	牌價
1162i-PH0x80	PH 0	80	81	3 1/8"	\$600 v
1162i-PH1x80	PH 1	80	98	3 1/8"	\$667 v
1162i-PH1x180	PH 1	180	98	6"	\$735 v
1162i-PH2x100	PH 2	100	105	4"	\$787 v
1162i-PH2x200	PH 2	200	105	8"	\$933 v
1162i-PH3x150	PH 3	150	112	6"	\$1,035 v
1162i-PH4x200	PH 4	200	112	8"	\$1,800 v

1165 i PZ VDE Insulated screwdriver for Pozidriv screws

德國 Wera 絕緣米字起子 舒適型 1165i-PZ



Application: Suitable for Pozidriv screws
Blade: Insulated, individually tested as per IEC 60900
Design: Chrome-plated, Black Point
Handle: Kraftform Comfort with non-roll feature, multi-component

	mm	mm	mm	吋	牌價
0601610001	PZ 0	80	81	3 1/8"	\$1,300
0601611001	PZ 1	80	98	3 1/8"	
0601613001	PZ 2	100	105	4"	
0601615001	PZ 3	150	112	6"	



德國 Wera 絕緣一字起子 舒適型 1160i
1000 伏特絕緣 (10 倍安全係數獨立檢測)

應用：用於十字螺絲。刀頭：黑色鍍光特殊處理
 刀身：絕緣，依據 IEC 規範 60900：2004 標準獨立檢測
 手柄：舒適人體工學防滑保護，抗高壓電

產品編號	mm	mm	mm	mm	吋	牌價
1160i-2.5x80	0,4	2,8	80	81	3/32" 3 1/8"	\$467 v
1160i-3.0x100	0,5	3,0	100	81	1/8" 4"	\$467 v
1160i-3.5x100	0,6	3,5	100	81	9/64" 4"	\$600 v
1160i-4.0x100	0,8	4,0	100	98	5/32" 4"	\$567 v
1160i-4.0x150	0,8	4,0	150	98	5/32" 6"	\$800 v
1160i-5.5x125	1,0	5,5	125	98	7/32" 5"	\$700 v
1160i-5.5x200	1,0	5,5	200	98	7/32" 8"	\$800 v
1160i-6.5x150	1,2	6,5	150	105	1/4" 6"	\$800 v
1160i-6.5x200	1,2	6,5	200	105	1/4" 8"	\$1,035 v
1160i-8.0x175	1,2	8,0	175	112	5/16" 7"	\$1,167 v

德國 Wera 驗電筆 247 110~250V
247 Single-pole voltage tester



Application: Voltage testing
Standard: ISO 5789:6 and VDE 0384:6 for 110 ~250 V

\$834

	mm	mm	mm	mm	吋	牌價
0602650001	0,5	2,0	70	3,0	1/8" 2 1/2"	

Product not available in the USA and Canada



Comfort V.D.E. 系列
Wera V.D.E. 工具保護您無價的生命安全
 在歐盟最嚴苛的標準規範內 (IEC 60900 2004)
1000 伏特絕緣 (10 倍安全係數獨立檢測)
 在水中經過每一支的單獨測試，
 全方位的保護您無價的生命！
 (KNIPEX 在德國唯一配合的重電工具，就是 Wera V.D.E.)

Kraftform Plus - Series 100 VDE

The safety screwdriver for working with live wiring

德國Wera絕緣VDE一字起子-鍍鈦怪牙型 160i
160 i VDE Insulated screwdriver for slotted screws



	mm	mm	mm	mm	mm	mm
05006100001 ¹⁾	0,4	2,5	80	81	3 1/2"	3 1/2"
05006105001 ¹⁾	0,5	3,0	100	81	4"	\$717
05006110001	0,6	3,5	100	81	4"	\$800
05006115001	0,8	4,0	100	98	4"	\$934
05006116001	0,8	4,0	150	98	6"	
05006120001	1,0	5,5	125	98	5"	\$1067
05006121001	1,0	5,5	200	98	8"	
05006125001	1,2	6,5	150	105	6"	
05006126001	1,2	6,5	200	105	8"	
05006130001	1,2	8,0	175	112	7"	
05006135001	1,8	8,0	200	112	8"	
05006140001	1,8	10,0	200	112	8"	

德國Wera絕緣VDE十字起子-鍍鈦怪牙型 162i PH



	+	mm	mm	mm	mm
05006150001 ¹⁾	PH 0	80	81	3 1/2"	\$867
05006152001	PH 1	80	98	3 1/2"	\$967
05006153001	PH 1	150	98	6"	\$1,167
05006154001	PH 2	100	105	4"	\$1,300
05006159001	PH 2	200	105	8"	\$1,700
05006156001	PH 3	150	112	6"	\$1,634
05006158001 ¹⁾	PH 4	200	112	8"	

¹⁾ without Laserlip

德國Wera絕緣VDE米字起子-鍍鈦怪牙型 165i-PZ



	+	mm	mm	mm	
05006160001 ¹⁾	PZ 0	80	81	3 1/2"	
05006162001	PZ 1	80	98	3 1/2"	\$1,100
05006163001	PZ 1	150	98	6"	
05006164001	PZ 2	100	105	4"	\$1,567

德國Wera絕緣VDE一字起子-深孔型 160is
160 is VDE Insulated screwdriver with reduced blade diameter for slotted screws



	mm	mm	mm	mm	mm	mm
05006440001	0,6	3,5	100	81	4"	\$934
05006441001	0,8	4,0	100	98	4"	\$1,100
05006442001	1,0	5,5	125	98	5"	\$1,234

德國Wera絕緣VDE十字起子-深孔型 162is-PH



	+	mm	mm	mm	mm
05006450001	PH 1	80	98	3 1/2"	\$1,200
05006451001	PH 2	100	105	4"	\$1,667

德國Wera絕緣VDE無熔絲開關專用起子
162i-PH/S2x100 - \$1,500



	+	mm	mm	mm
05006380001	# 1	80	98	3 1/2"
05006381001	# 2	100	105	4"



HIT 世界最強擊型
螺絲刀系列



德國 Wera 擊型起子組 -6 支裝
(附展示架)

內容物：一字、十字擊型起子

932/6

產品編號	型號	內容物規格	牌價
932/6	⊕ 917 SPH	PH 1x80; PH 2x100	\$4,167
05018282001	⊖ 932A	3.5x80; 4.5x90 5.5x100; 7.0x125	

Kraftform Plus – Series 900

The chiseldriver for fastening and chiselling

德國Wera頂級一字貫通起子 932A 932 A Screwdriver for slotted screws



- Application:** Slotted screws
- Blade:** Hexagonal throughout with impact cap, hexagonal bolster from 0.8 x 4.5
- Design:** Chrome-plated, Black Point
- Handle:** Kraftform with non-roll feature, multi-component, sizes 2.0 x 12.0, 2.5 x 14.0; Kraftform with non-roll feature, single-component

\$767
\$867
\$1,067
\$1,100
\$1,500
\$2,167

	mm	mm	mm	mm	mm	mm	mm	mm
05018260001	0,8	3,5	4	80	81	1/16"	3 1/2"	
05018262001	0,8	4,5	5	8	90	98	0,178"	3 1/2"
05018264001	1,0	5,5	6	10	100	105	1/8"	4"
05018266001	1,2	7,0	8	10	125	105	1/8"	5"
05018268001	1,8	9,0	8	13	150	112	1/16"	6"
05018270001	1,8	10,0	8	13	175	112	3/16"	7"
05018272001	2,0	12,0	10	16	200	117	1/4"	8"
05018274001	2,5	14,0	10	16	250	117	1/4"	10"

* Blade: Round, no impact cap, no hexagon bolster

德國Wera頂級十字貫通起子 917S-PH 917 SPH Screwdriver for Phillips screws



- Application:** Phillips screws
- Blade:** Hexagonal throughout with impact cap, hexagonal bolster for sizes 1 - 4
- Design:** Chrome-plated, Black Point
- Handle:** Kraftform with non-roll feature, multi-component, size 4/200; Kraftform with non-roll feature, single-component

		mm	mm	mm	mm	mm
05017005001	PH 1	5	8	80	98	3 1/4" \$767
05017010001	PH 2	6	10	100	105	4" \$1,067
05017015001	PH 3	8	13	150	112	6" \$1,600
05017020001	PH 4	10	16	200	117	8" \$2,500

德國Wera鑿型強力四方軸孔起子6支組(附展示架) 932 S/6 Screwdriver set Kraftform Wera: Chiseldriver and rack



- Application:** Slotted and Phillips screws, impact cap with integrated square socket for insertion of 1/4" blades for higher torque
- Content:** 6-piece set and rack in display carton

			\$5,934
05018283001			
	917 SPHS	1 x PH 1x90; 1 x PH 2x113	
	932 A	1 x 0,8x3,5x80 ¹⁾	
	932 AS	1 x 0,8x4,5x100; 1 x 1,0x5,5x103; 1 x 1,2x7,0x130	

¹⁾ Blade: Round, no impact cap, no hexagon bolster

德國Wera鑿型星型起子組-6支裝(附展示架) 977/6 TORX® Screwdriver set Kraftform Wera: Chiseldriver and rack



- Application:** TORX®
- Content:** 6-piece set and rack in display carton

			\$6,167
05024410001			
	977 TORX®	1 x TX 15x80; 1 x TX 20x90; 1 x TX 25x100; 1 x TX 27x125; 1 x TX 30x150; 1 x TX 40x150	

Series Kraftform Screwdrivers

Stainless Steel #420強化

德國Wera不鏽鋼怪牙一字起子 3335
3335 Screwdriver for slotted screws, stainless



Application: Slotted screws

Blade: Round

Design: Stainless steel for minimising rust, Lasertip

Handle: Kraftform with non-roll feature, multi-component

	mm	mm	mm	mm	mm	mm	mm	
05032001001	0.5	3.0	3.0	80	81	1/8"	3 1/2"	\$700
05032002001	0.6	3.5	3.5	100	81	3/16"	4"	\$700
05032003001	0.8	4.0	4.0	100	98	1/4"	4"	\$734
05032004001	1.0	5.5	5.5	125	98	3/8"	5"	\$984

* without Lasertip

德國Wera不鏽鋼十字起子 3350 PH
3350 PH Screwdriver for Phillips screws, stainless



Application: Phillips screws

Blade: Round

Design: Stainless steel for minimising rust, Lasertip

Handle: Kraftform with non-roll feature, multi-component

		mm	mm	mm		
05032020001	PH 0	80	81	3.0	2 1/2"	\$767
05032021001	PH 1	80	98	4.5	3 1/2"	\$900
05032022001	PH 2	100	106	6.0	4"	\$1,167
05032023001	PH 3	150	112	8.0	6"	\$1,767

* without Lasertip

德國Wera不鏽鋼怪牙一字起子(強力型) 3334
3334 Screwdriver for slotted screws, stainless



Application: Slotted screws

Blade: Round

Design: Lasertip, stainless steel for minimising rust,

Handle: Kraftform with non-roll feature, multi-component

	mm	mm	mm	mm	mm	mm	mm	
05032005001	1.2	6.5	6.0	150	106	1/2"	6"	\$1,367
05032006001	1.2	8.0	7.0	175	112	3/4"	7"	\$1,634
05032007001	1.8	10.0	9.0	200	112	7/8"	8"	\$2,187

德國Wera頂級不鏽鋼四角型起子 3368
3368 Screwdriver for square socket screws, stainless



Application: Square socket screws

Blade: Round

Design: Stainless steel for minimising rust

Handle: Kraftform with non-roll feature, multi-component

		mm	mm	mm		
05032070002	# 1	80	98	4.5	3 1/2"	\$1,300
05032071002	# 2	100	106	6.0	4"	\$1,834

Really simple
The first screwdrivers with
"Take it easy" tool finder





德國 Wera 電子十字小起子 2050

應用：十字槽 刀頭：鍍鎳、黑色
刀身：圓形 手柄：人體工學防滑保護，精密旋轉頭

產品編號		mm	mm	mm		售價
2050-PH000x40	PH 000	40	97	1.5	1 9/16"	\$660 v
2050-PH00x40	PH 00	40	97	1.8	1 9/16"	\$450 v
2050-PH0x60	PH 0	60	97	3.0	2 3/8"	\$367 v
2050-PH1x60	PH 1	60	97	4.0	2 3/8"	\$400 v
2050-PH1x80	PH 1	80	97	4.0	3 1/8"	\$500 v
2050-PH00x60	PH 00	60	97	3.0	2 3/8"	\$500 v
2050-PH00x40	PH 00	40	97	1.5	1 9/16"	\$500 v

05249291001 (特別訂製-組裝)



德國 Wera 電子一字小起子 2035

應用：一字槽 刀頭：鍍鎳、黑色
刀身：圓形 手柄：人體工學防滑保護，精密旋轉頭

產品編號	mm	mm	mm	mm	mm	mm	售價
2035-0.8x40	0.16	0.8	40	97	2.0	1/32" 1 9/16"	\$567
2035-1.0x40	0.18	1.0	40	97	2.0	0.04" 1 9/16"	\$600 v
2035-1.2x40	0.20	1.2	40	97	2.0	0.05" 1 9/16"	\$450 v
2035-1.5x40	0.23	1.5	40	97	2.0	1/16" 1 9/16"	\$387 v
2035-1.8x40	0.30	1.8	40	97	2.0	0.07" 1 9/16"	\$387 v
2035-2.0x40	0.40	2.0	40	97	2.5	5/64" 1 9/16"	\$327 v
2035-2.5x50	0.40	2.5	50	97	2.5	3/32" 2"	\$330 v
2035-3.0x50	0.50	3.0	50	97	3.0	1/8" 2"	\$330 v
2035-3.0x100	0.60	3.0	100	97	3.0	1/8" 4"	\$387 v
2035-3.5x80	0.60	3.5	80	97	4.0	9/64" 3 1/8"	\$350 v
2035-4.0x80	0.80	4.0	80	97	4.0	5/32" 3 1/8"	\$387 v
2035-2.0x60	0.40	2.0	60	97	2.5	5/64" 2 3/8"	\$400 v
2035-2.5x80	0.40	2.5	80	97	2.5	3/32" 3 1/8"	\$400 v
2035-3.0x80	0.50	3.0	80	97	3.0	1/8" 3 1/8"	\$400 v



德國 Wera 電子六角小起子 2054


應用：用於內六角螺絲 刀頭：六角-鍍鎳、鍍鎳、黑色
刀身：圓形 手柄：人體工學防滑保護，精密旋轉頭

	mm	mm	mm	mm		售價	
0511806001	0.7	40	97	3.0	1 1/16"	\$517	
05118062001	0.9	40	97	3.0	1 1/16"	\$450	
05118064001	1.3	40	97	3.0	1 1/16"	\$400	
05118066001	1.5	60	97	3.0	2 1/8"	\$387	
05118068001	2	60	97	3.0	2 1/8"	\$350	
05118070001	2.5	60	97	4.0	2 1/8"	\$350	
05118072001	3.0	60	97	4.0	2 1/8"	\$330	
05345284001	-	0,028"	40	97	3.0	1 1/16"	\$517
05345285001	-	0,035"	40	97	3.0	1 1/16"	\$517
05118074001	-	0,05"	40	97	3.0	1 1/16"	\$517
05118076001	-	1/30"	60	97	3.0	2 1/8"	\$500
05118078001	-	5/60"	60	97	3.0	2 1/8"	\$500
05118080001	-	3/32"	60	97	4.0	2 1/8"	\$500
05118082001	-	7/60"	60	97	4.0	2 1/8"	\$500
05118075001	-	1/8"	60	97	4.0	2 1/8"	\$500

Wera 精密型電子起子 Kraftform Micro

最符合人體工學的設計
在起子的頭、柄、身三區域
做最完美的結合
"精準、快速、有力" 是 Wera
在 Kraftform Micro 系列上
給您的承諾。

Wera的堅持
耐蝕、耐磨的
【黑色刀頭】



德國Wera電子三葉型i-Phone專用起子 2072-Mx40



		mm	mm	mm	售價	
05118145001	m	40	97	2.5	1 1/16"	\$1,100





德國 Wera 電子 TORX® 星型小起子 2067

應用：用於 TORX® 星型螺絲 刀頭：鍍鉻、黑色
 刀身：圓形 手柄：人體工學防滑保護，精密旋轉頭

產品編號		mm	mm	mm		售價	
2067-TX1x40	TX 1	40	97	2,0	1 9/16"	\$717	v
2067-TX2x40	TX 2	40	97	2,0	1 9/16"	\$717	v
2067-TX3x40	TX 3	40	97	2,0	1 9/16"	\$717	v
2067-TX4x40	TX 4	40	97	2,5	1 9/16"	\$717	v
2067-TX5x40	TX 5	40	97	3,0	1 9/16"	\$637	v
2067-TX6x40	TX 6	40	97	3,0	1 9/16"	\$617	v



德國 Wera 電子六角套筒小起子 2069

應用：用於六角螺絲 刀頭：鍍鉻、黑色
 刀身：圓形 手柄：人體工學防滑保護，精密旋轉頭

產品編號	mm	mm	mm	mm		售價	
2069-1.6x60	1,6	60	97	4,0	2 3/8"	\$950	v
2069-1.8x60	1,8	60	97	4,0	2 3/8"	\$934	v
2069-2.0x60	2,0	60	97	4,0	2 3/8"	\$934	v
2069-2.6x60	2,6	60	97	4,0	2 3/8"	\$683	v
2069-3.0x60	3,0	60	97	5,0	2 3/8"	\$683	v
2069-3.2x60	3,2	60	97	5,0	2 3/8"	\$683	v
2069-3.5x60	3,5	60	97	5,3	2 3/8"	\$717	v
2069-4.0x60	4,0	60	97	5,5	2 3/8"	\$717	v
2069-4.5x60	4,5	60	97	6,2	2 3/8"	\$733	v
2069-5.0x60	5,0	60	97	7,0	2 3/8"	\$733	v
2069-5.5x60	5,5	60	97	7,8	2 3/8"	\$733	v
2069- 3/32"	3/32"	60	97	5,7	2 3/8"	\$834	v
2069- 7/64"	7/64"	60	97	5,7	2 3/8"	\$834	v
2069- 1/8"	1/8"	60	97	5,7	2 3/8"	\$834	v
2069- 9/64"	9/64"	60	97	5,7	2 3/8"	\$867	v
2069- 5/32"	5/32"	60	97	5,7	2 3/8"	\$834	v
2069- 3/16"	3/16"	60	97	-	2 3/8"	\$917	v
2069- 7/32"	7/32"	60	97	-	2 3/8"	\$934	v



德國 Wera 電子 TORX® 星型中孔小起子 2067 BO

應用：用於 TORX® 星型螺絲 (BO = 星型中孔螺絲 - 全世界獨家)
 刀頭：星型 TORX® 中孔、鍍鉻、黑色
 刀身：圓形 手柄：人體工學防滑保護，精密旋轉頭

產品編號		mm	mm	mm		售價	
2067 BO-TX7x60	TX BO	60	97	3,0	1 9/16"	\$697	v
2067 BO-TX8x60	TX 8 BO	60	97	3,0	2 3/8"	\$697	v
2067 BO-TX9x60	TX 9 BO	60	97	4,0	2 3/8"	\$687	v
2067 BO-TX10x60	TX 10 BO	60	97	4,0	2 3/8"	\$687	v
2067 BO-TX15x60	TX 15 BO	60	97	4,0	2 3/8"	\$697	v
2067 BO-TX20x60	TX 20 BO	60	97	4,0	2 3/8"	\$697	v

註：v 為通銷常用規格

德國 Wera 電子五角 i-Phone 專用起子 2067-11PRx44 2067 IPR TORX PLUS® screwdriver for electronic applications



Application: TORX PLUS® IPR socket screws
Blade: Round
Design: Chrome-plated, Black Point
Handle: Kraftform Micro with non-roll feature and rotating cap, multi-component

		mm	mm	mm		售價
05030160001	#1	44	97	2,0	1 1/4"	\$994

德國 Wera 電子米字小起子 2055-PZ 2055 PZ Screwdriver for Pozidriv screws for electronic applications



Application: Suitable for Pozidriv screws
Blade: Round
Design: Chrome-plated, Black Point
Handle: Kraftform Micro with non-roll feature and rotating cap, multi-component

		mm	mm	mm		售價
05118030001	PZ 0	60	97	3,0	2 3/8"	\$483
05118032001	PZ 1	80	97	4,0	3 1/4"	\$534

ESD Series - ESD-safe tools

德國Wera抗靜電ESD電子一字起子 1578ESD 1578 A Kraftform Micro screwdriver for slotted screws



Applications: Slotted screws
Blade: Round
Design: Chrome-plated, Black Point
Handle: Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm	mm	mm	mm	mm
05030101001	0,23	1,5	40	97	2,5	1/8"	1 1/2"
05030109001	0,25	1,2	40	97	2,5	0,00"	1 1/2"
05030102001	0,35	1,8	60	97	2,5	0,07"	2 1/2"
05030103001	0,40	2,0	60	97	2,5	1/16"	2 1/2"
05030104001	0,40	2,5	80	97	2,5	1/8"	3 1/2"
05030105001	0,50	3,0	80	97	3,0	1/4"	3 1/2"
05030106001	0,60	3,5	80	97	4,0	1/2"	3 1/2"
05030107001	0,80	4,0	80	97	4,0	1/2"	3 1/2"

\$567
\$567
\$500
\$500
\$467
\$483
\$567
\$617

德國Wera抗靜電ESD電子十字起子 1550ESD PH 1550 PH Kraftform Micro screwdriver for Phillips screws



Applications: Phillips screws
Blade: Round
Design: Chrome-plated, Black Point
Handle: Kraftform Micro with non-roll feature and rotating cap, multi-component

		mm	mm	mm	mm	
05030110001	PH 00	60	97	2,5	2 1/2"	\$700
05030111001	PH 0	60	97	3,0	2 1/2"	\$600
05030112001	PH 1	80	97	4,0	3 1/2"	\$667

德國Wera抗靜電ESD起子握柄 1013ESD 1013 Kraftform Micro ESD bitholding screwdriver



Applications: Suitable for bits with 4 mm Halfmoon drive (and Wera Serie 9) and 4 mm HIOS drive (and Wera Serie 21)
Design: With quick-release chuck for rapid bit change
Handle: Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm
05030004001	23	97	1"

Bits of the Wera serie 9 and 21 can be found on pages 285, 314, 320, 322, 327, 334, 346 and 347.

\$2,500

德國Wera防靜電起子11件組-精美帆布包 KK-ESD/11 Kraftform Kompakt Micro-Set ESD/11 SB



Pouch with 44 mm bits
 11-piece set
 1 Kraftform Micro ESD bitholding screwdriver

			\$8,000
05073670001			
	1013 Kraftform Micro ESD	1 x 97	
	851/9 C	1 x PH 00x44; 1 x PH 0x44; 1 x PH 1x44	
	851/9 C	1 x PH 00x44; 1 x PH 0x44; 1 x PH 1x44	
	867/9 C TORX®	1 x TX 5x44; 1 x TX 6x44	
	800/9 C	1 x 0,23x1,5x44; 1 x 0,40x2,0x44; 1 x 0,50x3,0x44	
	840/9 C	1 x 1,5x44; 1 x 2,0x44	

德國Wera防靜電起子20件組-精美帆布包 KK-ESD/20 Kraftform Kompakt Micro-Set ESD/20 SB



Pouch with 44 mm bits
 20-piece set
 1 Kraftform Micro ESD bitholding screwdriver

			\$20,000
05073871001			
	1013 Kraftform Micro ESD	1 x 97	
	851/9 C	1 x PH 00x44; 1 x PH 0x44; 1 x PH 1x44	
	851/9 C	1 x PH 00x44; 1 x PH 0x44; 1 x PH 1x44	
	867/9 C TORX®	1 x TX 1x44; 1 x TX 2x44; 1 x TX 3x44; 1 x TX 4x44; 1 x TX 5x44; 1 x TX 6x44	
	867/9 C TORX PLUS®	1 x 1 IPx44; 1 x 2 IPx44; 1 x 3 IPx44; 1 x 4 IPx44	
	840/9 C	1 x 1,5x44; 1 x 2,0x44	
	800/9 C	1 x 0,23x1,5x44; 1 x 0,40x2,0x44; 1 x 0,50x3,0x44	
	873/9 Five Lobe	1 x # 1x44	

德國Wera T型六角扳手-英制 454
454 T-handle hexdriver, imperial



Application: Hexagon socket screws
Blade: Hexagon
Design: Hex-Plus, chamfered, chrome-plated
Handle: T-handle, single-component

	○	⌘	⌘	⌘	⌘	
		mm	mm	mm		
05344536001	1/8"	100	27	61	4"	\$534
05344537001	7/32"	100	27	61	4"	\$534
05344538001	1/4"	100	33	70	4"	\$567
05344548001	3/8"	150	33	70	6"	\$600
05344549001	1/2"	150	33	70	6"	\$634
05344544001	5/8"	150	44	87	6"	\$734
05344543001	3/4"	150	44	87	6"	\$867
05344542001	7/8"	200	44	87	8"	\$1,033
05344541001	1"	200	44	87	8"	\$1,300
05344540001	1 1/8"	200	44	87	8"	\$1,500

467 T-handle TORX® driver

德國Wera T型星型扳手 467



Application: TORX® screws
Blade: Round
Design: Chrome-plated, Black Point
Handle: T-handle, single-component

	⊙	⌘	⌘	⌘	⌘	∅
		mm	mm	mm		mm
05013350001	TX 6	100	27	61	4"	3.0
05013352001	TX 7	100	27	61	4"	3.0
05013354001	TX 8	100	27	61	4"	3.5
05013356001	TX 9	100	27	61	4"	3.5
05013358001	TX 10	100	27	61	4"	4.0
05013360001	TX 15	100	33	70	4"	4.0
05013362001	TX 20	100	33	70	4"	4.5 \$800
05013364001	TX 25	100	33	70	4"	5.0 \$834
05013366001	TX 25	200	33	70	6"	5.0
05013370001	TX 27	200	44	87	6"	6.0 \$1,100
05013372001	TX 30	200	44	87	8"	6.0 \$1,134
05013374001	TX 40	200	44	87	8"	8.0
05013376001	TX 45	200	44	87	8"	9.0

Hex-Plus®



德國Wera 專業T型六角扳手 454

應用：用於六角螺絲絲 刀頭：六角形打滑刀頭・磨錐
刀身：六角形 手柄：T型人體工學握力柄

超強硬度
1支抵3支

	○	⌘	⌘	⌘	⌘	
產品編號		mm	mm	mm		售價
454-2x100	2	100	27	61	4"	\$410
454-2x200	2	200	27	61	8"	\$485
454-2.5x100	2,5	100	27	61	4"	\$410
454-2.5x200	2,5	200	27	61	8"	\$485
454-3x100	3	100	33	70	4"	\$460
454-3x150	3	150	33	70	6"	\$483
454-3x200	3	200	33	70	8"	\$517
454-3x350	3	350	33	70	14"	\$880
454-4x100	4	100	33	70	4"	\$500
454-4x150	4	150	33	70	6"	\$520
454-4x200	4	200	33	70	8"	\$550
454-4x350	4	350	33	70	14"	\$883
454-5x100	5	100	44	87	4"	\$575
454-5x150	5	150	44	87	6"	\$600
454-5x200	5	200	44	87	8"	\$650
454-5x350	5	350	44	87	18"	\$850
454-5x450	5	450	44	87	14"	\$1,167
454-6x100	6	100	44	87	4"	\$683
454-6x150	6	150	44	87	6"	\$710
454-6x200	6	200	44	87	8"	\$735
454-6x350	6	350	44	87	14"	\$985
454-7x200	7	200	44	87	8"	\$833
454-8x150	8	150	44	87	6"	\$1,036
454-8x200	8	200	44	87	8"	\$1,067
454-8x350	8	350	44	87	14"	\$1,300
454-10x200	10	200	44	87	8"	\$1,233

Wera 05004970001 8100 SB VDE Zyklop 3/8" Drive Insulated Ratchet Set



Increased Safety

• 安全性提升

雙層工作安全防護
外部紅色VDE絕緣層
&內部黃色絕緣芯



Ball Lock Mechanism

• 安全 固定珠

"The ball lock" 固定珠
確保套筒牢固，提高操作
安全性。



Perfect for tight spaces

• 適合狹小空間

可在極狹小空間輕鬆
完成工作的ZYKLOP VDE



Finely toothed with 80 teeth

• 80齒精密細齒

精確的80齒細齒棘
輪，迴轉角度4.5°，
可精準地完成工作。



100%絕緣—
Zyklop VDE棘輪、
套筒和延長桿，
安全工作高達
1,000伏特。



嚴苛的零下-25° 測試



輕薄、舒適握柄的設計，
符合人體工程學的抓握區
域，即使在非常狹窄的空
間內也能輕鬆完成工作。



堅固且扎實的帆布收納
袋，附有套筒專用收
納，以旋轉方式牢固固
定/拆卸套筒。

可與Wera 2go工作袋
系列搭配使用。





德國Wera三分3/8"公制絕緣套筒扳手17件組-帆布包

05004970001

8100SB-VDE1 \$46,667



- 
 8007 B VDE 1 x 3/8"x222.0
 德國Wera三分3/8"絕緣棘輪扳手
 8007B-VDE3/8 - \$9,667
- 
 8794 SB VDE 1 x 3/8"x91.0
- 
 8790 B VDE
 - 1 x 6.0x46.0
 - 1 x 7.0x46.0
 - 1 x 8.0x46.0
 - 1 x 9.0x46.0
 - 1 x 10.0x46.0
 - 1 x 11.0x46.0
 - 1 x 12.0x46.0
 - 1 x 13.0x46.0
 - 1 x 14.0x46.0
 - 1 x 15.0x46.0
 - 1 x 16.0x46.0
 - 1 x 17.0x46.0
 - 1 x 18.0x46.0
 - 1 x 19.0x46.0
- 
 8794 LB VDE 1 x 3/8"x166.0



- Hex-Plus 專利設計 - 保證不會損傷螺絲，有別於傳統的平面六角
- 獨家專利 BlackLaser 表面處理 - 具有高防鏽蝕保護功能塗層
- 圓桿身設計，操作時手感極佳
- SPKL彩色膠套 - 1.保護手指 2.易於辨認規格 3.具有熱塑性，確保在低溫下也能舒適工作 4.材質厚，即使長時間工作也不會龜裂脫落

德國Wera頂級彩色膠套舒適型六角扳手9支組
950 SPKL/9 SM N CO - \$3,600



05073593001	○	950 SPKL Multicolour	1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224
-------------	---	----------------------	--

德國Wera彩色膠套六角扳手9支組帆布包-英制
950 SPKL/9 SZ CO - \$4,500



05022639001	○	950 SPKL inch	1 x 5/64"x101; 1 x 3/32"x112; 1 x 1/8"x123; 1 x 5/32"x137; 1 x 3/16"x154; 1 x 7/32"x172; 1 x 1/4"x185; 1 x 5/16"x195; 1 x 3/8"x224
-------------	---	---------------	--

德國Wera彩色膠套六角球頭扳手7支組
附增磁膠套 950 SPKL/7B SM CO - \$3,300



05022534001	○	950 SPKL	1 x 1,5x90; 1 x 2,0x101; 1 x 2,5x112; 1 x 3,0x123; 1 x 4,0x137; 1 x 5,0x154; 1 x 6,0x172
-------------	---	----------	--

德國Wera彩色膠套固定鋼珠球頭六角扳手
9支組 950 SPKL/9 SM HF - \$5,167



05022210001	○	950 SPKL Multicolour	1 x 1,5x90; 1 x 2,0x101; 1 x 2,5x112
	○	950 SPKL HF Multicolour	1 x 3,0x123; 1 x 4,0x137; 1 x 5,0x154; 1 x 6,0x172; 1 x 8,0x195; 1 x 10,0x224

德國Wera彩色膠套六角扳手7支組 - 英制
950 SPKL/9 SZ-2 - \$4,243



05022640001	○	950 SPKL inch	1x 1/16"x101; 1x 1/8"x112; 1x 1/4"x123; 1x 3/16"x137; 1x 1/4"x154; 1x 5/16"x172; 1x 3/8"x185; 1x 1/2"x195; 1x 5/8"x224
-------------	---	---------------	--



德國 Wera 超強型短頭六角球頭扳手 (9 支組) 公制

真正 1 支抵 5 支

產品編號	mm	售價
950 PKLS/9 SM N SB	1.5 · 2.0 · 2.5 · 3.0	\$2,767
05073594001	4.0 · 5.0 · 6.0 · 8.0 · 10.0	

德國 Wera 六角球頭 BlackLaser 扳手-公制 9 支組 950PKL/9 BM N-\$1,750



產品編號	950 PKL BM	mm	售價
05022088001		1 x 1.5x90 ¹⁾ ; 1 x 2.0x100; 1 x 2.5x112; 1 x 3.0x126; 1 x 4.0x140; 1 x 5.0x160; 1 x 6.0x180; 1 x 8.0x200; 1 x 10.0x219	

¹⁾ Regular hexagon

德國 Wera 固定鋼珠 六角扳手-9 支組 950/9L HF-\$4,000



產品編號	950 L	950 L HF	mm	售價
05022130001			1 x 1.5x90 ¹⁾ ; 1 x 2.0x100; 1 x 2.5x112; 1 x 3.0x126; 1 x 4.0x140; 1 x 5.0x160; 1 x 6.0x180; 1 x 8.0x200; 1 x 10.0x218	

¹⁾ Regular hexagon

德國 Wera 超強型(長)六角球頭扳手-公制 9 支組 950PKL/9 SM N-\$2,834



產品編號	950 PKL	mm	售價
05022087001		1 x 1.5x90 ¹⁾ ; 1 x 2.0x100; 1 x 2.5x112; 1 x 3.0x126; 1 x 4.0x140; 1 x 5.0x160; 1 x 6.0x180; 1 x 8.0x200; 1 x 10.0x219	

¹⁾ Regular hexagon

德國 Wera 超強型六角球頭扳手-公制 7 支組 950PKL/7 SM N-\$2,267



產品編號	950 PKL	mm	售價
05022181001		1 x 1.5x90 ¹⁾ ; 1 x 2.0x100; 1 x 2.5x112; 1 x 3.0x126; 1 x 4.0x140; 1 x 5.0x160; 1 x 6.0x180	

¹⁾ Regular hexagon

德國 Wera 超強型(短)六角球頭扳手-公制 9 支組 950PKS/9 SM N-\$2,000



產品編號	950 PKS	mm	售價
05133163001		1 x 1.5x50 ¹⁾ ; 1 x 2.0x66; 1 x 2.5x83; 1 x 3.0x71; 1 x 4.0x80; 1 x 5.0x90; 1 x 6.0x100; 1 x 8.0x112; 1 x 10.0x125	

¹⁾ Regular hexagon

L-Keys for Hexagon Socket Screws

The Hex-Plus profile extends the service life of hexagon socket screws

德國Wera長型六角扳手 9支組-公制
950L/9 SM N-\$1,934



05021909001	○ 950 L	1 x 1,5x90 ¹⁾ ; 1 x 2,0x100; 1 x 2,5x112; 1 x 3,0x126; 1 x 4,0x140; 1 x 5,0x160; 1 x 6,0x180; 1 x 8,0x200; 1 x 10,0x219
-------------	---------	--

¹⁾Regular hexagon

德國Wera六角扳手 13支組-英制
950PKL/13 SZ N-\$2,934



05021728001	○ 950 PKL inch	1 x 0,06"x83 ¹⁾ ; 1 x 1/16"x91 ¹⁾ ; 1 x 5/64"x100; 1 x 3/32"x112; 1 x 7/64"x119; 1 x 1/8"x126; 1 x 9/64"x132; 1 x 5/32"x140; 1 x 3/16"x160; 1 x 7/32"x180; 1 x 1/4"x190; 1 x 5/16"x200; 1 x 3/8"x212
-------------	----------------	--

¹⁾Regular hexagon

德國Wera短型六角扳手 9支組-公制
950/9 SM N-\$1,500



05021406001	○ 950	1 x 1,5x45 ¹⁾ ; 1 x 2,0x50; 1 x 2,5x58; 1 x 3,0x63; 1 x 4,0x70; 1 x 5,0x80; 1 x 6,0x90; 1 x 8,0x100; 1 x 10,0x112
-------------	-------	--

¹⁾Regular hexagon

德國Wera六角扳手 9支組-英制
950PKL/9 SZ N-\$2,867

05133180001	○ 950 PKL inch	1 x 5/64"x100; 1 x 3/32"x112; 1 x 1/8"x126; 1 x 5/32"x140; 1 x 3/16"x160; 1 x 7/32"x180; 1 x 1/4"x190; 1 x 5/16"x200; 1 x 3/8"x212
-------------	----------------	--



德國Wera BlackLaser六角扳手9支組
950/9 BM N-\$1,000



05021737001	○ 950 BM	1 x 1,5x45 ¹⁾ ; 1 x 2,0x50; 1 x 2,5x58; 1 x 3,0x63; 1 x 4,0x70; 1 x 5,0x80; 1 x 6,0x90; 1 x 8,0x100; 1 x 10,0x112
-------------	----------	--

¹⁾Regular hexagon

德國Wera頂級彩色膠套(短)六角扳手9支組



Code	產品編號	mm	長度	價錢
05133164001	950SPKS/9CO			\$3,500
05022678001	950SPKS-1.5	1.5	50	467
05022670001	950SPKS-2.0	2.0	56	434
05022671001	950SPKS-2.5	2.5	63	434
05022672001	950SPKS-3.0	3.0	71	416
05022673001	950SPKS-4.0	4.0	80	460
05022674001	950SPKS-5.0	5.0	90	534
05022675001	950SPKS-6.0	6.0	100	634
05022676001	950SPKS-8.0	8.0	112	887
05022677001	950SPKS-10.0	10.0	125	1,167

德國Wera頂級不鏽鋼六角球頭扳手(9支組)公制
3950PKL/9-\$3,500



05022720001		
3950 PKL	1 x 1.5x90; 1 x 2.0x101; 1 x 2.5x112; 1 x 3.0x123; 1 x 4.0x137; 1 x 5.0x154; 1 x 6.0x172; 1 x 8.0x195; 1 x 10.0x224	

德國Wera彩色膠套不鏽鋼六角球頭扳手-公制
9支組 3950SPKL/9 SM CO-\$5,334



05022609001		
3950 SPKL Multicolore	1 x 1.5x90; 1 x 2.0x101; 1 x 2.5x112; 1 x 3.0x123; 1 x 4.0x137; 1 x 5.0x154; 1 x 6.0x172; 1 x 8.0x195; 1 x 10.0x224	

德國Wera不鏽鋼六角球頭扳手 9支組-英吋
3950PKL/9SZ-\$4,267



05022721001		
3950 PKL inch	1 x 3/32"x112; 1 x 7/64"x119; 1 x 1/8"x123; 1 x 9/64"x130; 1 x 5/32"x137; 1 x 3/16"x154; 1 x 1/4"x185; 1 x 5/16"x195; 1 x 3/8"x224	



德國Wera頂級不鏽鋼六角球頭扳手 3950PKL
3950 PKL L-key, metric, stainless 公制



	mm	mm	mm			
05022700001	1.5	90	14	3 1/2"	1/16"	\$417
05022701001	2.0	101	16	4"	1/8"	\$400
05022702001	2.5	112	19	4 1/8"	3/16"	\$400
05022703001	3.0	123	21	4 1/4"	7/32"	\$384
05022704001	4.0	137	24	5 1/8"	1"	\$417
05022705001	5.0	154	27	6 1/8"	1 1/16"	\$500
05022706001	6.0	172	31	6 3/4"	1 1/4"	\$667
05022708001	8.0	195	37	7 1/2"	1 1/2"	\$867
05022709001	10.0	224	42	9"	1 11/16"	\$1,334

德國Wera頂級不鏽鋼六角球頭扳手 3950PKL
3950 PKL L-key, imperial, stainless 英制



	mm	mm				
05022710001	1/32"	112	19	4 1/8"	1/4"	\$467
05022711001	1/24"	119	20	4 1/4"	3/16"	\$450
05022712001	1/8"	123	21	4 1/2"	1/4"	\$367
05022713001	3/32"	130	22	5 1/8"	3/16"	\$367
05022714001	1/16"	137	24	5 1/2"	1"	\$400
05022715001	3/16"	154	27	6 1/8"	1 1/16"	\$467
05022716001	1/4"	185	34	7 1/4"	1 1/8"	\$467
05022717001	5/16"	195	37	7 1/2"	1 1/4"	\$467
05022718001	3/8"	224	42	9"	1 11/16"	\$467

德國Wera不鏽鋼 彩色膠套 六角球頭扳手
3950 SPKL



	mm	mm	mm			
05022660001	1.5	90	14	3 1/2"	1/16"	\$517
05022661001	2.0	101	16	4"	1/8"	\$484
05022662001	2.5	112	19	4 1/8"	3/16"	\$467
05022663001	3.0	123	21	4 1/4"	7/32"	\$467
05022664001	4.0	137	24	5 1/8"	1"	\$500
05022665001	5.0	154	27	6 1/8"	1 1/16"	\$600
05022666001	6.0	172	31	6 3/4"	1 1/4"	\$800
05022667001	8.0	195	37	7 1/2"	1 1/2"	\$984
05022668001	10.0	224	42	9"	1 11/16"	1,500

L-Keys for TORX® Screws

Powerful, ergonomic, long service life

德國Wera星型中孔扳手-彩色膠套(9支組)

-附增磁膠套 967SPKL/9TX BO CO-\$5,000



05073589001	967 SPKL TORX® BO Multicolour
	1 x TX 8x76 [°] ; 1 x TX 9x79 [°] ; 1 x TX 10x85 [°] ; 1 x TX 15x90; 1 x TX 20x96; 1 x TX 25x104; 1 x TX 27x112; 1 x TX 30x122; 1 x TX 40x132



¹⁾ Product without ball hole at the short end and without ball-end at the long arm.

²⁾ Product without ball-end at the long arm.

德國Wera加長型 星型扳手-彩色膠套(9支組)

967SPKL/9XL-\$5,000



05024480001	967 SXL TORX® Multicolour	1 x TX 8x90; 1 x TX 9x101; 1 x TX 10x112
	967 SPKL TORX® Multicolour	1 x TX 15x123; 1 x TX 20x137; 1 x TX 25x154; 1 x TX 27x172; 1 x TX 30x195; 1 x TX 40x224

德國Wera加長型 星型扳手-彩色膠套(9支組)

967SPKL/9 SXL HF-\$5,455



05024470001	967 SXL TORX® HF Multicolour	1 x TX 8x90; 1 x TX 9x101; 1 x TX 10x112 1 x TX 15x123; 1 x TX 20x137; 1 x TX 25x154; 1 x TX 27x172; 1 x TX 30x195;
-------------	------------------------------	---

德國Wera加長型 星型扳手9支組

NEW 967PKL/9XL-\$4,334



05024460001	967 XL TORX®	1 x TX 8x90; 1 x TX 9x101; 1 x TX 10x112
	967 PKXL TORX®	1 x TX 15x123; 1 x TX 20x137; 1 x TX 25x154; 1 x TX 27x172; 1 x TX 30x195; 1 x TX 40x224

德國Wera星型扳手9支組 967PKL/9-\$3,167



05024242001	967 PKL TORX®	1 x TX 8x76 [°] ; 1 x TX 9x79 [°] ; 1 x TX 10x85 [°] ; 1 x TX 15x90; 1 x TX 20x96; 1 x TX 25x104; 1 x TX 27x112; 1 x TX 30x122; 1 x TX 40x132
-------------	---------------	--

¹⁾ Product without ball-end at the long arm.

德國Wera不鏽鋼加長型 星型扳手-彩色膠套9支組

3967SPKL/9SXL HF-\$6,000



05022680001	3967 TX SXL TORX® HF Multicolour Stainless	1 x TX 8x90; 1 x TX 9x101; 1 x TX 10x112 1 x TX 15x123; 1 x TX 20x137; 1 x TX 25x154; 1 x TX 27x172; 1 x TX 30x195; 1 x TX 40x224
-------------	--	---

德國Wera彩色膠套舒適型六角扳手 950SPKL
950 SPKL L-key Multicolour, metric



	⊙	L	L	L	L	
	mm	mm	mm	L	L	
05022600001	1,5	90	14	3 1/2"	1 1/8"	\$450
05022602001	2,0	101	16	4"	1 1/4"	\$417
05022604001	2,5	112	19	4 1/2"	1 1/2"	\$417
05022606001	3,0	123	21	4 3/4"	1 3/8"	\$417
05022608001	4,0	137	24	5 1/2"	1"	\$450
05022610001	5,0	154	27	6 1/2"	1 1/8"	\$534
05022612001	6,0	172	31	6 3/4"	1 1/4"	\$684
05022614001	8,0	195	37	7 1/2"	1 1/2"	\$850
05022618001	10,0	224	42	9"	1 3/4"	\$1,134

德國Wera球型六角扳手 950PKL
950 PKL L-key, metric, chrome-plated



Application: Hexagon socket screws

Design: Chrome-plated

Tip: Hex-Plus, ball-end hexagon on long arm

	⊙	L	L	L	L	
	mm	mm	mm	L	L	
05022050001 ¹⁾	1,5	90	14	3 1/2"	1 1/8"	
05022052001	2,0	100	16	4"	1 1/4"	
05022054001	2,5	112	18	4 1/2"	1 1/2"	\$200
05022056001	3,0	126	20	5"	1 3/8"	\$200
05022058001	4,0	140	25	5 1/2"	1"	\$267
05022060001	5,0	160	28	6 1/2"	1 1/8"	\$334
05022062001	6,0	180	32	7 1/2"	1 1/4"	\$367
05022063001	7,0	190	34	7 1/2"	1 1/2"	
05022064001	8,0	200	36	8"	1 3/8"	
05022066001	10,0	219	40	8 1/2"	1 1/2"	
05022067001	12,0	248	45	10"	1 3/4"	

¹⁾ Regular hexagon

	⊙	L	L	L	L	
	mm	mm	mm	L	L	
05022079001 ¹⁾	0,05"	83	14	3 1/2"	1 1/8"	\$250
05022081001 ¹⁾	1/16"	91	15	3 1/2"	1 1/8"	\$250
05022088001	1/8"	100	16	4"	1 1/4"	\$250
05022070001	1/32"	112	18	4 1/2"	1 1/2"	\$317

¹⁾ Regular hexagon

950 L-key, metric, chrome-plated



Application: Hexagon socket screws

Design: Chrome-plated

Tip: Hex-Plus

	⊙	L	L	L	L	
	mm	mm	mm	L	L	
05021600001 ¹⁾	1,5	90	14	3 1/2"	1 1/8"	\$100
05021605001	2,0	100	16	4"	1 1/4"	\$100
05021610001	2,5	112	18	4 1/2"	1 1/2"	\$100
05021615001	3,0	126	20	5"	1 3/8"	\$100
05021620001	4,0	140	25	5 1/2"	1"	\$117
05021625001	5,0	160	28	6 1/2"	1 1/8"	\$167
05021630001	6,0	180	32	7 1/2"	1 1/4"	\$250
05021632001	7,0	190	30	7 1/2"	1 1/2"	
05021635001	8,0	200	36	8"	1 3/8"	
05021640001	10,0	219	40	8 1/2"	1 1/2"	
05021645001	12,0	250	45	10"	1 3/4"	

¹⁾ Regular hexagon

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated
德國Wera超強型短頭六角球頭扳手



950PKLS

	⊙	L	L	L	L	
	mm	mm	mm	L	L	
05022040001 ¹⁾	1,5	90	4,5	3 1/2"	1 1/8"	
05022041001	2,0	100	5,5	4"	1 1/4"	\$167
05022042001	2,5	112	6,5	4 1/2"	1 1/2"	\$184
05022043001	3,0	126	7,5	5"	1 3/8"	\$267
05022044001	4,0	140	10,0	5 1/2"	1 3/8"	\$267
05022045001	5,0	160	12	6 1/2"	1 3/8"	\$350
05022046001	6,0	180	15	7 1/2"	1 3/8"	\$367
05022047001	8,0	200	19	8"	1 3/4"	
05022048001	10,0	219	22	8 1/2"	1 3/4"	

¹⁾ Regular hexagon

967 SPKL TORX® B0 L-key, BlackLaser



Application: TORX® socket screws with and without pin (B0 = bore hole)

Design: BlackLaser, durable plastic sleeve

Tip: TORX® on short arm, TORX® ball end on long arm

德國Wera星型中孔扳手TX50 967SPKL B0-TX50


	⊙	L	L	L	L	
	mm	mm	mm	L	L	
05024318001	TX 50	150	32	6 1/2"	1 1/2"	\$1,517 10

This ratchet is a real hit! And that is for sure!

德國Wera頂級強力衝擊式棘輪扳手1/2"600N/M+接桿
8002 C Koloss All Inclusive Set with 1/2" drive

德國Wera頂級強力衝擊式棘輪扳手1/2"600N/M
8002 C Koloss 1/2" with 1/2" drive 8002C-1/2D





		\$15,000
05133862001		
	8002 C	1 x 1/2"x341,0
	8782 C	1 x 2x50,0
	8780 C	1 x 341,0x137
	8000 E	1 x Extension release pin
	8000 HLF	1 x Holster



05003692001		\$12,000
	8002 C	1 x 1/2"x341,0
	8782 C	1 x 2x50,0
	8000 HLF	1 x Holster

德國Wera敲擊式棘輪扳手8002C中心沖
8781 C Koloss centring pin 8781 CK

德國Wera敲擊式棘輪扳手接桿 8780 CK
8780 C Koloss extension



			\$2,500
	mm	mm	
05003696001	85	135,0	

			\$3,167
	mm	mm	
05003695001	341,0	137	



訂購專線：(02)2631-9538 (02)2631-9518



獨眼怪系列



Zyklop Speed

Unbelievably fast and incredibly flexible!

全球獨一 · 起子概念式棘輪扳手

- (1) 頭部多角度 (180 度) 多方位專利設計，讓您拆卸螺絲無死角
- (2) 起子概念式，快拆設計，讓您能迅速將螺絲拆下
- (3) Kraftform handle 是 Wera 專利舒適型把手，讓您的手不會因工作而產生老繭
- (4) 開關式快拆裝置，堅固耐用，讓您事半功倍
- (5) 72 齒設計，每 5 度一齒的強力齒輪，用頂級的德國鋼料 讓您在工作上扭力加倍



unbelievably
fast



ratchet head
pivots freely



compact
textile boxes



small return
angle



secure socket
lock mechanism



simple direction
change



產品編號	規格	柄長 mm	牌價
8000A-1/4	1/4"	152	\$5,834
8000B-3/8	3/8"	199	\$6,500
8000C-1/2	1/2"	277	\$7,000



The Zyklop Speed Ratchets, 1/4"

Combine 5 types of ratchet

德國Wera二分1/4"公制獨眼怪彩色套筒扳手42件組
8100 SA 2 Zyklop Speed ratchet set, 8100SA2-1/4
1/4" drive, metric



		\$25,167
05003533001		
○	8000 A	1 x 1/4"x152,0
●	8790 HMA	1 x 4,0x23,0; 1 x 4,5x23,0; 1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 9,0x23,0; 1 x 10,0x23,0; 1 x 11,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0; 1 x 14,0x23,0
○	8789 A	1 x 1/4"x110,0
○	8794 A	1 x 1/4"x56,0
○	8795 A	1 x 1/4"x35,5
●	8784 A1	1 x 1/4"x1/4"x37,0
●	8796 SA	1 x 1/4"x75,0
●	8796 LA	1 x 1/4"x150,0
○	840/1 Z	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; Hex-Plus 1 x 8,0x25
⊕	867/1 Z TORX®	1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; BO 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
⊕	800/1 Z	1 x 0,6x4,5x25; 1 x 1,0x5,5x25; 1 x 1,2x8,0x25
⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
⊕	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25; 1 x PZ 3x25

德國Wera二分1/4"英制獨眼怪套筒扳手41件組
8100 SA 4 Zyklop Speed ratchet set, 8100SA4-1/4
1/4" drive, imperial



		\$24,334
05003535001		
○	8000 A	1 x 1/4"x152,0
●	8790 HMA	1 x 3/16"x23,0; 1 x 7/32"x23,0; 1 x 1/4"x23,0; 1 x 9/32"x23,0; 1 x 5/16"x23,0; 1 x 11/32"x23,0; 1 x 3/8"x23,0; 1 x 7/16"x23,0; 1 x 1/2"x23,0; 1 x 9/16"x23,0
○	8789 A	1 x 1/4"x110,0
○	8794 A	1 x 1/4"x56,0
○	8795 A	1 x 1/4"x35,5
●	8784 A1	1 x 1/4"x1/4"x37,0
●	8796 SA	1 x 1/4"x75,0
●	8796 LA	1 x 1/4"x150,0
⊕	867/1 Z TORX®	1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; BO 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
⊕	800/1 Z	1 x 0,6x4,5x25; 1 x 1,0x5,5x25; 1 x 1,2x8,0x25
⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
⊕	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25; 1 x PZ 3x25
○	840/1 Z	1 x 5/64"x25; 1 x 3/32"x25; 1 x 1/8"x25; Hex-Plus 1 x 9/64"x25; 1 x 5/32"x25; 1 x 3/16"x25; 1 x 7/32"x25

德國Wera二分1/4"公制彩色套筒/扳手(鉗鉗按壓型)13件-帆布包 8100SA12HF-1/4



		\$14,000
05003758001		
○	8004 A	1 x 1/4"x141,0
○	8794 LA	1 x 1/4"x150,0
○	8794 A	1 x 1/4"x56,0
●	8790 HMA HF	1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 11,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0
	Nut Extractor	1 x 14,0x43,0

The Zyklop Metal Ratchets

1/4"

德國Wera二分1/4"公制彩色套筒扳手(路鉗按壓型)26件-帆布包

8100 SA 7 Zyklop Metal Ratchet Set **8100SA7-1/4**
with push-through square, 1/4" drive, metric



		\$13,734
05004017001		
○	8003 A	1 x 1/4"x141,0
●	8790 HMA	1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 11,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0
●○	8794 LA	1 x 1/4"x150,0
●○	8794 A	1 x 1/4"x56,0
●○	8784 A1	1 x 1/4"x1/4"x37,0
⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
⊕	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
⊕	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25
⊕	840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25

德國Wera二分1/4"公制彩色套筒扳手(路鉗撥桿型)26件-帆布包

8100 SA 8 Zyklop Metal Ratchet Set **8100SA8-1/4**
with switch lever, 1/4" drive, metric



		\$12,334
05004018001		
○	8004 A	1 x 1/4"x141,0
●	8790 HMA	1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 11,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0
●○	8794 LA	1 x 1/4"x150,0
●○	8794 A	1 x 1/4"x56,0
●○	8784 A1	1 x 1/4"x1/4"x37,0
⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
⊕	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
⊕	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25
⊕	840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25

德國Wera二分1/4"公制獨眼怪彩色套筒扳手42件組

8100SA-ALL - \$26,667

8100 SA All-in Zyklop Speed Ratchet Set, 1/4" drive, with holding function, metric



8100 SA All-in Zyklop Speed

Code Nr.: 05 003755 001

○	8000 A	1/4"x152	●	8790 HMA HF	1 x 4,0; 1 x 4,5; 1 x 5,0; 1 x 5,5; 1 x 6,0; 1 x 7,0; 1 x 8,0; 1 x 9,0; 1 x 10,0; 1 x 11,0; 1 x 12,0; 1 x 13,0; 1 x 14,0
⊕	8751 A	1 x PH 1; 1 x PH 2; 1 x PH 3	⊕	8755 A	1 x PZ 1; 1 x PZ 2; 1 x PZ 3
○	8796 LA	1 x 0,8x5,5; 1 x 1,2x6,5	○	8740 A	1 x 2,0; 1 x 2,5
○	8794 A		○	8740 A HF	1 x 3,0; 1 x 4,0; 1 x 5,0; 1 x 6,0; 1 x 7,0; 1 x 8,0

The Zyklop Speed Ratchets, 1/4"

Combine 5 types of ratchet

德國 Wera 二分 1/4" 公制獨眼怪彩色套筒扳手 28 件組

8100 SA 6 Zyklop Speed Ratchet Set, 8100SA6-1/4
1/4" drive, metric



28-piece set; in a surface-preserving, compact and extremely robust textile box; low volume and weight for simplified mobility

1 Zyklop Speed Ratchet with 1/4" drive, 9 Zyklop sockets, 1 Zyklop extension (long) with free-turning sleeve, 1 wobble extension, 1 adaptor with quick-release chuck, 15 bits

		\$16,667
(5004016)01		
○	8000 A	1 x 1/4"x152.0
●	8790 HMA	1 x 5.0x23.0; 1 x 5.5x23.0; 1 x 6.0x23.0; 1 x 7.0x23.0; 1 x 8.0x23.0; 1 x 10.0x23.0; 1 x 11.0x23.0; 1 x 12.0x23.0; 1 x 13.0x23.0
●○	8794 LA	1 x 1/4"x150.0
●○	8794 A	1 x 1/4"x56.0
●○	8784 A1	1 x 1/4"x1/4"x37.0
⊕	851/4 TZ PH	1 x PH 1x50; 1 x PH 2x50; 1 x PH 3x50
⊖	855/4 TZ PZ	1 x PZ 1x50; 1 x PZ 2x50
⊕	867/4 Z TORX	1 x TX 10x50; 1 x TX 15x50; 1 x TX 20x50; 1 x TX 25x50; 1 x TX 27x50; 1 x TX 30x50
○	840/4 Z Hex-Plus	1 x 3.0x50; 1 x 4.0x50; 1 x 5.0x50; 1 x 6.0x50



德國 Wera 頂級衝擊式起子組 90Nm (鐵盒)

產品編號	片數/物	售價
Z090B/4	2090	\$16,000
	800/25-6S x 41, 8.0 x 41	
	851/25-PH2 x 32, PH3 x 32	

德國 Wera 1/4" 二分彩色套筒 8790HMA

8790 HMA Zyklop 1/4" socket



Application: Hexagon headed bolts, screws and nuts

Design: Manual and (non-impact) machine applications, ball intercept ring, knurls at base for precision handling in manual operations, chrome vanadium, brushed chrome-plated finish.
Take it easy tool/indor: Colour coding to enable the desired socket to be easily located.

	mm	mm	mm	mm	mm	
05003501001	4.0	23.0	6.9	13.0	10.0	\$400
05003502001	4.5	23.0	7.5	13.0	10.0	\$400
05003503001	5.0	23.0	8.2	13.0	10.0	\$400
05003504001	5.5	23.0	8.8	13.0	10.0	\$400
05003505001	6.0	23.0	9.4	13.0	10.0	\$400
05003506001	7.0	23.0	11.0	13.0	10.0	\$400
05003507001	8.0	23.0	12.0	13.0	10.0	\$400
05003508001	9.0	23.0	13.0	14.0	10.0	\$434
05003509001	10.0	23.0	14.5	14.5	-	\$434
05003510001	11.0	23.0	16.0	15.0	13.0	\$434
05003511001	12.0	23.0	17.0	16.0	13.0	\$434
05003512001	13.0	23.0	18.0	17.0	13.0	\$450
05003513001	14.0	23.0	20.0	18.0	13.0	\$450
05003514001	1/8"	23.0	7.5	13.0	10.0	
05003515001	1/16"	23.0	8.8	13.0	10.0	
05003516001	1/8"	23.0	11.0	13.0	10.0	
05003517001	1/16"	23.0	11.0	13.0	10.0	
05003518001	1/8"	23.0	12.0	13.0	10.0	
05003519001	1/16"	23.0	13.0	14.0	10.0	
05003520001	1/8"	23.0	14.5	14.5	-	
05003521001	1/16"	23.0	16.0	15.0	13.0	
05003522001	1/8"	23.0	18.0	17.0	13.0	
05003523001	1/16"	23.0	20.0	18.0	13.0	

The Zyklop Speed Ratchets, $\frac{3}{8}$ "

5 types of ratchet in 1 tool

德國Wera三分3/8"公制獨眼怪彩色套筒扳手
29件組-帆布包 8100SB6-3/8
8100 SB 6 Zyklop Speed Ratchet Set, $\frac{3}{8}$ " drive, metric

德國Wera3/8"三分彩色套筒 8790HMB
8790 HMB Zyklop $\frac{3}{8}$ " socket



29-piece set; in a surface-preserving, compact and extremely robust textile box; low volume and weight for simplified mobility

1 Zyklop Speed Ratchet with $\frac{3}{8}$ " drive, 9 Zyklop sockets, 1 Zyklop extension (long) with free-turning sleeve, 1 wobble extension, 1 adaptor with quick-release chuck, 16 bits

		\$20,500
[5004046:00]		
○	8000 B	1 x 3/8"x199,0
●	8790 HMB	1 x 6,0x29,0; 1 x 10,0x29,0; 1 x 12,0x29,0; 1 x 13,0x29,0; 1 x 15,0x29,0; 1 x 16,0x30,0; 1 x 17,0x30,0; 1 x 18,0x30,0; 1 x 19,0x30,0
⊗	8794 LB	1 x 3/8"x200,0
⊗	8794 B	1 x 3/8"x78,0
⊗	8784 B1	1 x 1/4"x3/8"x44,0
⊗	851/4 TZ PH	1 x PH 1x50; 1 x PH 2x50; 1 x PH 3x50
⊗	855/4 TZ PZ	1 x PZ 1x50; 1 x PZ 2x50; 1 x PZ 3x50
⊗	867/4 Z TORX®	1 x TX 20x50; 1 x TX 25x50; 1 x TX 27x50; 1 x TX 30x50; 1 x TX 40x50
⊗	840/4 Z Hex-Plus	1 x 4,0x50; 1 x 5,0x50; 1 x 6,0x50; 1 x 8,0x50
⊗	800/4 Z	1 x 1,0x5,5x50



Application: Hexagon headed bolts, screws and nuts

Design: Manual and (non-impact) machine applications, ball intercept ring, knurls at base for precision handling in manual operations, chrome vanadium, brushed chrome-plated finish
Take it easy toolfinder: Colour coding to enable the desired socket to be easily located.

		mm	mm	mm	mm	mm
05003551001	6,0	\$600	29,0	10,5	18,0	12,0
05003552001	7,0	\$600	29,0	11,0	18,0	12,0
05003553001	8,0	\$800	29,0	12,2	18,0	12,0
05003554001	9,0	\$600	29,0	13,5	18,0	12,0
05003555001	10,0	\$800	29,0	14,5	18,0	12,0
05003556001	11,0	\$800	29,0	16,0	18,0	12,0
05003557001	12,0	\$800	29,0	17,0	18,0	12,0
05003558001	13,0	\$817	29,0	18,5	20,0	12,0
05003559001	14,0	\$834	29,0	19,5	22,0	12,0
05003560001	15,0	\$834	29,0	21,0	24,0	12,0
05003561001	16,0	\$834	30,0	22,0	24,0	12,0
05003562001	17,0	\$834	30,0	23,5	24,0	12,0
05003563001	18,0	\$834	30,0	24,5	24,0	18,0
05003564001	19,0	\$834	30,0	26,0	24,0	18,0
05003565001	20,0		30,0	28,0	25,0	18,0
05003566001	21,0		30,0	28,0	25,0	18,0
05003567001	22,0		30,0	32,0	25,0	18,0
05003568001	24,0		32,0	32,0	25,0	20,0
05003569001	$\frac{1}{2}$ "		29,0	11,0	18,0	12,0
05003570001	$\frac{9}{16}$ "		29,0	12,2	18,0	12,0
05003571001	$\frac{11}{16}$ "		29,0	13,5	18,0	12,0
05003572001	$\frac{3}{4}$ "		29,0	14,5	18,0	12,0
05003573001	$\frac{7}{8}$ "		29,0	16,0	18,0	12,0
05003574001	$1\frac{1}{8}$ "		29,0	18,5	20,0	12,0
05003575001	$1\frac{1}{4}$ "		29,0	19,5	22,0	12,0
05003576001	$1\frac{3}{8}$ "		30,0	22,0	24,0	12,0
05003577001	$1\frac{1}{2}$ "		30,0	23,0	24,0	18,0
05003578001	$1\frac{3}{4}$ "		30,0	26,0	24,0	18,0
05003579001	$1\frac{7}{8}$ "		30,0	28,0	25,0	18,0
05003580001	$2\frac{1}{8}$ "		30,0	32,0	25,0	18,0

德國Wera三分3/8"公制彩色套筒扳手43件組

8100SB2-3/8

8100 SB 2 Zyklop Speed ratchet set, 3/8" drive, metric



43-piece set in strong metal case

1 Zyklop ratchet with 3/8" drive, 18 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (short and long) with free-turning sleeve, 1 sliding T-handle, 1 wobble extension, 1 universal joint, 1 adaptor with quick-release chuck, 18 bits

		\$32,667
(5003594001)		
○	8000 B	1 x 3/8"x189.0
●	8790 HMB	1 x 6.0x29.0; 1 x 7.0x29.0; 1 x 8.0x29.0; 1 x 9.0x29.0; 1 x 10.0x29.0; 1 x 11.0x29.0; 1 x 12.0x29.0; 1 x 13.0x29.0; 1 x 14.0x29.0; 1 x 15.0x29.0; 1 x 16.0x30.0; 1 x 17.0x30.0; 1 x 18.0x30.0; 1 x 19.0x30.0; 1 x 20.0x30.0; 1 x 21.0x30.0; 1 x 22.0x30.0; 1 x 24.0x32.0
○	8789 B	1 x 3/8"x165.0
●	8794 B	1 x 3/8"x76.0
●	8795 B	1 x 3/8"x50.0
●	8784 B1	1 x 1/4"x3/8"x44.0
●	8796 SB	1 x 3/8"x125.0
●	8796 LB	1 x 3/8"x200.0
○	840/1 Z	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25; Hex-Plus 1 x 8.0x25; 1 x 10.0x25
⊕	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; BD 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25; 1 x TX 40x25
⊕	800/1 Z	1 x 1.0x5.5x25
⊕	851/1 Z PH	1 x PH 2x25; 1 x PH 3x25
○	855/1 Z PZ	1 x PZ 2x25; 1 x PZ 3x25



一支取代多支

德國Wera三分3/8"英制獨眼怪彩色套筒扳手38件組

8100SB4-3/8

8100 SB 4 Zyklop Speed ratchet set, 3/8" drive, imperial



38-piece set in strong metal case

1 Zyklop ratchet with 3/8" drive, 12 Zyklop sockets (imperial), 2 Zyklop "flexible-lock" extensions (short and long) with free-turning sleeve, 1 sliding T-handle, 1 wobble extension, 1 universal joint, 1 adaptor with quick-release chuck, 19 bits

		\$29,334
(5003596001)		
○	8000 B	1 x 3/8"x199.0
●	8790 HMB	1 x 1/4"x29.0; 1 x 5/16"x29.0; 1 x 11/32"x29.0; 1 x 3/8"x29.0; 1 x 7/16"x29.0; 1 x 1/2"x29.0; 1 x 9/16"x29.0; 1 x 5/8"x30.0; 1 x 11/16"x30.0; 1 x 3/4"x30.0; 1 x 13/16"x30.0; 1 x 7/8"x30.0
○	8789 B	1 x 3/8"x165.0
●	8794 B	1 x 3/8"x76.0
●	8795 B	1 x 3/8"x50.0
●	8784 B1	1 x 1/4"x3/8"x44.0
●	8796 SB	1 x 3/8"x125.0
●	8796 LB	1 x 3/8"x200.0
⊕	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; BD 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25; 1 x TX 40x25
⊕	800/1 Z	1 x 1.0x5.5x25
○	851/1 Z PH	1 x PH 2x25; 1 x PH 3x25
○	855/1 Z PZ	1 x PZ 2x25; 1 x PZ 3x25
○	840/1 Z	1 x 5/64"x25; 1 x 3/32"x25; 1 x 1/8"x25; Hex-Plus 1 x 9/64"x25; 1 x 5/32"x25; 1 x 3/16"x25; 1 x 7/32"x25



The Zyklop Metal Ratchets Push, $\frac{3}{8}$ "

With push-through square

德國Wera三分3/8"公制彩色套筒扳手

(鉸鉗按壓型)29件組-帆布包 8100SB7-3/8

8100 SB 7 Zyklop Metal Ratchet Set with push-through square, $\frac{3}{8}$ " drive, metric



德國Wera三分3/8"公制彩色套筒扳手

(鉸鉗撥桿型)29件-帆布包 8100SB8-3/8

8100 SB 8 Zyklop Metal Ratchet Set with switch lever, $\frac{3}{8}$ " drive, metric



		\$16,167
05004047001		
○	8003 B	1 x 3/8"x222,0
●	8790 HMB	1 x 8,0x29,0; 1 x 10,0x29,0; 1 x 12,0x29,0; 1 x 13,0x29,0; 1 x 15,0x29,0; 1 x 16,0x30,0; 1 x 17,0x30,0; 1 x 18,0x30,0; 1 x 19,0x30,0
●○	8794 LB	1 x 3/8"x200,0
●○	8794 B	1 x 3/8"x76,0
●●	8784 B1	1 x 1/4"x3/8"x44,0
●	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
○	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
○	867/1 Z TORX®	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25; 1 x TX 40x25
○	840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; 1 x 8,0x25

		\$16,000
05004048001		
○	8004 B	1 x 3/8"x222,0
●	8790 HMB	1 x 8,0x29,0; 1 x 10,0x29,0; 1 x 12,0x29,0; 1 x 13,0x29,0; 1 x 15,0x29,0; 1 x 16,0x30,0; 1 x 17,0x30,0; 1 x 18,0x30,0; 1 x 19,0x30,0
●○	8794 LB	1 x 3/8"x200,0
●○	8794 B	1 x 3/8"x76,0
●●	8784 B1	1 x 1/4"x3/8"x44,0
●	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
○	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
○	867/1 Z TORX®	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25; 1 x TX 40x25
○	840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; 1 x 8,0x25

德國Wera三分3/8"公制彩色套筒/扳手(鉸鉗按壓型)13件-帆布包 8100SB HF-3/8



		\$18,000
05003785001		
○	8004 B	1 x 3/8"x222,0
●	8790 HMB HF	1 x 8,0x29,0; 1 x 10,0x29,0; 1 x 12,0x29,0; 1 x 13,0x29,0; 1 x 15,0x29,0; 1 x 16,0x29,0; 1 x 17,0x29,0; 1 x 18,0x29,0; 1 x 19,0x29,0
●○	8794 LB	1 x 3/8"x200,0
●○	8794 B	1 x 3/8"x76,0
	Nut Extractor	1 x 14,0x43,0

The Zyklop Hybrid Ratchets, 1/2"

德國Wera四分1/2"公制獨眼怪+延長桿彩色套筒扳手13件組

8006SC1-1/2

8006 SC 1 Zyklop Hybrid Ratchet Set, 1/2" drive, metric



13-piece set; in a surface-preserving, compact and extremely robust textile box; low volume and weight for simplified mobility

1 Zyklop Hybrid Ratchet with 1/2" drive, 10 Zyklop sockets with holding function, 1 Zyklop Hybrid Extension with release pin, 1 Zyklop extension (long) with free-turning sleeve

		\$30,334
05004095001		
○	8006 C	1 x 1/2"x281.0
○	8797 C	1 x 271.0
●○	8794 LC	1 x 1/2"x250.0
●	8790 HMC HF	1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0

德國Wera獨眼怪棘輪扳手1/2轉接頭

8784 C2 Zyklop Bit adaptor, 1/2", 3/16" **8784C2**



Application: Suitable for 3/16" hex bits as per DIN ISO 1173-C 8 and Wera series 2

Design: Quick-release chuck for fast bit changes, chromium vanadium

				\$3,000
05003641001				
○	○	mm	50.0	

Zyklop Hybrid Set

德國Wera獨眼怪棘輪扳手增加扭力桿 8797C



德國Wera可加扭力延長桿棘輪扳手1/2" 8006C-1/2

Application: Ratchet function for 1/2" square sockets and 1/2" adaptors with square drive, equipped with ball lock

Design: Fine-tooth mechanism with 72 teeth for a return angle of only 5°; switch lever for convenient change of direction; secure socket locking function

Handle: Multi-component Kraftform handle for optimum pressure, impact and tensile loads, handle end designed for connection of Zyklop Hybrid extension 8797 C

				\$8,334
05004095001				
○	8006 C	1 x 1/2"x281.0		
○	8797 C	1 x 271.0		

德國Wera獨眼怪棘輪扳手1/4轉接頭

8784 A1 Zyklop Bit adaptor, 1/4" **8784A1**



Application: Suitable for 1/4" hex bits as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4

Design: Quick-release chuck for fast bit changes, chromium vanadium

						\$1,500
05003529001						
○	○	mm	37.0			

德國Wera獨眼怪棘輪扳手3/8轉接頭

8784 B1 Zyklop Bit adaptor, 3/8" **8784B1**



Application: Suitable for 3/8" hex bits as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4

Design: Quick-release chuck for fast bit changes, chromium vanadium

						\$1,667
05003580001						
○	○	mm	41.0			

德國Wera四分1/2"公制獨眼怪彩色套筒扳手
37件組 **8100SC2-1/2**
8100 SC 2 Zyklop Speed ratchet set, 1/2" drive, metric



37-piece set in strong metal case

1 Zyklop ratchet with 1/2" drive, 17 Zyklop sockets (metric),

2 Zyklop "flexible-lock" extensions (short and long) with free-tuning sleeve,
 1 sliding T-handle, 1 universal joint, 1 wobble extension, 1 adaptor with
 quick-release chuck, 13 bits

		\$45,667
05003645011		
○	8000 C	1 x 1/2"x277.0
●	8790 HMC	1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0; 1 x 20.0x37.0; 1 x 21.0x37.0; 1 x 22.0x37.0; 1 x 24.0x37.0; 1 x 27.0x40.0; 1 x 30.0x42.0; 1 x 32.0x42.0
○	8789 C	1 x 1/2"x250.0
○	8794 C	1 x 1/2"x52.0
○	8795 C	1 x 1/2"x69.0
○	8784 C2	1 x 5/16"x1/2"x50.0
○	8796 SC	1 x 1/2"x125.0
○	8796 LC	1 x 1/2"x250.0
○	840/2 Z	1 x 5x30; 1 x 6x30; 1 x 8x30; 1 x 10x30
○	851/2 Z PH	1 x PH 3x32
○	855/2 Z PZ	1 x PZ 3x32
○	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35

德國Wera四分1/2"公制獨眼怪彩色套筒扳手
28件組 **8100SC6-1/2**
8100 SC 6 Zyklop Speed Ratchet Set, 1/2" drive, metric



28-piece set in a surface-preserving, compact and extremely robust textile
 box; low volume and weight for simplified mobility

1 Zyklop Speed Ratchet with 1/2" drive, 10 Zyklop sockets, 1 Zyklop extension
 (long) with free-tuning sleeve, 1 wobble extension, 1 adaptor with
 quick-release chuck, 14 bits

		\$25,000
05004078001		
○	8000 C	1 x 1/2"x277.0
●	8790 HMC	1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0
○	8794 LC	1 x 1/2"x250.0
○	8794 C	1 x 1/2"x52.0
○	8784 C2	1 x 5/16"x1/2"x50.0
○	851/2 Z PH	1 x PH 2x32; 1 x PH 3x32
○	855/2 Z PZ	1 x PZ 2x32; 1 x PZ 3x32
○	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35
○	840/2 Z	1 x 5x30; 1 x 6x30; 1 x 8x30; 1 x 10x30

The Zyklop Metal Ratchets

1/2"

德國Wera四分1/2"公制彩色套筒扳手
(鉗鉗按壓型)28件組 8100SC7-1/2

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric



28-piece set; in a surface-preserving, compact and extremely robust textile box; low volume and weight for simplified mobility

1 Zyklop Metal Ratchet with push-through square and 1/2" drive, 10 Zyklop sockets, 1 Zyklop extension (long) with free-turning sleeve, 1 wobble extension, 1 adaptor with quick-release chuck, 14 bits

		\$22,667
05004077001		
○	8003 C	1 x 1/2"x281,0
●	8790 HMC	1 x 10,0x37,0; 1 x 11,0x37,0; 1 x 12,0x37,0; 1 x 13,0x37,0; 1 x 14,0x37,0; 1 x 15,0x37,0; 1 x 16,0x37,0; 1 x 17,0x37,0; 1 x 18,0x37,0; 1 x 19,0x37,0
⊗	8794 LC	1 x 1/2"x250,0
⊗	8794 C	1 x 1/2"x52,0
⊗	8784 C2	1 x 5/16"x1/2"x50,0
⊗	851/2 Z PH	1 x PH 2x32; 1 x PH 3x32
⊗	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 27x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35
○	840/2 Z	1 x 6x30; 1 x 8x30; 1 x 8x30; 1 x 10x30

德國Wera四分1/2"公制彩色套筒扳手
(鉗鉗撥桿型)28件-帆布包 8100SC8-1/2

8100 SC 8 Zyklop Metal Ratchet Set with switch lever, 1/2" drive, metric



28-piece set; in a surface-preserving, compact and extremely robust textile box; low volume and weight for simplified mobility

1 Zyklop Metal Ratchet with switch lever and 1/2" drive, 10 Zyklop sockets, 1 Zyklop extension (long) with free-turning sleeve, 1 wobble extension, 1 adaptor with quick-release chuck, 14 bits

		\$24,000
05004078001		
○	8004 C	1 x 1/2"x281,0
●	8790 HMC	1 x 10,0x37,0; 1 x 11,0x37,0; 1 x 12,0x37,0; 1 x 13,0x37,0; 1 x 14,0x37,0; 1 x 15,0x37,0; 1 x 16,0x37,0; 1 x 17,0x37,0; 1 x 18,0x37,0; 1 x 19,0x37,0
⊗	8794 LC	1 x 1/2"x250,0
⊗	8794 C	1 x 1/2"x52,0
⊗	8784 C2	1 x 5/16"x1/2"x50,0
⊗	851/2 Z PH	1 x PH 2x32; 1 x PH 3x32
⊗	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 27x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35
○	840/2 Z	1 x 6x30; 1 x 8x30; 1 x 8x30; 1 x 10x30

德國Wera二分/四分公制獨眼怪彩色套筒扳手43件組
8100 SA/SC 2 Zyklop Speed ratchet set,
1/4" drive and 1/2" drive, metric **8100SA/SC**



43 piece set, in strong metal case

1 Zyklop ratchet with 1/4" drive, 1 Zyklop ratchet with 1/2" drive, 21 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (long) with freewheel sleeve, 1 adaptor with quick-release chuck, 1 Kraftform bitholding screwdriver with Rapidaptor quick-release chuck, 16 bits

		\$43,000
05160785001		
○	8000 A	1 x 1/4"x152,0
●	8790 HMA	1 x 4,0x23,0; 1 x 4,5x23,0; 1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 9,0x23,0; 1 x 10,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0
●●	8784 A1	1 x 1/4"x1/4"x37,0
●○	8796 LA	1 x 1/4"x150,0
○	8000 C	1 x 1/2"x277,0
●	8790 HMC	1 x 13,0x37,0; 1 x 14,0x37,0; 1 x 15,0x37,0; 1 x 16,0x37,0; 1 x 17,0x37,0; 1 x 18,0x37,0; 1 x 19,0x37,0; 1 x 21,0x37,0; 1 x 22,0x37,0; 1 x 24,0x37,0
●○	8796 LC	1 x 1/2"x250,0
●	816 R	1 x 1/4"x119
●	800/4 Z	1 x 1,0x5,5x89
○	840/4 Z	1 x 3,0x89; 1 x 4,0x89; 1 x 5,0x89; 1 x 6,0x89
	Hex-Plus	
●	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
○	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89
●	867/4 Z TORX®	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89

德國Wera1/2"四分彩色套筒
8790 HMC Zyklop socket with 1/2" drive **8790 HMC**



Application: Hexagon headed bolts, screws and nuts

Design: Manual and (non-impact) machine applications, ball intercept ring, knurls at base for precision handling in manual operations, chrome vanadium, brushed chrome-plated finish. Colour coding to enable the desired bit socket to be easily located

		mm	mm	mm	mm	mm
05003601001	10,0	\$584	37,0	15,5	24,0	17,0
05003602001	11,0	\$584	37,0	16,5	24,0	17,0
05003603001	12,0	\$584	37,0	17,5	24,0	17,0
05003604001	13,0	\$584	37,0	19,0	24,0	17,0
05003605001	14,0	\$600	37,0	20,0	24,0	17,0
05003606001	15,0	\$600	37,0	21,0	24,0	17,0
05003607001	16,0	\$600	37,0	22,5	24,0	17,0
05003608001	17,0	\$667	37,0	24,0	26,0	17,0
05003609001	18,0	\$667	37,0	25,0	26,0	17,0
05003610001	19,0	\$667	37,0	26,5	26,0	20,0
05003611001	20,0	\$784	37,0	28,0	26,0	20,0
05003612001	21,0	\$834	37,0	29,0	26,0	20,0
05003613001	22,0	\$784	37,0	30,5	26,0	20,0
05003614001	24,0	\$850	37,0	33,0	28,0	20,0
05003615001	27,0	\$1,084	40,0	36,5	32,0	23,0
05003616001	30,0	\$1,167	42,0	40,0	34,0	25,0
05003617001	32,0	\$1,167	42,0	42,0	36,0	25,0
05003618001	3/8"		37,0	15,5	24,0	17,0
05003619001	1/2"		37,0	16,5	24,0	17,0
05003620001	1/2"		37,0	19,0	24,0	17,0
05003621001	3/8"		37,0	20,0	24,0	17,0
05003622001	1/2"		37,0	21,0	24,0	17,0
05003623001	3/8"		37,0	22,5	24,0	17,0
05003624001	1/2"		37,0	25,5	26,0	17,0
05003625001	3/8"		37,0	26,5	26,0	20,0
05003626001	1/2"		37,0	28,0	26,0	20,0
05003627001	1/2"		37,0	29,0	26,0	20,0
05003628001	3/8"		37,0	30,5	26,0	20,0
05003629001	1/2"		37,0	33,0	28,0	20,0
05003630001	3/8"		37,0	33,0	28,0	20,0
05003631001	1"		40,0	36,5	32,0	23,0
05003632001	1 1/8"		40,0	36,5	32,0	23,0
05003633001	1 1/4"		40,0	40,0	34,0	23,0
05003634001	1 3/8"		42,0	40,0	34,0	25,0
05003635001	1 1/2"		42,0	42,0	36,0	25,0

Zyklop Metal

Extremely slim. Long leverage.

NEW

8003 德國Wera頂級鉻鉬鋼棘輪扳手-按壓型 with push-through square

Screwdriving jobs are normally carried out in a single direction.

When working with a ratchet, it can sometimes occur that the direction unintentionally switches over. The push-through square hat cannot get lost and the secure socket lock mechanism prevent this unintentional switchover of direction.

The range

8003 A Zyklop Metal Ratchet with push-through square, and 1/4" drive

Code	mm	mm	mm
0904003001	143.0	21	25

8003A-1/4
\$6,534

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive

Code	mm	mm	mm
0909003001	232.0	27	30

8003B-3/8
\$7,334

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive

Code	mm	mm	mm
0909006001	291.0	36	37

8003C-1/2
\$8,100



simple direction
change



secure socket
lock mechanism



small
return angle



compact
textile boxes



NEW 德國Wera(撥桿型)
8004 頂級鉻鉬鋼棘輪扳手
with switch lever

- switch lever for convenient change of direction
- secure socket lock function



The  range

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive

Code	Drive	mm	mm	mm
05004004001	1/4"	141.0	18	22

8004A-1/4
\$4,667

8004 B Zyklop Metal Ratchet with switch lever and 3/8" drive

Code	Drive	mm	mm	mm
03004034001	3/8"	222.0	26	29

8004B-3/8
\$5,500

8004 C Zyklop Metal Ratchet with switch lever and 1/2" drive

Code	Drive	mm	mm	mm
03004064001	1/2"	281.0	34	37

8004C-1/2
\$6,300



switch lever



UNLOCK

secure socket
lock mechanism



FINE
TEETH

small
return angle



ULTRA
COMPACT

compact
textile boxes



Tool-Check PLUS

德國Wera 1/4"迷你棘輪扳手/彩色套筒/起子頭-39件

Tool-Check PLUS



28 bits; 1 hand holder 813 suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1; 1 Rapidaptor bit holder; 1 adaptor 870/1 (1/4" hexagon to 1/4" square); 7 sockets (1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2); 1 Wera Bit Ratchet, drop-forged full steel design suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connection series 1 and 4; the use of 1/4" sockets is also possible with the application of the Wera adaptor 870/1

		\$9,267
05056490001		
8001 A	1 x 1/4"x87,0	
813	1 x 1/4"x78	
889/4/1 K	1 x 1/4"x50	
870/1	1 x 1/4"x25 *	
8790 HMA	1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0	
851/1 TZ PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	
855/1 TH PZ	1 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25	
867/1 TZ	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX®	
	1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
867/1 Z	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX® B0	
	1 x TX 25x25; 1 x TX 30x25	
840/1 Z Hex-Plus	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; 1 x 8,0x25	
800/1 TZ	1 x 1,0x5,9x25	

* With Metric ball, for standard rubber sockets

NEW

彩色 套筒

Take it easy

The Wera Tool Finder

新



8008 A Zyklop Mini 3 迷你棘輪扳手 1/4" 驅動



應用：用於四角驅動的 1/4" 套筒
和 1/4" 轉接頭，帶球鎖

設計：通體全鋼鍛造，採用細齒棘輪設計，
6° 超小迴轉角，支持正向和逆向
驅動切換

手柄：採用可靠的Kraftform幾何結構，提供
絕對合適的手指接觸區域，棘輪頭和手柄採用
人體工程學設計

		\$4,667
8008 A	 mm	
05003793001	W* 67,0	

Zyklop Mini 3 迷你棘輪扳手



Zyklop Mini 3 棘輪扳手
是用於在狹小空間內進
行旋轉操作的理想工
具。

精細的輪齒(60個輪齒)
可實現僅為6° 的極小迴
轉角度；

即使在無法創造支點空
間的情況下，使用帶有
滾花的棘輪片也可用手
指激活棘輪進行快速旋
轉操作。

Zyklop Mini 3 組套



Zyklop Mini 3 能承擔
至少65Nm的力，遠高
於一般能在這麼小的工
具上傳輸的力量。

65 Nm



德國 Wera 頂級 30 件複合式棘輪扳手 1/4

產品編號		牌價
BC BR30+8001A1/4SB		\$7,733
Code	型號	規格
05073640001	8001 A	1 x 1/4" x 87.0
●	889/4/1 K	1 x 1/4" x 50.0
○	870/1	1 x 1/4" x 1/4" x 25.0
⊕	800/1 TZ	1 x 1.0 x 5.5 x 25
○	840/1 Z Hex-Plus	1x3.0x25; 1x4.0x25; 1x5.0x25; 1x6.0x25; 1x8.0x25
○	851/1 TZ PH	2xPH1x25; 3xPH2x25; 1xPH3x25
⊕	855/1 TH PZ	2xPZ1x25; 3xPZ2x25; 1xPZ3x25
○	867/1 TZ TORX*	1xTX10x25; 1xTX15x25; 1xTX20x25; 1xTX25x25; 1xTX30x25; 1xTX40x25
⊕	867/1 TZ TORX* B0	1xTX10x25; 1xTX15x25; 1xTX20x25; 1xTX25x25; 1xTX30x25

德國 Wera 轉接頭 1/4" x 100 889/4R






889/4 R Rapidaptor Universal Bit Holder



Application: Suitable for 1/4" DIN ISO 1173 C 6,3 and E 6,3 hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon suitable for power tools with DIN ISO 1173 F 6,3 receiver

Design: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology, magnetic

						\$2,600
	mm	mm	mm	mm	mm	
05052504001	1/4"	100	4"	1/4"	15.0	

德國 Wera 頂級迷你棘輪扳手 1/4" + 轉接頭 1/4" x 25mm

8001 A-1/4SB - \$3,667


8001 A Zyklop Mini 1 Bit Ratchet 1/4" SB with 1/4" drive



Application: Suitable for 1/4" hex bits as per DIN ISO 1173-C 6,3 and E 6,3 and Wera series 1 and 4, Wera adaptor 870/1 for 1/4" sockets

Design: Drop-forged full steel design, fine-tooth ratchet mechanism, small return angle of 6°, forward and reverse drive switch

Handle: Kraftform handle with proven Kraftform geometry provides perfectly designed finger contact zones, ergonomic ratchet head and handle

			
05073230001			
	8001 A	1 x 1/4" x 87,0	
○	870/1	1 x 1/4" x 25	

德國 Wera 頂級迷你棘輪扳手 1/4" 牌價

8001 A	1 x 1/4" x 87.0	\$3,267
870/1	1 x 1/4" x 1/4" x 25	\$417

德國 Wera 六角轉接頭 1/4" x 25mm

德國 Wera 轉接頭 1/4" 889/4/1K






889/4/1 K Rapidaptor Universal Bit Holder



Application: Suitable for 1/4" DIN ISO 1173 C 6,3 and E 6,3 hexagon insert bits and Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology, with strong permanent magnet

Drive: 1/4" hexagon suitable for power tools with DIN ISO 1173 F 6,3 receiver

						\$1,767
	mm	mm	mm	mm	mm	
05052502001	1/4"	50	2"	1/4"	15.0	

德國Wera頂級棘輪扳手Bit-ratchet 1/4" Zyklop Mini 2



Application: Suitable for Wera sockets 8790 FA

Design: Drop-forged full steel design, fine-tooth ratchet mechanism, small return angle of 6°, forward and reverse drive switch

Handle: Kraftform handle with proven Kraftform geometry provides perfectly designed finger contact zones, ergonomic ratchet head and handle

		8005-1/4	\$4,000
05003660001	107		

德國Wera 1/4"二分Mini套筒 8790 FA 8790 FA Zyklop socket with 1/4" and Hexagon 11 drive



Application: Hexagon headed bolts, screws and nuts

Design: 1/4" external square and hexagon size; suitable for 1/4" ratchets and Wera Zyklop Mini 2 ratchet

Handle: Manual applications; ball intercept ring; extremely low height, ideal for confined spaces; chrome vanadium, chrome-plated

						
	mm	mm	mm	mm	mm	
05003665001	4,0	11,8	9,5	18,0	6,4	\$550
05003666001	4,5	11,8	9,5	18,0	7,0	\$550
05003667001	5,0	11,8	9,5	18,0	7,6	\$550
05003668001	5,5	11,8	9,5	18,0	8,2	\$550
05003669001	6,0	11,8	9,5	18,0	9,2	\$550
05003670001	7,0	11,8	9,5	18,0	10,4	\$550
05003675001	8,0	11,8	9,5	18,0	11,5	\$550
05003690001	10,0	11,8	9,5	18,0	13,8	\$567
05003684001	12,0	11,8	9,5	18,0	16,8	\$600
05003685001	13,0	11,8	9,5	18,0	17,8	\$600

Tip

Is such a small tool sufficiently resilient?



The Zyklop Mini 1 can withstand at least 65 Nm. That is far more power than can normally be transferred to such a small tool.

Zyklop Mini 2



The Zyklop Mini 2 is suitable for the direct attachment of the special Wera Zyklop sockets 8790 FA. These sockets feature a very low height, ideal for confined working spaces.



"Take it easy"



"Take it easy" tool finder system – with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).



Zyklop Mini

For confined spaces

德國Wera 1/4汽車用棘輪扳手套筒組-28件
Tool-Check Automotive 1 TOOL-CHECK AUTO



28 bits; 1 870/1 socket adaptor (1/4" hexagonal to 1/4" square); 7 manual & power tool sockets; 1 Rapidaptor bit holder; 1 Wera Bit Ratchet, with drop-forged steel design suitable for the fitting of bits with 1/4" hexagonal headed drive as per DIN ISO 1173-C 6.3 and E 6.3, i.e. Wera Series 1 and 4. Can also be used with 1/4" sockets by using the socket adaptor (870/1).

		\$9,667
05200995001		
	8001 A	1 x 1/4"x87,0
⊙	870/1	1 x 1/4"x25
⊙	889/4/1 K	1 x 1/4"x50
⊙	851/1 TZ PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
⊙	867/1 TZ	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX®
		1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
⊙	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; B0
		1 x TX 25x25; 1 x TX 30x25
⊙	800/1 TZ	1 x 1,0x5,5x25
⊙	840/1 Z	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; Hex-Plus
		1 x 8,0x25
⊙	860/1 XZN	1 x M 4x25; 1 x M 5x25; 1 x M 6x25; Vielzahn
		1 x M 8x25
⊙	873/1 Five Lobe	1 x 20x25; 1 x 25x25; 1 x 27x25; 1 x 30x25
⊙	8790 HMA	1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0

德國Wera 1/4迷你棘輪扳手38件-附套筒
Tool-Check 1 SB TOOL-CHECK 1SB



28 bits; 1 socket adaptor 870/1 (1/4" hexagonal to 1/4" square); 7 manual & power tool sockets; 1 Rapidaptor bit holder; 1 Wera Bit Ratchet, with drop-forged steel design suitable for the fitting of bits with 1/4" hexagonal headed drive as per DIN ISO 1173-C 6.3 and E 6.3, i.e. Wera Series 1 and 4. Can also be used with 1/4" sockets by using the socket adaptor (870/1).

		\$7,833
05073220001		
	8001 A	1 x 1/4"x87,0
⊙	870/1	1 x 1/4"x25
⊙	889/4/1 K	1 x 1/4"x50
⊙	851/1 TZ PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25
⊙	855/1 TH PZ	1 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25
⊙	867/1 TZ	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX®
		1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
⊙	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; B0
		1 x TX 25x25; 1 x TX 30x25
⊙	800/1 TZ	1 x 1,0x5,5x25
⊙	840/1 Z	1 x 3,0x25; 1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25; Hex-Plus
		1 x 8,0x25
⊙	8790 HMA	1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0



“ To learn more about this product, scan the QR code. “

德國Wera轉接頭1/4" 889/4/1K
889/4/1 K Rapidaptor Universal Bit Holder



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 and E 6.3 hexagon insert bits and Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology, with strong permanent magnet

Drive: 1/4" hexagon suitable for power tools with DIN ISO 1173 F 6.3 receiver

	⊙	⊙	⊙	⊙	
	mm	mm	mm	mm	
05052502001	1/4"	50	2"	1/4"	\$1,767
				15,0	



德國 Wera 全方位多功能起子組 (10 支組)

產品編號	型號	規格	牌價
KK-10	813 R	1 x 1/4" x100	\$4,267
05056653001	800/1 TZ	1x0.5x4.0x25; 1x1.0x5.5x25	
	851/1 TZ PH	1xPH1x25; 1xPH2x25	
	855/1 TZ PZ	1xPZ1x25; 1xPZ2x25	
	867/1 TZ TORX®	1xTX10x25; 1xTX20x25	



德國 Wera 全方位多功能起子組 (17 支組)

產品編號	型號	規格	牌價
KK-60	816 R	1 x 1/4" x119	\$7,500
05059295001	851/4 Z PH	1xPH1x89; 1xPH2x89; 1xPH3x89	
	855/4 Z PZ	1xPZ1x89; 1xPZ2x89; 1xPZ3x89	
	867/4 Z TORX® B0	1xTX10x89; 1xTX15x89; 1xTX20x89; 1xTX25x89; 1xTX30x89	
	800/4 Z	1x1.0x5.5x89	
	800/4 Z Hex-Plus	1x3.0x89; 1x4.0x89; 1x5.0x89; 1x6.0x89	



德國 Wera 全方位多功能起子 Kraftform kompakt 25 with pouch

- (1) 專利收納鈕，在把柄底部輕按即可將隱藏的起子頭拿出
- (2) 專利彈出設計，在把柄前端輕按即可將起子在 10cm 內伸縮，讓您工作更輕鬆
- (3) 專利式接桿，可與您的充電電鑽（電動起子）結合，更靈活運用，讓您事半功倍
- (4) 內附六支德國 Wera 起子頭，讓您工作更便利
- (5) 附 Wera 腰包，讓您的氣滿分

產品編號	型號	規格	牌價
KK-25	889/4 R	1 x 1/4" x100	\$5,450
05051024001	800/1 Z	4.5X25 5.5X25 6.5X25	
	851/1 Z PH	PH1X25 PH2X25 PH3X25	



- 切換環-左、右鎖定
- 最大扭矩可達50Nu
- 不鏽鋼套筒+永久磁力柄



德國 Wera 頂級棘輪全方位起子

產品編號	型號	規格	牌價
KK-27RA	800/1Z	5.5 x 25	\$4,333
05073660001	800/1Z	6.5 x 25	
	851/1Z	PH1 x 25	
	851/1Z	PH2 x 25	
	855/1Z	PZ1 x 25	
	855/1Z	PZ2 x 25	

Kraftform Kompakt 20 Tool Finder 1, with pouch, 7 pieces
Combi-driver with magazine



德國Wera多功能起子7件組(彩色)+帆布包 KK-20CO

EAN	4013288185327	Dimension:	175x80x60 mm
Code:	05051016001	Weight:	265 g
Article-No.		Country of origin:	CZ
\$6,500		Customs tariff no.:	82079030

- Kraftform holder with bayonet blade and Rapidaptor quick-release chuck
- Kraftform handle with anti-roll feature, multi-component and integrated magazine
- Retractable bayonet blade
- "Take it easy" Tool Finder: colour coding according to profile and size
- In robust pouch

德國Wera頂級全方位6支起子組 KK-28SB
Kraftform Kompakt 28 SB



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 hexagon socket insert bits and Wera Series 1

Design: Attachment, telescopic, with stainless steel sleeve, retaining ring, and strong permanent magnet

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

		\$3,334
05073240001		
⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25
⊖	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
⊚	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25

德國Wera全方位多功能起子-7件組 KK-40
Kraftform Kompakt 40



Pouch with 89 mm bits

7-piece set

1 Kraftform blitholding screwdriver 816 R with Rapidaptor quick-release chuck

		\$5,334
05059298001		
⊕	816 R	1 x 1/4"x119
⊕	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89
⊖	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89
⊚	800/4 Z	1 x 1.0x5.5x89; 1 x 1.2x6.5x89

德國Wera高扭力棘輪起子套裝組-17件組

Kraftform Kompakt 60 RA

KK-60RA



Pouch with 89 mm bits

17-piece set

1 hand-held bit holder 816 RA Kraftform with ratchet function, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, $\frac{1}{4}$ " hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic and 16 bits of 89 mm in length suitable for holders as per DIN ISO 1173 F 6.3 or for direct insertion in a power tool

		\$9,667
05051040001		
●	816 RA	1 x 1/4"x142,0
⊕	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
⊖	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89
⊗	867/4 Z TORX® B0	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89
⊖	800/4 Z	1 x 1,0x5,5x89
⊙	840/4 Z Hex-Plus	1 x 3,0x89; 1 x 4,0x89; 1 x 5,0x89; 1 x 6,0x89

德國Wera高扭力棘輪起子1/4"x142mm

816 RA Ratchet screwdriver

816 RA



Application: Suitable for hexagon socket insert bits as per DIN ISO 1173 C 6.3 and E 6.3 and Wera series 1 and 4

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, $\frac{1}{4}$ " hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic

Handle: Kraftform with non-roll feature, multi-component

	⊙	mm	\$3,667
05051461001	$\frac{1}{4}$ "	142,0	

德國Wera全方位不鏽鋼起子-17件組

Kraftform Kompakt 60, stainless

KK-60ST



Pouch with 89 mm bits, stainless steel

17-piece set

1 Kraftform stainless biholding screwdriver 3816 R with Rapidaptor quick-release chuck

		\$9,667
05071118001		
●	3816 R	1 x 1/4"x119
⊕	3851/4	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
⊖	3855/4	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89
⊗	3867/4 TORX® B0	1 x TX 10 80x89; 1 x TX 15 80x89; 1 x TX 20 80x89; 1 x TX 25 80x89; 1 x TX 30 80x89
⊖	3800/4	1 x 1,0x5,5x89
⊙	3840/4 Hex-Plus	1 x 3,0x89; 1 x 4,0x89; 1 x 5,0x89; 1 x 6,0x89

Kraftform Kompakt 60 ESD

KK-60ESD



德國Wera抗靜電ESD起子17件組



Pouch with 89 mm bits

17-piece set

1 Kraftform biholding screwdriver 816 R ESD with Rapidaptor quick-release chuck

		\$10,000
05051043001		
●	816 R ESD	1 x 1/4"x119
⊕	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
⊖	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89
⊗	867/4 Z TORX® B0	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89
⊖	840/4 Z Hex-Plus	1 x 3,0x89; 1 x 4,0x89; 1 x 5,0x89; 1 x 6,0x89
⊖	800/4 Z	1 x 1,0x5,5x89

Zyklop

德國Wera頂級27件迷你棘輪扳手/套筒/起子頭組-帆布包 德國Wera頂級26件棘輪扳手組(工具袋式)

Kraftform Kompakt Zyklop Mini 2



KK-ZYKLOP MINI 2



1 Wera Bit Ratchet Zyklop Mini 1, drop-forged full steel design, suitable for 1/4" hex bits as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4. Can also be used with 1/4" sockets by using the Wera socket adaptor 870/1. 1 Wera Ratchet Zyklop Mini 2, drop-forged full steel design, suitable for for Wera sockets 8790 FA, 9 Wera sockets 8790 FA, 1 socket adaptor 870/1, 14 bits, tough, for universal use

		\$14,000
05135918001		
	8001 A	1 x 1/4"x87.0
	8005	1 x 107
	813	1 x 1/4"x27.8
	870/1	1 x 1/4"x25
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
	867/1 TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
	840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25
	8790 FA	1 x 4.0; 1 x 5.0; 1 x 6.0; 1 x 6.0; 1 x 7.0; 1 x 8.0; 1 x 10.0; 1 x 12.0; 1 x 13.0

德國Wera頂級10件複合式棘輪扳手1/4"

Kraftform Kompakt Zyklop Mini 1



KK-ZYKLOP MINI 1



9 bits, tough, for universal use, 1 Wera Bit Ratchet Zyklop Mini 1, drop-forged full steel design, suitable for 1/4" hex bits as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4. Can also be used with 1/4" sockets by using the Wera socket adaptor 870/1.

		\$4,334
05073645001		
	8001 A	1 x 1/4"x87.0
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
	867/1 TORX®	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25
	840/1 Z Hex-Plus	1 x 4.0x25; 1 x 5.0x25

Kraftform Kompakt Zyklop Speed KK-ZYKLOP-1/4



26-piece set in a belt pouch

1 Zyklop Speed ratchet with 1/2" drive, 7 Zyklop sockets (metric), 1 Zyklop extension (long) with free-turning sleeve, 1 adaptor, 16 bits of 50 mm in length

		\$9,767
05051045001		
	8000 A	1 x 1/4"x152.0
	8784 A1	1 x 1/4"x1/4"x37.0
	8794 LA	1 x 1/4"x150.0
	851/4 TZ PH	1 x PH 1x50; 1 x PH 2x50; 1 x PH 3x50
	855/4 TZ PZ	1 x PZ 1x50; 1 x PZ 2x50
	867/4 Z TORX®	1 x TX 10x50; 1 x TX 15x50; 1 x TX 20x50; 1 x TX 25x50; 1 x TX 27x50; 1 x TX 30x50
	800/4 Z	1 x 1.0x5.5x50
	840/4 Z Hex-Plus	1 x 3.0x50; 1 x 4.0x50; 1 x 5.0x50; 1 x 6.0x50
	8790 HMA	1 x 5.5x23.0; 1 x 6.0x23.0; 1 x 7.0x23.0; 1 x 8.0x23.0; 1 x 10.0x23.0; 1 x 12.0x23.0; 1 x 13.0x23.0



How to work quickly when there is too little resistance in the thread

Despite being the problem: there has to be sufficient resistance in the thread to engage the ratchet on the other side, and it requires a strong and free-rotating bit. The Zyklop sockets are really fast because their geometry has been made for something is accelerated. The free-rotating sleeve and the elastic geometry structure of the ratchet socket reduce this risk.



"To learn more about this product, scan the QR code."

德國Wera全方位多功能起子-14件組

Kraftform Kompakt 50

KK-50



14-piece set

1 Kraftform bitholding screwdriver 817 R and telescopic blades with quick-release chuck Rapidaptor

		\$7,667
0505665001		
●	817 R	1 x 1,4"x133
●○	889/4 R	1 x 1,4"x100
○	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25
○	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25
○	867/1 Z TORX® B0	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
●	800/1 Z	1 x 0,6x4,5x25; 1 x 1,0x5,5x25

德國Wera快速接頭全功能起子32件組

Kraftform Kompakt 70 universal

KK-70



32-piece set

1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck, 1 universal bit holder 889/4/1 K Rapidaptor

		\$8,334
05057110001		
●	816 R	1 x 1,4"x119
●○	889/4/1 K	1 x 1,4"x90
○	851/1 TZ PH	3 x PH 1x25; 3 x PH 2x25; 3 x PH 3x25
○	855/1 TZ PZ	3 x PZ 1x25; 3 x PZ 2x25; 3 x PZ 3x25
○	867/1 Z TORX® B0	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
●	800/1 TZ	1 x 0,6x4,5x25; 1 x 1,0x5,5x25; 1 x 1,2x6,5x25
○	840/1 Z Hex-Plus	1 x 4,0x25; 1 x 5,0x25; 1 x 6,0x25

德國Wera棘輪式多功能起子組7件組

Kraftform Kompakt Vario RA SB **KK-VARIO RA**



Pouch with 175 mm Wera Vario double-ended blades, 6 mm hexagon shaft

7-piece set

1 Kraftform Kompakt Vario RA hand-held bit holder with ratchet function, fine-tooth design for minimal return angle, switchover ring (right, fixed, left), maximum torque of up to 50 Newton meters, 6 mm hexagon chuck for Wera Vario double-ended blades, 6 Vario double-ended blades (= 12 different dimensions)

		\$6,600
05073665001		
○	80 RA	1 x 6x115.0
●●	85	1 x PH 1xPH 2x175
○	86	1 x PZ 1xPZ 2x175
○	87	1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175
●●	81	1 x 0,6x4,0x1,0x6,0x175
○	84	1 x 4x5x175

德國Wera棘輪起子握柄 80RA

80 RA Vario ratchet screwdriver



Application: Suitable for 6 mm Wera Vario blades

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, 6 mm hexagon chuck

Handle: Kraftform with non-roll feature, multi-component

		\$3,000
05002901001		
○	6	115.0

Kraftform Kompakt

德國Wera起子組-11件工具袋式 88/1 Vario set



11-piece set, specifically for demanding workshop environments

		\$11,500
05002990001		
●	80	1 x 6x90
⊕	85	1 x PH 1xPH 2x175
⊗	86	1 x PZ 1xPZ 2x175
⊙	87	1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175; 1 x TX 30xTX 40x175
⊖	81	1 x 0.8x4.0x1.0x5.0x175; 1 x 0.8x5.0x1.2x7.0x175
⊘	84	1 x 4x1x175; 1 x 5x5x175; 1 x 6x6x175

德國Wera起子/扳手/起子頭/套筒25件工具組-帆布包 Kraftform Kompakt SH 1 PlumbKit

KK-SH1



德國Wera磁性套筒多功能起子1/4"-6件組 819/1/6 PH Combined Screwdriver with strong permanent magnet and bits

819/1/6



Application: Suitable for 1/4" DIN ISO 1173-C 6,3 hexagon insert bits and Wera Series 1

Blade: Hexagon

Design: With strong permanent magnet

Handle: Kraftform, one component, rotary magazine

		\$3,167
05346280001		
●	819/1 Vario	1 x 1/4"x120
⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
⊖	800/1 Z	1 x 0.8x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25

		\$20,000
05135827001		
	Joker	1 x 10x150; 1 x 13x177
○	8000 A	1 x 1/4"x152.0
●	8790 HMA	1 x 7.0x23.0; 1 x 10.0x29.0; 1 x 13.0x23.0
⊕	8784 A1	1 x 1/4"x1/4"x37.0
○	867/4 TORX®	1 x TX 10x50; 1 x TX 15x50; 1 x TX 20x50;
	HF	1 x TX 25x50; 1 x TX 30x50; 1 x TX 40x50
⊕	851/4 Z PH	1 x PH 1x80; 1 x PH 2x80
○	840/4 Z	1 x 3.0x80; 1 x 4.0x80; 1 x 5.0x80; 1 x 6.0x80
	Hex-Plus	
●	247	1 x 0.5x3.0x70
●	160 IS	1 x 0.6x3.5x100
●	160 VDE	1 x 1.0x5.0x125
●	932 A	1 x 1.2x7.0x125
●	395 HD	1 x 10.0x60; 1 x 13.0x60

Product not available in the USA and Canada

Bitholding Screwdrivers and Adaptors

Suitable for hand and power tool applications

813 Bitholding screwdriver

德國Wera起子握柄1/4" 813



Application: Suitable for 1/4" DIN ISO 1173-C 6.3 hexagon insert bits and Wera Series 1

Drive: 1/4" hexagon, magnetic

Handle: Kraftform with non-roll feature, multi-component

		mm	mm	
05051274/001	1/4"	78	68	\$700

813 R Bitholding screwdriver with Rapidaptor quick-release chuck 813 R

德國Wera快脫起子握柄1/4"x90



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 and E 6.3 hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: Kraftform with non-roll feature, multi-component

		mm	
05051272/001	1/4"	90	\$1,834

416 R T-handle Rapidaptor 德國Wera快脫T型扳手 416 R



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 and E 6.3 hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: T-handle, multi-component

		mm	mm	mm	mm	
05023404/001	1/4"	45	44	87	1 3/8"	\$2,500

德國Wera多功能起子握柄1/4" 816R SB

816 R Bitholding screwdriver with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 and E 6.3 hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: Kraftform with non-roll feature, multi-component

		mm	
05051482/001	1/4"	119	\$2,334

德國Wera高扭力棘輪起子1/4"x142mm

816 RA Ratchet screwdriver



Application: Suitable for hexagon socket insert bits as per DIN ISO 1173 C 6.3 and E 6.3 and Wera series 1 and 4

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, 1/4" hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic

Handle: Kraftform with non-roll feature, multi-component

		mm	
05051461/001	1/4"	142.0	\$3,667



Wera
The Best Tools For The Job

JOKER

**Does it
all Better.**



FASTENER HOLDING FUNCTION
JOKER的HOLDING FUNCTION功能讓您在鎖螺母時，不用再像一般開口扳手需要雙手工作，JOKER能抓住螺母，讓您單手操作，時效加倍！



SAFER DUE TO ANTI-SLIP EFFECT.
JOKER的特殊齒槽能產生強力的防滑效果，讓您在處理因生鏽而太緊的螺絲時，省時又省力。

開口特殊微齒設計



SECURE GRIP ON FASTENERS, THANKS TO LIMIT STOP.

JOKER LIMIT STOP功能
一般開口扳手在鎖螺絲時容易用力不當，或是施力過猛，造成螺絲滑牙或脫手，JOKER能讓六角螺絲緊緊固定在扳手上不滑牙，也不會脫手，讓您事半功倍。



VERY SMALL RETURN ANGLE
JOKER有類棘輪功能，一般扳手要轉動一下螺絲必需一放下一轉動，一拿起來一放下，此動作必需有60°的空間，如今JOKER讓您能更輕鬆的以30°的空間，用類棘輪的方式，轉動螺絲！**狹小空間 靈活使用**



“To learn more about this product, scan the QR code.”



德國WeraJoker彩色聰明扳手(公制) WJ

Joker Ratcheting combination wrenches



Application: Hexagonal nuts or bolts
Design: Ratcheting combination wrench

		mm	mm	mm	mm	mm	mm
\$2,267	05073268001	8	144	20	5,5	18	7
\$2,267	05073270001	10	159	22	5,5	21	7,2
\$2,534	05073271001	11	165	25	6,3	22	7,5
\$2,534	05073272001	12	170,7	25,3	6,6	25	8,5
\$2,534	05073273001	13	177	27,3	7	25	8,6
\$3,150	05073274001	14	188	29,3	7,5	28	9,2
\$3,217	05073275001	15	200	32,3	7,8	28,5	9,2
\$3,217	05073276001	16	212	35	8,2	32,7	10,5
\$3,250	05073277001	17	224	37,2	8,5	32,7	10,5
\$3,600	05073278001	18	235	39	9	33,8	11
\$3,667	05073279001	19	246	42	9,5	34,8	11

德國WeraJoker雙開扳手 WJ-10+13

Joker Double Open-Ended Wrench WJ-17+19



Application: Hexagon bolts and nuts
Design: Double open-ended wrench

		mm	mm	mm	mm	mm	mm
\$2,767	05003760001	10	23	13	27	5,5	7
\$4,000	05003765001	17	37	19	42	8,5	9,5

德國WeraJoker彩色聰明扳手(公制)11支組

Joker Set of ratcheting combination wrenches



WJ-11SETCO

Set of ratcheting combination wrenches
 11-piece set
 Durable pouch

	05020013001							\$30,500				
	Joker	1 x 8x144;	1 x 10x159;	1 x 11x165;	1 x 12x170,7;	1 x 13x177;	1 x 14x188;	1 x 15x200;	1 x 16x212;	1 x 17x224;	1 x 18x235;	1 x 19x246

德國WeraJoker彩色聰明扳手(英制) WJIN

Joker Ratcheting combination wrenches, Imperial



Application: Hexagonal nuts or bolts
Design: Ratcheting combination wrench

		mm	mm	mm	mm	mm	mm	
	05073280001	$\frac{1}{2}$ "	144	20	5,5	18	7	\$2834
	05073281001	$\frac{3}{8}$ "	159	22	5,5	21	7,2	\$2834
	05073282001	$\frac{1}{2}$ "	165	25	6,3	22	7,5	\$3000
	05073283001	$\frac{1}{2}$ "	177	27,3	7	25	8,6	\$3167
	05073284001	$\frac{1}{2}$ "	188	29,3	7,5	28	9,2	\$3834
	05073285001	$\frac{3}{4}$ "	212	35	8,2	32,7	10,5	\$4000
	05073286001	$\frac{11}{16}$ "	235	39	9	33,8	11	\$4334
	05073287001	$\frac{3}{4}$ "	246	42	9,5	34,8	11	\$4500

Joker

Combination ratchet wrenches



德國Wera:Joker聰明扳手(公制)4支組

Joker Set of ratcheting combination wrenches



WJ-4SETCO



Set of ratcheting combination wrenches
4-piece set
Durable pouch

		\$11,334
0507329001		
Joker	1 x 10x150; 1 x 13x177; 1 x 17x224; 1 x 19x246	

德國Wera:Joker彩色聰明扳手(英制)4支組

Joker Set of ratcheting combination wrenches, Imperial



WJIN-4SETCO



Set of ratcheting combination wrenches
4-piece set
Durable pouch

		\$16,000
05073295001		
Joker inch	1 x 7/16"x185; 1 x 1/2"x177; 1 x 9/16"x188; 1 x 3/4"x246	



” To learn more about this product, scan the QR code. “

德國WeraJoker聰明扳手4支組收納袋

Pouch for 4 Joker Ratcheting combination wrenches

WJ-4B



	mm	mm	
05671383001	290,0	100,0	\$1,600

德國WeraJoker聰明扳手8支組收納袋

Pouch for 8 Joker Ratcheting combination wrenches

WJ-8B



	mm	mm	
05671381001	290,0	110,0	\$1,834

德國WeraJoker聰明扳手11支組收納袋

Pouch for 11 Joker Ratcheting combination wrenches

WJ-11B



	mm	mm	
05671382001	290,0	135,0	\$1,997

Joker

Combination ratchet wrenches

德國WeraJoker彩色聰明扳手(英制)8支組 Joker Set of ratcheting combination wrenches, imperial

WJIN-8SETCO



Set of ratcheting combination wrenches
8-piece set
Durable pouch

		\$24,334
05020012001		
Joker inch	1 x 5/16"x144; 1 x 3/8"x158; 1 x 7/16"x185; 1 x 1/2"x177; 1 x 9/16"x188; 1 x 5/8"x212; 1 x 11/16"x235; 1 x 3/4"x248	

Joker Switch Ratcheting combination wrenches, with switch lever



Application: Hexagonal nuts or bolts

Design: Ratcheting combination wrench, switch lever for convenient change of direction; ring end angled at 15° from the handle

		mm	mm	mm	mm	mm	mm	
05020064001		8	144	20.3	5.5	18	7	\$3,500
05020065001		10	159	23	5.5	21.5	7.5	\$3,500
05020066001		11	165	24.3	6.3	22	7.5	\$4,000
05020067001		12	171	26.3	6.6	25	8.5	\$4,000
05020068001		13	179	27.3	7	26	8.5	\$4,000
05020069001		14	187	30	7.5	28	9.5	\$4,334
05020070001		15	199	32	7.8	28.8	9.5	\$4,500
05020071001		16	213	35	8.2	31.7	10.5	\$4,500
05020072001		17	225	37	8.5	33	10.5	\$4,500
05020073001		18	234	39.5	9	34	11	\$5,334
05020074001		19	246	42	9.5	34.7	11	\$5,334

Available as of autumn 2016

德國WeraJoker彩色聰明扳手+雙開扳手組(公制) Joker Set of ratcheting combination / double open-ended wrenches

WJ-4+2SETCO



Ratcheting Combination/Double Open-Ended Wrench Set
6-piece set
Durable pouch

		\$19,667
05020022001		
Joker	1 x 10x159; 1 x 13x177; 1 x 17x224; 1 x 19x248	
Joker Double	1 x 10x13x167; 1 x 17x19x235	



德國WeraJoker斜角可調式棘輪扳手4支組-帆布包
WJSW-4SET


Joker Switch Set of ratcheting combination wrenches



Set of ratcheting combination wrenches, reversible

4-piece set

Durable pouch

	\$17,334
05020090001	
Joker Switch	1 x 10x159; 1 x 13x179; 1 x 17x225; 1 x 19x246

Available as of autumn 2018

Tip

Fine tooth mechanism



The ratcheting feature at the ring end boasts an exceptional, fine tooth mechanism – 80 teeth in all – which provides greater flexibility, even in very confined working spaces.

Angled ratchet end



The ratchet end is angled at 15° to the tool axis, making application of the tool in confined spaces much easier.

Joker Switch



The direction of the fine-tooth ratchet mechanism can easily be changed via the smooth switch lever.

德國WeraJoker斜角可調式棘輪扳手11組-帆布包
Joker Switch Set of ratcheting combination wrenches

WJSW-11SET



Set of ratcheting combination wrenches, reversible

11-piece set

Durable pouch

	\$47,500
05020091001	
Joker Switch	1 x 8x144; 1 x 10x159; 1 x 11x165; 1 x 12x171; 1 x 13x179; 1 x 14x187; 1 x 15x198; 1 x 16x213; 1 x 17x225; 1 x 18x234; 1 x 19x246

Available as of autumn 2018

德國Wera十字起子頭 851/1TZ-PH



	+	mm	mm	
05056505001	PH 1	25	1"	\$100
05056510001	PH 2	25	1"	\$100
05056525001	PH 3	25	1"	\$100

德國Wera迷你起子頭+磁性接桿(卡裝7件組)

Bit-Check 7 Universal 1

BC UN/7



1 universal bit holder with stainless steel sleeve and strong permanent magnet, 6 bits, tough (Z), for universal use.

(05056205001)			\$1,167
⊕	853/4/1 K	1 x 1/4"x50	
⊕	851/1 Z PH	1 x PH 1x25, 1 x PH 2x25	
⊕	855/1 Z PZ	1 x PZ 1x25, 1 x PZ 2x25	
⊕	800/1 Z	1 x 1,0x5,5x25; 1 x 1,2x6,5x25	

德國Wera起子頭6支組(一字/十字/米字)

Bit-Check 6 Universal 1 BC UN/6



05056474001			\$1,167
⊕	851/4 TZ PH	1 x PH 1x50; 1 x PH 2x50	
⊕	855/4 TZ PZ	1 x PZ 1x50; 1 x PZ 2x50	
⊕	800/4 Z	1 x 1,0x5,5x50; 1 x 1,2x6,5x50	

Tip

ACR®-Bits



ACR® stands for "anti-cam-out ribs". ACR® bits have ribs at the drive tip that protect against slipping out of the screw head. It is recommended that ACR® bits are matched with ribbed ACR® screws for maximum effect. ACR® is a registered trademark of Phillips Screw Company.

853/4 ACR® bits 德國Wera特級ACR怪牙起子頭

853/4ACR-PH



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

Design: Tough, for universal use, ACR® (Anti Cam-Out Ribs) prevents bit from slipping out of screw head

	+	mm	mm	mm	
05346285001	PH 1	50	2"	3,5	\$367
05346286001	PH 2	50	2"	5,2	\$367
05346287001	PH 3	50	2"	5,8	\$367

德國Wera特級ACR怪牙起子頭

853/1 TZ bits, ACR®

853/1TZ ACR-PH



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-D 6.3 bit holders

Design: Torsion-style design to reduce premature wear, tough, for universal use, ACR® (Anti Cam-Out Ribs) prevents bits from slipping out of screw head

	+	mm	mm	
05056660001	PH 1	25	1"	\$200
05056662001	PH 2	25	1"	\$200
05056664001	PH 3	25	1"	\$200



Bits for Phillips Screws



1/4" hexagon drive, suitable for F 6.3 bit holders (series 4)

851/4 TZ bits 德國Wera十字起子頭 851/4 TZ-PH



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

Design: Torsion-style design to reduce premature wear, tough, for universal use

	+	L mm	l mm	
05059905001	PH 1	50	2"	
05059810001	PH 2	50	2"	\$217
05059815001	PH 3	50	2"	\$217

1/4" Double-ended bits, 1/4" hexagon drive (series 23)

德國Wera雙頭起子頭 851/23-PH

851/23 double-ended bits for Phillips screws



Application: Phillips screws

Drive: 1/4" hexagon

Design: Bell-guide groove 17 mm

	+	L mm	l mm	
05135705001	PH 2	45	1 3/4"	\$200
05135709001	PH 2	60	2 1/4"	\$234

德國Wera十字起子頭 851/4J-PH 851/4 J bits



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

Design: Tough, for universal use

	+	L mm	l mm	Ø mm	
05135530001	PH 00	50	2"	2.0	\$267
05380200001	PH 00	89	3 1/2"	2.0	
05135531001*	PH 0	50	2"	2.5	\$267
05380201001*	PH 0	89	3 1/2"	2.5	
05135532001	PH 1	50	2"	4.5	\$267
05380202001	PH 1	89	3 1/2"	4.5	\$467

* Size Ø modified according to JIS B (Japanese Camera Industrial Standards)

851/4 Z bits 德國Wera十字起子頭 851/4Z-PH



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

Design: Tough, for universal use

	+	L mm	l mm	Ø mm	
05059735001	PH 1	70	2 3/4"	4.5	\$450
05059760001	PH 1	89	3 1/2"	4.5	\$467
05059765001	PH 1	127	5"	4.5	\$684
05059766001	PH 1	152	6"	4.5	\$734
05059770001	PH 2	70	2 3/4"	6.0	\$450
05059775001	PH 2	89	3 1/2"	6.0	\$467
05059780001	PH 2	110	4 1/4"	6.0	\$600
05059785001	PH 2	127	5"	6.0	\$684
05059786001	PH 2	152	6"	6.0	\$734
05059790001	PH 3	70	2 3/4"	-	
05059795001	PH 3	89	3 1/2"	-	\$467
05059800001	PH 3	110	4 1/4"	-	
05059802001	PH 3	152	6"	-	

德國Wera十字起子頭851/1Z-PH 851/1 Z bits



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-D 6.3 bit holders

Design: Tough, for universal use

	+	L mm	l mm	
05056509001	PH 0	25	1"	\$100
05072070001	PH 1	25	1"	\$67
05056507001	PH 1	50	2"	
05072072001	PH 2	25	1"	\$67
05056515001	PH 2	32	1 1/4"	
05056520001	PH 2	50	2"	
05072074001	PH 3	25	1"	\$67
05134905001	PH 3	50	2"	
05056535001	PH 4	32	1 1/4"	

800/1 Z bits 德國Wera一字起子頭 800/1Z


05056200001	0,5	3,0	25	1"	3,0	\$100
05056005001	0,5	3,0	39	1 1/2"	3,0	
05072050001	0,5	4,0	25	1"	4,0	
05056007001	0,5	4,0	39	1 1/2"	4,0	
05056010001	0,6	3,5	39	1 1/2"	3,5	
05072055001	0,6	4,5	25	1"	4,5	\$100
05056015001	0,6	4,5	39	1 1/2"	4,5	
05072057001	0,8	5,5	25	1"	5,5	
05056020001	0,8	4,0	39	1 1/2"	4,0	
05056025001	0,8	5,5	39	1 1/2"	5,5	
05072059001	1,0	5,5	25	1"	5,5	\$100
05056030001	1,0	5,5	39	1 1/2"	5,5	
05072061001	1,2	6,5	25	1"	6,2	\$100
05072063001	1,2	8,0	25	1"	8,0	\$217
05056037001	1,2	6,5	39	1 1/2"	6,5	
05056040001	1,2	8,0	39	1 1/2"	8,0	
05072065001	1,6	8,0	25	1"	8,0	
05056045001	1,6	8,0	39	1 1/2"	8,0	

855/1 Z bits 德國Wera米字起子頭 855/1Z


05072080001	PZ 1	25	1"	
05072082001	PZ 2	25	1"	\$67
05072084001	PZ 3	25	1"	\$67

855/1 TH bits 德國Wera米字起子頭 855/1TH


05056910001	PZ 1	25	1"	\$100
05056915001	PZ 2	25	1"	
05056925001	PZ 3	25	1"	

800/4 Z bits 800/4Z

Application: Slotted screws

Driver: 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

Design: Tough, for universal use

05059305001	0,5	3,0	50	2"	3,0	\$300
05059466001	0,5	3,0	70	2 1/4"	3,0	
05059307001	0,5	4,0	50	2"	4,0	
05059310001	0,6	3,5	50	2"	3,5	\$300
05059472001	0,6	3,5	70	2 1/4"	3,5	\$434
05059450001	0,6	3,5	152	6"	3,5	
05059315001	0,6	4,5	50	2"	4,5	\$334
05059489001	0,6	4,5	89	3 1/2"	4,5	\$434
05059320001	0,8	4,0	50	2"	4,0	\$300
05059478001	0,8	4,0	70	2 1/4"	4,0	
05059480001	0,8	4,0	89	3 1/2"	4,0	\$500
05059451001	0,8	4,0	152	6"	4,0	\$734
05059325001	0,8	5,5	50	2"	5,5	\$300
05059330001	1,0	5,5	50	2"	5,5	\$334
05059486001	1,0	5,5	70	2 1/4"	5,5	
05059488001	1,0	5,5	89	3 1/2"	5,5	\$500
05059452001	1,0	5,5	152	6"	5,5	
05059335001	1,0	6,0	50	2"	6,0	\$334
05059337001	1,2	6,5	50	2"	6,2	
05059492001	1,2	6,5	70	2 1/4"	6,2	
05059490001	1,2	6,5	89	3 1/2"	6,2	\$500
05059453001	1,2	6,5	152	6"	6,2	
05059340001	1,2	8,0	50	2"	8,0	
05059496001	1,2	8,0	89	3 1/2"	8,0	
05059345001	1,6	8,0	50	2"	8,0	
05059500001	1,6	8,0	89	3 1/2"	8,0	

德國Wera 十字PH2 一字6.0 雙頭起子頭 82PH2-6.0*175


05002920001	PH 1	0,6	4,0	6	175	7"	
05002923001	PH 2	1,0	6,0	6	175	7"	\$867
05002926001	PH 3	1,2	7,0	6	175	7"	

德國Wera六角起子頭

840/1 Z bits

840/1Z-SW



Application: Hexagon socket screws

Drive: $\frac{1}{4}$ " hexagon, suitable for DIN ISO 1173-D 6.3 bit holders

Design: Hex-Plus, tough, for universal use

	⊙ mm	⊙ mm	⊙ mm	⊙ mm	
05056303001	1,5	25	1"		\$200
05056305001	2,0	25	1"		\$200
05056310001	2,5	25	1"		\$200
05056315001	3,0	25	1"		\$200
05056320001	4,0	25	1"		\$200
05056325001	5,0	25	1"		\$200
05056330001	6,0	25	1"		\$200
05056332001	7,0	25	1"		\$267
05056335001	8,0	25	1"		\$267
05056340001	10,0	25	1"		\$267
05135060001		0,05"	25	1"	\$234
05135070001		$\frac{1}{16}$ "	25	1"	\$234
05135071001		$\frac{1}{8}$ "	25	1"	\$234
05135072001		$\frac{3}{16}$ "	25	1"	\$234
05135073001		$\frac{1}{2}$ "	25	1"	\$234
05135073001		$\frac{1}{2}$ "	25	1"	
05135069001		$\frac{1}{8}$ "	25	1"	
05135074001		$\frac{1}{8}$ "	25	1"	
05135075001		$\frac{3}{16}$ "	25	1"	\$234
05135079001		$\frac{1}{2}$ "	25	1"	
05135076001		$\frac{1}{4}$ "	25	1"	\$234
05135077001		$\frac{1}{8}$ "	25	1"	
05135068001		$\frac{1}{4}$ "	25	1"	

德國Wera i-phone專用起子頭1x44mm 873/9

4 mm 4 mm Halfmoon direct drive (series 9)

873/9 Five Lobe bits



Application: Five Lobe screws

Drive: Halfmoons, 4 mm

Design: Tough, for universal use

	⊙ mm	⊙ mm	⊙ mm	⊙ mm	
05060380001	#1	44	1 $\frac{1}{2}$ "	1,8	\$1,567

840/4 Z bits

840/4Z-SW




Application: Hexagon socket screws

Drive: $\frac{1}{4}$ " hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

	⊙ mm	⊙ mm	⊙ mm	⊙ mm		
05160985001	0,9	50	2"	2,6	\$384	
05059602001	1,5	50	2"	2,0	\$384	
05059603001	2,0	50	2"	4,0	\$384	
05059628001	2,0	89	3 $\frac{1}{2}$ "	4,0	\$1,034	
05059604001	2,5	50	2"	4,0	\$367	
05059629001	2,5	89	3 $\frac{1}{2}$ "	4,0	\$1,034	
05059605001	3,0	50	2"	4,0	\$367	
05059630001	3,0	89	3 $\frac{1}{2}$ "	4,0	\$1,034	
05380033001	3,0	152	6"	4,0	\$1,167	
05059610001	4,0	50	2"	5,0	\$367	
05059631001	4,0	89	3 $\frac{1}{2}$ "	5,0	\$1,034	
05059634001	4,0	152	6"	5,0	\$1,167	
05059615001	5,0	50	2"	6,0	\$367	
05059632001	5,0	89	3 $\frac{1}{2}$ "	6,0	\$1,034	
05059635001	5,0	152	6"	6,0	\$1,167	
05059620001	6,0	50	2"	5,0	\$367	
05059633001	6,0	89	3 $\frac{1}{2}$ "	-	\$1,034	
05059636001	6,0	152	6"	-	\$1,167	
05059625001	8,0	50	2"	-		
05350430001		0,05"	50	2"	2,5	
05135090001		$\frac{1}{16}$ "	50	2"	2,5	
05380045001		$\frac{1}{4}$ "	152	6"	4,0	
05135091001		$\frac{1}{8}$ "	50	2"	3,0	
05059660001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	3,0	
05135092001		$\frac{1}{8}$ "	50	2"	3,0	
05059661001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	3,5	
05135093001		$\frac{1}{8}$ "	50	2"	3,5	
05059662001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	4,0	
05135094001		$\frac{1}{4}$ "	50	2"	4,0	
05059663001		$\frac{1}{4}$ "	89	3 $\frac{1}{2}$ "	4,0	
05135095001		$\frac{1}{8}$ "	50	2"	4,5	
05059664001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	4,5	
05380046001		$\frac{1}{8}$ "	152	6"	4,5	
05135096001		$\frac{1}{8}$ "	50	2"	5,0	
05059665001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	5,0	\$1,067
05380047001		$\frac{1}{8}$ "	152	6"	5,0	
05135097001		$\frac{1}{8}$ "	50	2"	6,0	
05059666001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	6,0	
05380048001		$\frac{1}{8}$ "	152	6"	6,0	
05135098001		$\frac{1}{8}$ "	50	2"	-	
05059667001		$\frac{1}{8}$ "	89	3 $\frac{1}{2}$ "	-	
05380049001		$\frac{1}{8}$ "	152	6"	-	
05135099001		$\frac{1}{4}$ "	50	2"	-	
05059668001		$\frac{1}{4}$ "	89	3 $\frac{1}{2}$ "	-	
05380050001		$\frac{1}{4}$ "	152	6"	-	
05346288001		$\frac{1}{8}$ "	50	2"	-	



Bits for TORX® Screws

 1/4" hexagon drive, suitable for F 6,3 bit holders (series 4)

867/4 Z TORX® bits





867/4Z-TX



Application: TORX® socket screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-F 6,3 bit holders

Design: For universal use

		 mm	 mm	 mm	
0513520001	TX 1	50	2*	2,0	
05135201001	TX 2	50	2*	2,0	
05135202001	TX 3	50	2*	2,0	\$500
05135204001	TX 4	50	2*	3,0	\$350
05135205001	TX 5	50	2*	3,0	\$350
05308428001	TX 6	50	2*	3,0	\$350
05134740001	TX 6	70	2 1/2*	3,0	\$550
05332600001	TX 6	88	3 1/2*	3,0	\$734
05328448001	TX 6	152	6*	3,0	
05160830001	TX 7	50	2*	3,0	\$350
05345047001	TX 7	70	2 1/2*	3,0	
05060131001	TX 8	50	2*	3,0	\$350
05060098001	TX 8	70	2 1/2*	3,0	
05060185001	TX 8	88	3 1/2*	3,0	\$734
05060195001	TX 8	152	6*	3,0	
05319835001	TX 9	70	2 1/2*	3,0	\$550
05060183001	TX 9	88	3 1/2*	3,0	
05060194001	TX 9	152	6*	3,0	
05060132001	TX 10	50	2*	4,0	\$350
05060100001	TX 10	70	2 1/2*	4,0	
05060186001	TX 10	88	3 1/2*	4,0	
05060196001	TX 10	152	6*	4,0	
05060133001	TX 15	50	2*	4,0	\$350
05060105001	TX 15	70	2 1/2*	4,0	
05060187001	TX 15	88	3 1/2*	4,0	
05060197001	TX 15	152	6*	4,0	
05060134001	TX 20	50	2*	4,5	\$350
05060110001	TX 20	70	2 1/2*	4,5	
05060188001	TX 20	88	3 1/2*	4,5	
05060198001	TX 20	152	6*	4,5	
05060135001	TX 25	50	2*	6,0	\$350
05060115001	TX 25	70	2 1/2*	6,0	
05060189001	TX 25	88	3 1/2*	6,0	
05060199001	TX 25	152	6*	6,0	
05060136001	TX 27	50	2*	6,0	
05060120001	TX 27	70	2 1/2*	6,0	
05060190001	TX 27	88	3 1/2*	6,0	
05060200001	TX 27	152	6*	6,0	
05060137001	TX 30	50	2*	6,0	\$350
05060125001	TX 30	70	2 1/2*	6,0	
05060191001	TX 30	88	3 1/2*	6,0	
05060201001	TX 30	152	6*	6,0	
05060138001	TX 40	50	2*	-	
05060130001	TX 40	70	2 1/2*	-	
05060192001	TX 40	88	3 1/2*	-	
05060202001	TX 40	152	6*	-	

867/1 TZ TORX® bits

867/1TZ-TX



		 mm	 mm	 mm	
05066300001	TX 5	25	1*	4,2	\$200
05066301001	TX 6	25	1*	4,2	\$200
05066302001	TX 7	25	1*	4,2	\$200
05066303001	TX 8	25	1*	4,2	\$200
05066304001	TX 9	25	1*	4,2	\$200
05066305001	TX 10	25	1*	4,2	
05066308001	TX 15	25	1*	4,2	
05066310001	TX 20	25	1*	4,8	
05066312001	TX 25	25	1*	5,5	
05066313001	TX 27	25	1*	5,5	\$200
05066315001	TX 30	25	1*	6,0	
05066320001	TX 40	25	1*	-	

德國Wera星型起子頭 867/1

867/1 TORX® bits



		 mm	 mm	 mm	
05135140001	TX 1	25	1*	1,5	\$400
05135141001	TX 2	25	1*	1,5	\$400
05135142001	TX 3	25	1*	2,0	\$200
05135143001	TX 4	25	1*	2,0	\$200
05066482001	TX 5	25	1*	3,0	\$117
05066483001	TX 6	25	1*	3,0	\$117
05066484001	TX 7	25	1*	3,0	\$117
05066485001	TX 8	25	1*	3,0	\$117
05066486001	TX 9	25	1*	3,0	\$117
05066485001	TX 10	25	1*	4,0	\$117
05066486001	TX 15	25	1*	4,0	\$117
05066487001	TX 20	25	1*	5,0	\$117
05066488001	TX 25	25	1*	5,0	\$117
05066489001	TX 27	25	1*	6,0	
05066490001	TX 30	25	1*	6,0	
05066491001	TX 40	25	1*	-	
05066325001	TX 45	35	1 1/2*	8,0	
05066330001	TX 50	35	1 1/2*	9,0	
05066335001	TX 55	35	1 1/2*	12,0	



Bits for Tamper-proof TORX PLUS® IPR Screws



1/4" 1/4" hexagon drive, suitable for D 6.3 bit holders (series 1)

德國Wera五角中孔起子頭

867/1 IPR TORX PLUS® bits with bore hole **867/1Z-IPR**



Application: TORX PLUS® IPR socket screws with safety pin

Drive: 1/4" hexagon, suitable for DIN ISO 1173-D 6.3 bit holders

Design: Tough, for universal use

		mm		
05134698001	8 IPR	25	1"	\$300
05134698001	8 IPR	25	1"	
05134700001	10 IPR	25	1"	
05134701001	15 IPR	25	1"	
05134702001	20 IPR	25	1"	\$300
05134703001	25 IPR	25	1"	\$300
05134704001	27 IPR	25	1"	
05134705001	30 IPR	25	1"	
05134706001	40 IPR	35	1 1/2"	
05134707001	45 IPR	35	1 1/2"	

Attention: Safety profile - sold only to authorized customers. Such authorization has to be proven in writing.

德國Wera星型中孔起子頭

867/1 Z TORX® 80 bits

867/1ZBO-TX



Application: TORX® socket screws with safety pin (BO = with bore hole)

Drive: 1/4" hexagon, suitable for DIN ISO 1173-D 6.3 bit holders

Design: TORX® with bore hole, tough, for universal use

		mm		
05066497001	TX 7	25	1"	
05066498001	TX 8	25	1"	\$284
05066499001	TX 9	25	1"	\$284
05066500001	TX 10	25	1"	\$284
05066505001	TX 15	25	1"	\$284
05066510001	TX 20	25	1"	\$284
05066515001	TX 25	25	1"	\$284
05066520001	TX 27	25	1"	\$284
05066525001	TX 30	25	1"	\$300
05066530001	TX 40	25	1"	\$300

德國Wera二分1/4"快拆轉接頭

784A1-1/4

784 A 1/4" Adaptor with quick-release chuck



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 hexagon insert bits and Wera Series 1

Design: With Wera quick-release chuck

Drive: 1/4" female square

	Art.No	mm			
05042750001	784 A/1	1/4"	30	1 1/8"	1/4" \$1,634

德國Wera三分3/8"快拆轉接頭

784 B 3/8" Adaptors with quick-release chuck



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 and 3/8" DIN ISO 1173 C 8 hexagon insert bits and Wera Series 1 and 2

Design: With Wera quick-release chuck

Drive: 3/8" female square

	Art.No	mm			
05042755001	784 B/1	3/8"	45	1 1/2"	3/8" \$1,834
05042765001	784 B/2	3/8"	50	2"	3/8" \$2,967

784 C 1/2" Adaptors with quick-release chuck



Application: Suitable for 1/4" DIN ISO 1173 C 6.3 and 3/8" DIN ISO 1173 C 8 hexagon insert bits and Wera Series 1 and 2

Design: With Wera quick-release chuck

Drive: 1/2" female square

	Art.No	mm			
05042760001	784 C/1	1/2"	50	2"	1/2" \$2,000
05042768001	784 C/2	1/2"	50	2"	1/2" \$2,000

Impaktor Bit Holders

For an above-average
service life

德國Wera黑金鋼六角起子頭

840/1 IMP DC Impaktor bits **840/1 IMP DC**



	⌀	ℓ	ℓ:	
	mm	mm		
05057603001	3.0	25	1"	\$400
05057604001	4.0	25	1"	\$400
05057605001	5.0	25	1"	\$400
05057606001	6.0	25	1"	\$400

德國Wera黑金鋼米字起子頭

855/1 IMP DC Impaktor bits **855/1 IMP DC**



	⊕	ℓ	ℓ:	
		mm		
05057620001	PZ 1	25	1"	\$367
05057621001	PZ 2	25	1"	\$367
05057622001	PZ 3	25	1"	\$367

德國Wera黑金鋼米字起子頭

855/4 IMP DC Impaktor bits **855/1 IMP DC PZ2x50**



	⊕	ℓ	ℓ:	
		mm		
05057661001	PZ 2	50	2"	\$667
05057662001	PZ 3	50	2"	\$667

德國Wera黑金鋼衝擊式起子頭快速接桿 897/4 IMP R Impaktor holder with retaining ring and ring magnet

897/4 IMP R



Impaktor holder to cushion extreme impulse peaks, special torsion effect from the double-torsion spring, equipped with a ring magnet to easily hold longer and heavier screws, also ideal for above-head work, particularly suitable for use with impact drivers, the magnet can be retracted and in this way be disabled

Output: Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173 C 6,3 and Wera Series 1

Design: The Impaktor technology ensures an above-average service life even under extreme conditions thanks to a best-possible utilisation of the material properties and optimally designed geometry (two coupled torsion zones that perform successively), fitted with retaining ring and ring magnet

Drive: 1/4" hexagon, suitable for power driven screwdrivers with DIN ISO 1173 F 6,3 chucks

	⊕	ℓ	ℓ:	⌀	
		mm			
05057676001	1/4"	75	3"	1/4"	\$2,500

德國Wera黑金鋼鑽石起子頭10件組

Bit-Check 10 Impaktor 1 SB **BC IMP/10**

	\$5,600	4913288
05073980001	158574	
<ul style="list-style-type: none"> ● 897/4 Impaktor R 1 x 1/4"x75 ● 851/1 IMP DC 1 x PH 2x25; 1 x PH 3x25 ● 855/1 IMP DC 1 x PZ 2x25; 1 x PZ 3x25 ● 867/1 IMP DC 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25 ● 840/1 IMP DC 1 x 4.0x25; 1 x 5.0x25 		



Bit-Checks Impaktor

For an above-average service life



德國Wera黑金鋼鑽石起子頭30件組附快速接桿 Bit-Check 30 Impaktor 1 BC IMP/30



1 Impaktor holder with retaining ring and ring magnet in the chuck for a secure fit of the bits in the holder, 29 Impaktor bits.

			\$7,667
05057690001			
⊕	897/4	1 x 1/4"x75	
	Impaktor R		
⊕	851/1 IMP DC	2 x PH 1x25; 3 x PH 2x25; 2 x PH 3x25	
⊕	855/1 IMP DC	2 x PZ 1x25; 3 x PZ 2x25; 2 x PZ 3x25	
⊕	867/1 IMP DC	1 x TX 10x25; 1 x TX 15x25; 2 x TX 20x25; 3 x TX 25x25; 2 x TX 30x25; 2 x TX 40x25	
⊕	840/1 IMP DC	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25	

德國Wera黑金鋼起子頭6支組 BC IMP/6 Bit-Check 6 PH Impaktor 1



6 Impaktor bits.

05057691001			\$2,834
⊕	851/4 IMP DC	4 x PH 2x50; 2 x PH 3x50	

德國Wera黑金鋼起子頭 851/1 IMP DC-PH2x25 851/1 IMP DC Impaktor bits



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-D 6.3 bit holders

Design: The Impaktor technology ensures an above-average service life even under extreme conditions thanks to a best-possible utilisation of the material properties and optimally designed geometry, particularly suitable for use with conventional impact drivers, the rough diamond coating reduces the danger of any slipping out of the screw head due to the enhanced frictional resistance. Take it easy toolfinder: Output colour coding (red = Phillips) and large stamp to enable the desired bit to be easily located.

	⊕	mm	mm	
05057615001	PH 1	25	1"	\$367
05057616001	PH 2	25	1"	\$334
05057617001	PH 3	25	1"	\$467

德國Wera黑金鋼起子頭 851/4 IMP DC 851/4 IMP DC Impaktor bits



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 bit holders

	⊕	mm	mm	
05057656001	PH 2	50	2"	\$667
05057657001	PH 3	50	2"	\$667

德國Wera不鏽鋼起子頭含快速接桿(30件組)

Bit-Check 30 Stainless 1

BC ST/30



1 Rapidaptor stainless steel bit holder with quick-release chuck, 29 stainless steel bits.

	\$7,667
05071109001	
●○ 3888/4/1 K	1 x 1/4"x50
⊕ 3851/1 TS PH	1 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25
⊖ 3855/1 TS PZ	2 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25
○ 3867/1 TS	2 x TX 10x25; 2 x TX 15x25; 3 x TX 20x25; TORX® 3 x TX 25x25; 2 x TX 30x25; 1 x TX 40x25
○ 3840/1 TS	1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 5.5x25

德國Wera頂級起子頭30件組 BC 30

Bit-Check 30 Universal 1



1 bit holder Rapidaptor with quick-release chuck, 29 bits, Torsion-style (T) design to reduce premature wear, tough (Z), for universal use, extra-hard (H).

	\$4,834
05056440001	
●○ 888/4/1 K	1 x 1/4"x50
⊕ 851/1 TZ PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25
⊖ 855/1 TH PZ	2 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25
○ 867/1 TZ	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX® 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
⊕ 867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; BO 1 x TX 25x25; 1 x TX 30x25
⊖ 800/1 TZ	1 x 1.0x5,5x25
○ 840/1 Z	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25; Hex-Plus 1 x 8.0x25

德國Wera不鏽鋼彩色起子頭含快速接桿-12件組

Bit-Check 12 Stainless 1

BC ST/12



1 Rapidaptor stainless steel bit holder with quick-release chuck, 11 stainless steel bits.

	\$4,667
05057425001	
●○ 3888/4/1 K	1 x 1/4"x50
⊕ 3851/1 TS PH	1 x PH 1x25; 1 x PH 2x25
⊖ 3855/1 TS PZ	1 x PZ 1x25; 1 x PZ 2x25
○ 3867/1 TS	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; TORX® 1 x TX 30x25
○ 3840/1 TS	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25

德國Wera彩色起子頭12件組 BC12

Bit-Check 12 BiTorsion 1



1 bit holder Rapidaptor with quick-release chuck, 11 BiTorsion bits for long service life, tough, for universal use.

	\$3,300
05057420001	
●○ 888/4/1 K	1 x 1/4"x50
⊕ 851/1 BTZ PH	1 x PH 1x25; 2 x PH 2x25
⊖ 855/1 BTZ PZ	1 x PZ 1x25; 2 x PZ 2x25
○ 867/1 TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; BTZ 1 x TX 25x25; 1 x TX 30x25

Bit-Checks Diamond

Bits with "bite"

德國Wera頂級鑽石起子頭7件組+快速接桿

Bit-Check 7 Diamond 1

BC DI/7



1 bit holder Rapidaptor with quick-release chuck, 6 BITorsion bits for long service life, diamond-coated (BDC) for secure screw fit.

05057416001		
●	889/4/1 K	1 x 1/4"x50
●	851/1 BDC PH	1 x PH 1x25; 1 x PH 2x25
●	855/1 BDC PZ	1 x PZ 1x25; 1 x PZ 2x25
●	800/1 BDC	1 x 1,0x5,5x25; 1 x 1,2x6,5x25

德國Wera彩色鑽石起子頭+快速接桿-7件組

Bit-Check 7 PH Diamond 1

BC DI/7PH



1 bit holder Rapidaptor with quick-release chuck, 6 BITorsion bits for long service life, diamond-coated (BDC) for secure screw fit.

05057414001			\$3,667
●	889/4/1 K	1 x 1/4"x50	
●	851/1 BDC PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	

Bit-Check 7 Diamond 1 SB

	\$4,334	
05073419001		183682
●	889/4/1 K	1 x 1/4"x50
●	851/1 BDC PH	1 x PH 1x25; 1 x PH 2x25
●	855/1 BDC PZ	1 x PZ 1x25; 1 x PZ 2x25
●	800/1 BDC	1 x 1,0x5,5x25; 1 x 1,2x6,5x25



德國Wera鑽石起子頭PH2x25(2支裝)

851/1 BDCx2-PH2X25


851/1 BDC bits



Application: Phillips screws

Drive: 1/4" hexagon, suitable for DIN ISO 1173-D 6,3 bit holders

Design: BITorsion for long service life, diamond-coated for secure screw fit. Take it easy toolfinder: Output colour coding (red = Phillips) and large stamp to enable the desired bit to be easily located.



	+	mm	l
05056400001	PH 1	25	1"
05073335001	PH 2	25	1" \$600
05056404001	PH 3	25	1"

鑽石起子頭 Diamond coated bits

領先世界最高等級的鑽石起子頭，
在起子的頭部，佈滿均勻的工業鑽石，
能完全咬住螺絲，增強硬度，
而且絕不打滑，讓您在電動工具上，如虎添翼。
特殊的鋼料與設計，
讓其工作壽命達一般起子頭的 10 倍以上，
減少您更換起子頭的時間，達到最好的工作效率。

德國Wera專業可調式扭力起子



Application: Suitable for 1/4" DIN ISO 1173-C 6,3 and E 6,3 hexagon insert bits and Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Accuracy: ±6 % (DIN EN ISO 6789). Numerical torque value scale, audible excess-load signal

Handle: Kraftform with non-roll feature, multi-component

	Art.No.	mm	mm	Nm	Nm	mm	
05074700001	7440	105	1/4"	0,3-1,2	0,05	155	6" \$7,333
05074701001	7441	105	1/4"	1,2-3,0	0,10	155	6" \$7,333
05074710001	7440		1/4"	2,5-11,5	0,5	155	6" \$9,334
05074711001	7440		1/4"	11,0-29,0	1,0	155	6" \$9,667

德國Wera 1/4" 槍型可調式扭力起子



Application: Suitable for 1/4" DIN ISO 1173-C 6,3 and E 6,3 hexagon insert bits and Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Accuracy: ±6 % (DIN EN ISO 6789). Numerical torque value scale, audible excess-load signal

Handle: Kraftform pistol grip, multi-component

	Art.No.	Nm	Nm	mm	mm	
05074702001	7442	1/4"	3,0-6,0	0,25	150	100 4" \$14,000
05074705001	7443	1/4"	4,0-8,0	0,40	150	100 4" \$14,667

德國Wera專業可調式ESD扭力起子

7440ESD / 7441ESD \$12,000



Application: Suitable for 1/4" DIN ISO 1173-C 6,3 and E 6,3 hexagon insert bits and Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, non-magnetic

Accuracy: ±6 % (DIN EN ISO 6789). Numerical torque value scale, audible excess-load signal

Handle: Kraftform with non-roll feature, multi-component

	Art.No.	mm	mm	Nm	Nm	mm	
05074780001	7440 ESD	89	1/4"	0,10-0,24	0,015	142	5 1/2" *
05074782001	7441 ESD	89	1/4"	0,30-1,00	0,05	142	5 1/2" *
05074784001	7442 ESD	89	1/4"	0,90-1,50	0,05	142	5 1/2" *
05074730001	7440 ESD	105	1/4"	0,3-1,2	0,05	155	6"
05074731001	7441 ESD	105	1/4"	1,2-3,0	0,10	155	6"



Wera
BE A TOOL REBEL



金鋼石高扭力 衝擊雙頭起子頭

18vOK



超耐用世界第一強



Don't use as pry bar or chisel.
Wear approved safety goggles
and gloves.




Wera PH+

Drives: DIN 5260, ISO 8764 and SMS-SS 1887.

TORQUE values evaluated in test gages according to DIN 5261, ISO 8764 on TORQUE testing equipment.

+	TORQUE in Nm(min) handuse	poweruse
PH2	8,2	10,3



超高強度。壽命長

Code	產品編號	+	長度	牌價
05 344215 001	851/23 IMP-PH2x65	PH2	65 mm	1,061 2支
05 344216 001	851/23 IMP-PH2x110	PH2	110 mm	1,334 2支



Wera 2go 1

Code Nr.: 05 004350 001

1x



1x



德國Wera工作背帶+超強力魔鬼氈底座2件組

05004350001

\$4,267

Wera 2go 5 1 x 135,0x300,0x270

Wera 2go 6 1 x 38,0x1470,0

Wera 2go 2

Code Nr.: 05 004351 001

1x



1x



1x



德國Wera百變工作袋3件組(背帶+大工作袋+手提內袋)

05004351001

Wera 2go 1 x 330,0x355,0x115

\$17,667

Container

Wera 2go 6 1 x 38,0x1470,0

Wera 2go 4 1 x 165,0x165,0x105

Wera 2go 3

Code Nr.: 05 004352 001

1x



德國Wera百變工作袋(中)

\$4,933



mm

mm

mm

05004352001

130,0

325,0




80


Wera 2go 4

Code Nr.: 05 004353 001

1x


德國Wera百變工作提袋


				
	mm	mm	mm	
05004353001	165,0	165,0	100	\$2,900


Wera 2go 5

Code Nr.: 05 004354 001

1x


德國Wera工作袋超強力魔鬼氈底座



				
	mm	mm	mm	
05004354001	135,0	300,0	270	\$2,667


Wera 2go 6

Code Nr.: 05 004355 001

1x


德國Wera強力工作背帶

			
	mm	mm	
05004355001	38,0	1470,0	\$2,000

**德國Wera鋼珠固定功能1/2"凸型套筒
6件組-帆布包 8740C HF2**
8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function



		\$9,000
05004210001		
○	8740 C HF	1 x 4,0x140,0; 1 x 5,0x140,0; 1 x 6,0x140,0; 1 x 7,0x140,0; 1 x 8,0x140,0; 1 x 10,0x140,0

**德國Wera鋼珠固定功能3/8"凸型套筒
7件組-帆布包 8740B HF1**
8740 B HF 1 Zyklop bit socket set with holding function, 3/8" drive



		\$9,334
05003180001		
○	8740 B HF	1 x 4,0x107,0; 1 x 5,0x107,0; 1 x 6,0x107,0; 1 x 7,0x100,0; 1 x 8,0x100,0; 1 x 9,0x100,0; 1 x 10,0x100,0

**德國Wera二分1/4"套筒9件組-附插座收納帶
Belt A 4 Zyklop socket set, 1/4" drive WERA BELT-A4**



		\$3,500
05003883001		
●	8790 HMA	1 x 5,0x23,0; 1 x 5,5x23,0; 1 x 6,0x23,0; 1 x 7,0x23,0; 1 x 8,0x23,0; 1 x 10,0x23,0; 1 x 11,0x23,0; 1 x 12,0x23,0; 1 x 13,0x23,0
	Belt A 0/9	1 x 39,0x238,0
	Hook and Loop Fastener Strip 30	1 x 30,0x200,0

**德國Wera三分3/8"套筒9件組-附插座收納帶
Belt B 4 Zyklop socket set, 3/8" drive WERA BELT-B4**



		\$5,667
05003973001		
●	8790 HMB	1 x 8,0x29,0; 1 x 10,0x29,0; 1 x 12,0x29,0; 1 x 13,0x29,0; 1 x 15,0x29,0; 1 x 16,0x30,0; 1 x 17,0x30,0; 1 x 18,0x30,0; 1 x 19,0x30,0
	Belt B 0/9	1 x 45,0x310,0
	Hook and Loop Fastener Strip 30	1 x 30,0x200,0



Bicycle Set 1, 12 pieces **德國Wera鐵馬工具包12件組**
 Innovations and Spring / Summer Campaign 2019 **WERA B1-\$5,167**



Set contents:

Code: 05004170001
 Size: 135x95x40mm
 Weight: 260g



8001 A
 05073999001 1 x 1/4" x 87 mm



899/4/1
 05053459001 1 x 1/4" x 100 mm



851/1 Z PH
 05072072001 1 x PH 2 x 25 mm



840/1 Z Hex-Plus
 05056305001 1 x 2 x 25 mm
 05056310001 1 x 2,5 x 25 mm
 05056315001 1 x 3 x 25 mm
 05056320001 1 x 4 x 25 mm
 05056325001 1 x 5 x 25 mm
 05056330001 1 x 6 x 25 mm
 05056335001 1 x 8 x 25 mm



867/1 TORX®
 05066485001 1 x TX 10 x 25 mm
 05066488001 1 x TX 25 x 25 mm



Zyklop Mini
 迷你棘輪扳手



鐵馬迷的最愛-
 迷你帆布工具包，輕巧、
 方便攜帶、規格齊全。



適用於狹小的工作環境。



細齒設計，60齒。
 精密6°一齒，扭力加倍！

Simple direction change



簡易、快速-切換正向/反向

Is rapid screwdriving possible
 with the Zyklop Mini?



Zyklop Mini 1-高效率棘輪
 扳手。可使用拇指快速擰緊
 螺絲。
 Zyklop Mini hande只需於作
 最後擰緊。

Slim design



超薄型設計，在狹小工作
 環境操作自如。

Is such a small tool sufficiently
 resilient?



Zyklop Mini 1可承受65Nm。
 這在一般迷你棘輪扳手上可
 稱是非常強大！

Click-Torque Wrench Series

We wanted working with torque wrenches to be simple and accurate – which is why we developed the Click-Torque wrenches.

With the ability to set and save the default values and with the unmistakable, robust Wera design, these torque wrenches are the ideal tools for all bolting applications that require torque-controlled tightening (clockwise torque wrenches) and tightening and loosening (torque wrenches for insert tools).




Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07.



Easy setting and saving of the desired torque value; readable on the main and fine scales.



With audible and tactile clicks when adjusting the scale values.



When the set torque value is reached, an audible and tactile mechanism triggers.

Robust Design



Very robust design with reversible ratchet (45 teeth) or for insert tools (9x12 mm or 14x18 mm) and ergonomic 2-component handle.



The reversible Click-Torque wrenches are for right-handed use, the Click-Torque wrenches for insert tools are suitable for right-hand and left-hand uses.

Series Click-Torque

Adjustable torque wrenches

德國Wera扭力扳手2.5-25Nm CT-A5 - \$18,667

Click-Torque A 5 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 4% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/4" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075604001	1/4"	2,5-25	0,10	1-18	290	121	42	25	11,5	11 2/32"	4 2/32"	1 2/32"	1"	7/16"

德國Wera扭力扳手2.5-25Nm CT-A6 - \$20,000

Click-Torque A 6 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 4% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/4" hex drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075606001	1/4"	2,5-25	0,10	1-18	290	121	42	25	11,5	11 2/32"	4 2/32"	1 2/32"	1"	7/16"

Series Click-Torque

Adjustable torque wrenches

德國Wera 3/8"扭力扳手10-50Nm CT-B1 - \$20,667

Click-Torque B 1 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 3% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/8" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	bf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075610001	3/8"	10-50	0,25	8-36	360	140	47	35	16,5	14 1/16"	5 3/16"	1 1/16"	1 1/8"

德國Wera 3/8"扭力扳手20-100Nm CT-B2 - \$21,667

Click-Torque B 2 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 3% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/8" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	bf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075611001	3/8"	20-100	0,5	15-73	405	140	47	43	18,5	15 1/16"	5 3/16"	1 1/16"	1 1/8"

德國Wera 1/2"扭力扳手10-50Nm CT-C1 - \$20,667

Click-Torque C 1 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 3% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/2" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

	Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
05075620001	1/2"	10-50	0,25	8-36	360	140	47	35	18,5	14 11/64"	5 33/64"	1 27/32"	1 1/8"	1/2"

德國Wera 1/2"扭力扳手20-100Nm CT-C2 - \$21,667

Click-Torque C 2 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 3% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/2" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

	Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
05075621001	1/2"	20-100	0,5	15-73	405	140	47	43	18,5	15 11/16"	5 33/64"	1 27/32"	1 11/16"	9/16"

Series Click-Torque

Adjustable torque wrenches

德國Wera 1/2"扭力扳手40-200Nm CT-C3 - \$23,334

Click-Torque C 3 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 3% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/2" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

	Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075622001	1/2"	40-200	1,0	30-146	510	140	47	43	18,5	20 1/16"	5 3/16"	1 1/2"	1 1/16"	4 1/16"

德國Wera 1/2"扭力扳手60-300Nm CT-C4 - \$26,667

Click-Torque C 4 torque wrench with reversible ratchet



Application: For clockwise torque-control

Precision: ± 3% of set value, as per DIN EN ISO 6789-1: 2017-07

Design: With 1/2" square drive, reversible ratchet, 45 teeth; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached

Handle: Ergonomic 2-component handle

	Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075623001	1/2"	60-300	1,0	45-220	585	140	47	43	18,5	23 17/32"	5 29/32"	1 27/32"	1 11/16"	4 5/16"

德國Wera三分3/8"星型/六角絕緣套筒
10件組-附插座收納帶 **\$19,395**

WERA BELT-B VDE




德國Wera VDE1000V絕緣起子+KNIPEX鉗
(17件工具包) **KK-VDE17 - \$16,000**



Belt B VDE 1, 3/8"

Code Nr.: 05 004930 001



○ 8740 B HF VDE
1× 4.0×55.0; 1× 5.0×55.0;
1× 6.0×55.0; 1× 8.0×55.0



○ 8767 B HF VDE
1× TX 20×55.0; 1× TX 25×55.0;
1× TX 27×55.0; 1× TX 30×55.0;
1× TX 40×55.0; 1× TX 45×55.0


Kraftform Kompakt VDE 17 extra slim 1

Code Nr.: 05 136027 001

1× Knipex 13 96 200



2× 817 VDE



○ KK 60 I

1× 0.4×2.5×154

○ KK 62 IS PH

1× PH 1×154

1× PH 2×154

○ KK 65 IS PZ

1× PZ 1×154

1× PZ 2×154

○ KK 65 IS PZ/S

1× # 1×154

1× # 2×154

○ KK 67 IS TORX®

1× TX 15×154

1× TX 20×154

1× TX 25×154

○ KK 60 IS

1× 0.0×3.5×154

1× 0.0×4.0×154

1× 1.0×5.5×154

德國Wera精密電子起子25支組-精緻帆布包
2035/25 - \$12,728



Kraftform Micro Big Pack 1

Code Nr.: 05 134000 001

○ 2035

1× 0.23×1.5×40

1× 0.30×1.8×60

1× 0.35×2.5×40

1× 0.40×2.0×60

1× 0.40×2.5×60

1× 0.50×3.0×80

○ 2069 Hex

1× 4.0×60; 1× 5.5×60

○ 2067 TORX® HF

1× TX 5×40; 1× TX 6×40;

1× TX 7×60; 1× TX 8×60;

1× TX 10×60

○ 2054 Hex-Plus

1× 0.9×40; 1× 1.3×40;

1× 1.5×60; 1× 2.0×60

○ 2067 TORX®

1× TX 5×40; 1× TX 6×40

○ 2050 PH

1× PH 000×40

1× PH 00×40

1× PH 0 JCIS×40

○ 2072 MicroStix

1× m×40

○ 2067 IPR

1× #1×40

○ 1429

德國Wera二分1/4"長套筒9件組-附插座收納帶 WERA BELT-AD - \$6,334
 德國Wera三分3/8"長套筒9件組-附插座收納帶 WERA BELT-BD - \$8,334



Belt A Deep 1, 1/4"

Code Nr.: 05 004525 001



- 8790 HMA Deep
- 1× 5.0×50.0; 1× 5.5×50.0;
- 1× 6.0×50.0; 1× 7.0×50.0;
- 1× 8.0×50.0; 1× 10.0×50.0;
- 1× 11.0×50.0; 1× 12.0×50.0;
- 1× 13.0×50.0

Belt B Deep 1, 3/8"

Code Nr.: 05 004545 001



- 8790 HMB Deep
- 1× 8.0×63.0; 1× 10.0×63.0;
- 1× 12.0×63.0; 1× 13.0×63.0;
- 1× 15.0×63.0; 1× 16.0×63.0;
- 1× 17.0×63.0; 1× 18.0×63.0;
- 1× 19.0×63.0

德國Wera四分1/2"長套筒6件組-附插座收納帶
 WERA BELT-CD - \$7,667



Belt C Deep 1, 1/2"

Code Nr.: 05 004565 001



- 8790 HMC Deep
- 1× 10.0×83.0; 1× 13.0×83.0;
- 1× 15.0×83.0; 1× 16.0×83.0;
- 1× 17.0×83.0; 1× 19.0×83.0

德國Wera 1/4"二分彩色長套筒 8790HMA-D



Code	mm x 長度	牌價
05004500001	4.0x50	684
05004501001	5.0x50	684
05004502001	5.5x50	684
05004503001	6.0x50	617
05004504001	7.0x50	617
05004505001	8.0x50	617
05004506001	9.0x50	634
05004507001	10.0x50	634
05004508001	11.0x50	667
05004509001	12.0x50	667
05004510001	13.0x50	734
05004511001	14.0x50	734
05004512001	15.0x50	867

德國Wera 3/8"三分彩色長套筒 8790HMB-D



Code	mm x 長度	牌價
05004530001	8.0x64	784
05004531001	9.0x64	784
05004532001	10.0x64	784
05004533001	11.0x64	784
05004534001	12.0x64	784
05004535001	13.0x64	784
05004536001	14.0x64	850
05004537001	15.0x64	900
05004538001	16.0x64	900
05004539001	17.0x64	934
05004540001	18.0x64	1,034
05004541001	19.0x64	1,034
05004542001	20.0x64	1,100
05004543001	21.0x64	1,100
05004544001	22.0x64	1,184

德國Wera 1/2"四分彩色長套筒



8790HMC-D

Code	mm x 長度	牌價
05004550001	10.0x83	1,234
05004551001	11.0x83	1,234
05004552001	12.0x83	1,234
05004553001	13.0x83	1,234
05004554001	14.0x83	1,134
05004555001	15.0x83	1,134
05004556001	16.0x83	1,134
05004557001	17.0x83	1,167
05004558001	18.0x83	1,250
05004559001	19.0x83	1,250
05004560001	20.0x83	1,367
05004561001	21.0x83	1,384
05004562001	22.0x83	1,500
05004563001	24.0x83	1,600



TAKE IT EASY
TOOL FINDER



德國Wera鐵馬工具包多功能起子13件組
-帆布包 WERA B2 - \$7,667

德國Wera鐵馬工具包六角扳手9件組-帆布包
WERA B4 - \$5,455



Bicycle Set 2

Code Nr.: 05 004171 001



1x 816 R



- | | |
|--|---|
| <p>⊕ 851/4 Z PH</p> <p>1x PH 1x89</p> <p>1x PH 2x89</p> | <p>⊙ 840/4 Z Hex-Plus</p> <p>1x Hex 2.0x89</p> <p>1x Hex 2.5x89</p> <p>1x Hex 3.0x89</p> <p>1x Hex 4.0x89</p> <p>1x Hex 5.0x89</p> <p>1x Hex 6.0x89</p> |
| <p>⊙ 867/4 Z TORX®</p> <p>1x TX 10x89</p> <p>1x TX 20x89</p> <p>1x TX 25x89</p> <p>1x TX 30x89</p> | |

Bicycle Set 4

Code Nr.: 05 004173 001



- | | |
|---|--|
| <p>⊙ 950 SPKL Multicolour</p> <p>1x 2.0x101</p> <p>1x 2.5x112</p> | <p>⊙ 950 SPKL HF Multicolour</p> <p>1x 3.0x123</p> <p>1x 4.0x137</p> <p>1x 5.0x154</p> <p>1x 6.0x172</p> <p>1x 8.0x195</p> |
| <p>⊙ 967 SXL HF Multicolour</p> <p>1x TX 10x112</p> <p>1x TX 25x154</p> | |

德國Wera棘輪扳手/彩色套筒/起子頭鐵馬工具組-附帆布包 TOOL-CHECK BIKES - \$10,667



Bicycle Set 3

Code Nr.: 05 004172 001



1x 8001 1x 889/4/1 K 1x 813

- | | | |
|---|--|---|
| <p>⊙ 840/1 Z</p> <p>1x 2.0x25;</p> <p>1x 2.5x25;</p> <p>1x 3.0x25;</p> <p>1x 4.0x25;</p> <p>1x 5.0x25;</p> <p>1x 6.0x25;</p> <p>1x 8.0x25</p> | <p>⊕ 800/1 TZ</p> <p>1x 0.5x4.0x25;</p> <p>1x 0.6x4.5x25;</p> <p>1x 1.0x5.5x25</p> | <p>⊕ 851/1 TZ</p> <p>1x PH 1x25;</p> <p>2x PH 2x25;</p> <p>1x PH 3x25</p> |
| <p>⊙ 842/1 Z</p> <p>1x 2.5x25;</p> <p>1x 3.0x25;</p> <p>1x 4.0x25;</p> <p>1x 5.0x25;</p> <p>1x 6.0x25</p> | <p>⊙ 867/1 TZ TORX®</p> <p>1x TX 10x25;</p> <p>1x TX 15x25;</p> <p>2x TX 20x25;</p> <p>2x TX 25x25;</p> <p>1x TX 27x25;</p> <p>1x TX 30x25;</p> <p>1x TX 40x25</p> | <p>⊙ 8790 HMA</p> <p>1x 5.5x23;</p> <p>1x 6.0x23;</p> <p>1x 7.0x23;</p> <p>1x 8.0x23;</p> <p>1x 10.0x23;</p> <p>1x 13.0x23;</p> <p>1x 15.0x23</p> |
| <p>⊙ 870/1</p> <p>1x ¼" x 25</p> | | |



NEW

德國Wera鐵馬扭力扳手/套筒工具包16件組
WERA T1-\$31,667



德國Wera多功能起子13件組+帆布包
KK-20F2 -\$8,486



Bicycle Set Torque 1

Code Nr.: 05 004180 001

● Click-Torque A 5
1x ¼"×290



● 8740 A HF ¼"
1x 3.0×28;
1x 4.0×28;
1x 5.0×28;
1x 5.0×100;
1x 6.0×28;
1x 6.0×100;
1x 8.0×28

● 8790 HMA ¼"
1x 10×23;
1x 13×23;
1x 14×23;
1x 15×23

● 8767 A HF ¼"
1x TX 10×28;
1x TX 20×28;
1x TX 25×28;
1x TX 30×28

Kraftform Kompakt 20 Tool Finder 2

Code Nr.: 05 051017 001



1x 889/4 R

1x 818/4/1



⊕ 851/1 BTZ ⊕ 855/1 BTZ ⊕ 867/1 BTZ
1x PH 1×25 1x PZ 1×25 1x TX 20×25
1x PH 2×25 1x PZ 2×25 1x TX 25×25



⊕ 851/4 Z ⊕ 855/4 Z ⊕ 867/4 Z
1x PH 1×89 1x PZ 1×89 1x TX 20×89
1x PH 2×89 1x PZ 2×89 1x TX 25×89

德國Wera多功能起子17件組-瓦肯重金屬限量版
KK-WACKEN - \$6,000



Wacken Set 1

Code Nr.: 05 134054 001



● 800 BTZ
1x 0.8×5.5×25

● 800 Micro
1x 0.23×1.5×30

⊕ 851/1 BTZ PH
1x PH 1×25; 1x PH 2×25

⊕ 851 Micro
1x PH 00×30
1x PH 0×30

⊕ 855/1 BTZ PZ
1x PZ 1×25; 1x PZ 2×25

⊕ 857 Micro
1x TX 4×30;
1x TX 5×30;
1x TX 6×30

⊕ 867/1 BTZ
1x TX 10×25; 1x TX 15×25;
1x TX 20×25; 1x TX 25×25



NEW

德國Wera四分1/2"9顆套筒插座收納帶
WERA BELT-C9 - \$2,300



8790 HMB HF Zyklop socket with 3/4" drive with holding function
8790HMB-HF



德國Wera3/8"三分彩色套筒-固持功能

		mm	mm	mm	mm	mm	
05003740001		6,0	29,0	10,5	17,5	6,5	\$700
05003741001		7,0	29,0	11,2	17,5	6,5	\$700
05003742001		8,0	29,0	12,2	17,5	6,5	\$700
05003743001		9,0	29,0	13,7	17,5	6,5	\$700
05003744001		10,0	29,0	15,0	17,5	8,0	\$700
05003745001		11,0	29,0	16,2	17,5	9,5	\$700
05003746001		12,0	29,0	17,0	17,5	9,5	\$700
05003747001		13,0	29,0	18,4	19,5	9,5	\$734
05003748001		14,0	29,0	19,5	21,5	12,5	\$767
05003749001		15,0	29,0	21,0	23,5	12,5	\$767
05003750001		16,0	29,0	22,2	23,5	12,5	\$767
05003751001		17,0	29,0	24,0	23,5	12,5	\$767
05003752001		18,0	29,0	24,5	23,5	12,5	\$767
05003753001		19,0	29,0	26,0	23,5	12,5	\$784

德國Wera二分1/4"9顆套筒插座收納帶

WERA BELT-A9 - \$1,633



德國Wera三分3/8"9顆套筒插座收納帶

WERA BELT-B9 - \$1,867



05003981001	
Belt A 0/9	1 x 39,0x238,0
Hook and Loop Fastener Strip 30	1 x 30,0x200,0

05003981001	
Belt B 0/9	1 x 45,0x310,0
Hook and Loop Fastener Strip 30	1 x 30,0x200,0



Kraftform Turbo 旋轉速度提升四倍 — 純機械式

如何讓一把螺絲刀，既能精確、有力的鎖緊螺絲，同時又能快速轉動？

可開關的金屬齒輪結構解決了這一難題：它內置於螺絲刀的手柄內，快速提升了作業速度。

Kraftform Turbo以機械工程的原理提高轉動的速度。

Turbo功能可以使用按鈕開啟或關閉。當需要精確調整或以高扭矩上緊或鬆開螺絲時，可關閉這一功能。

耐用的齒輪設計減低了需要定期維護的風險，環保耐用。

借助 Rapidaptor 接頭，Kraftform Turbo可搭配所有常見的 1/4" 六角起子頭，用於各類螺絲。

帶Rapidaptor接頭的手柄可快速裝卸起子頭，只需將套筒向前推，便可輕鬆拆卸，並且單手即可操作。




帶Rapidaptor快速接頭的 826 T Kraftform Turbo起子手柄



應用：適用於符合DIN ISO 1173-C 6.3和E 6.3標準的外六角驅動起子頭以及WERA系列1、4。

規格：可開關的Turbo變速功能讓轉動速度提升四倍；零維護的堅固金屬齒輪裝置；用於1/4" 內六角螺絲，帶rapid-in、rapid-out、rapid-spin、chuck-all和可單手裝卸功能的Rapidaptor技術，磁性。

手柄：帶防滑脫保護的Kraftform螺絲刀柄，多件套。

		826T - \$6,970
		
		mm
05057480001	1/4"	146

Kraftform Turbo



快速鎖緊螺絲



Kraftform Turbo功能在純機械手動作業下可提升轉動速度四倍——不帶電！

按鍵選擇要不要Turbo功能




如有需要，Turbo功能可按下按鍵啟動。當扳手以高扭矩鬆開、精調、擰緊螺絲時，建議關閉此功能。

Kraftform Kompakt Turbo

新

Kraftform Kompakt Turbo 1




Rapidaptor快速接頭Kraftform Turbo手柄
+長度89mm起子頭 19件組-附收納包

KK-T 1		\$13,940
05067482001		
●	826 T Kraftform Turbo	1x 1/4"x146
⊕	851/4 Z PH	1x PH 1x89; 1x PH 2x89; 1x PH 3x89
⊖	855/4 Z PZ	1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89
⊙	867/4 Z	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; TORX® 1x TX 25x89; 1x TX 30x89
⊙	840/4 Z Hex- Plus	1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89
⊙	800/4 Z	1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89

新

Kraftform Kompakt Turbo Imperial 1



Rapidaptor快速接頭Kraftform Turbo手柄
89mm起子頭 19件組(英制)附收納工具包

KK-T 1		
05067483001		
●	826 T Kraftform Turbo	1x 1/4"x146
⊕	851/4 Z PH	1x PH 1x89; 1x PH 2x89; 1x PH 3x89
⊖	867/4 Z	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; TORX® 1x TX 25x89; 1x TX 30x89
⊙	840/4 Z Hex- Plus	1x 3/8"x89; 1x 1/2"x89; 1x 5/8"x89; 1x 3/4"x89
⊙	865/4 Square- Plus	1x # 1x89; 1x # 2x89; 1x # 3x89
⊙	800/4 Z	1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89


Kraftform Turbo

零維護的金屬耐用齒輪



耐用的齒輪設計
減低了需要定期
維護的風險，
環保、耐用。

手柄配多個可替換起子頭



借助
Rapidaptor手柄，
Kraftform Turbo
功能可用於所有
常見的1/4"起子頭

Kraftform Turbo i
旋轉速度提升四倍 純機械式
 VDE絕緣設計，經嚴格個別檢驗的
 Wera VDE專用換裝刀桿的
 Kraftform Turbo VDE螺絲刀，
 在帶電環境下也能安全無虞地快速
 作業。

新

827 T i Kraftform Turbo 純機械式起子手柄



應用：Wera VDE-適用替換起子頭

規格：可開關的Turbo變速功能讓轉動速度
 提升四倍；零維護的堅固金屬齒輪裝置

手柄：帶防滑脫保護的Kraftform螺絲刀柄

	827T	\$7,576
	mm	mm
05067481001	9	125


*2020年5月起供貨



Kraftform Turbo i



快速鎖緊螺絲




Kraftform Turbo
 功能在純機械手
 動作業下可提升
 轉動速度倍
 ——不帶電！

按鍵選擇要不要Turbo功能



如有需要Turbo功能
 可按下按鍵啟動。
 當扳手以高扭矩鬆
 開、精調、鎖緊螺
 絲時，建議關閉此
 功能。

手柄配多個可替換起子頭



9mm接頭的
Kraftform Turbo
 適用於所有Wera
Kraftform Kompakt
VDE替換起子頭。
 適用於各種螺絲，
 操作靈活。

Kraftform Kompakt Turbo i

新

Kraftform Kompakt Turbo i 1



16件組

817 VDE Kraftform手柄X1

827 T i Kraftform Turbo手柄X1

Wera VDE 專用替換刀桿(154mm長)14支
小直徑刀桿 (產品 KK 60 i 0.4x2.5 以及
KK 67 i TX 10 標準刀桿直徑)
帶整體絕緣防護。

	KK-VDE Ti-1	\$14,546
05057484001		
●	827 T i Kraftform Turbo	1x 9x125
●	817 VDE	1x 9x102
⊕	KK 62 IS	1x PH 1x154; 1x PH 2x154
⊖	KK 65 IS PZ	1x PZ 1x154; 1x PZ 2x154
⊕	KK 65 IS PZ/S	1x # 1x154; 1x # 2x154
○	KK 67 i TORX®	1x TX 10x154
○	KK 67 IS TORX®	1x TX 15x154; 1x TX 20x154; 1x TX 25x154
⊖	KK 60 i	1x 0,4x2,5x154
⊖	KK 60 IS	1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154

2020年1月起供货

新

Kraftform Kompakt Turbo i Imperial 1



16件組

817 VDE Kraftform手柄

827 T i Kraftform Turbo手柄

Wera VDE 專用換裝刀桿(154mm長)14支
小直徑刀桿 (產品 KK 60 i 0.4x2.5 以及
KK 67 i TX 10 標準刀桿直徑)
帶整體絕緣防護。

	KK-VDE TI-M	\$14,546
05057485001		
●	827 T i Kraftform Turbo	1x 9x125
●	817 VDE	1x 9x102
⊕	KK 62 IS	1x PH 1x154; 1x PH 2x154
⊖	KK 62 i PH/S	1x # 1x154; 1x # 2x154
○	KK 67 i TORX®	1x TX 10x154
○	KK 67 IS TORX®	1x TX 15x154; 1x TX 20x154; 1x TX 25x154
○	KK 68 IS	1x # 1x154; 1x # 2x154
⊖	KK 60 i	1x 0,4x2,5x154
⊖	KK 60 IS	1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154

2020年1月起供货

Joker 6004



Joker 6003



Joker 6002



Joker 6001



Joker 6000



6003 Joker

在狹小空間內，開口迴轉角度僅為 15°

針對日益狹小的螺絲作業空間，專業工具尤為必要。

狹小空間對工具的接觸面有著更高要求。如何對開口扳手進行改造，以擴大工具的使用範圍？

我們將迴轉角7.5°的棘輪結構，結合雙六角幾何形狀，增加了一倍的接觸面。

當扳手沿縱軸轉動180°時，產生四種對接可能性。螺栓和螺帽均可在15°內完成

適配。有著特殊開口形狀的Joker 6003，顯著拓展了扳手在狹小空間的應用範圍。

Joker 6003換向後可直接裝配。

狹長且堅固的環形板頭可沿工具軸身傾斜15°。

高品質表面經特殊處理，具有高抗腐蝕性。

“Take it easy”易尋系統：彩色標籤可快速的找到需要的尺寸。

Joker工具包獨有的強力魔鬼氈：可輕鬆固定在牆上、架子上、工具間和Wera2go工具包系列產品上。超酷!!!

Joker 6003



適合特別狹小空間



開口形狀特殊的組合扳手
翻轉角為7.5°的開口
和雙六角形狀—將扳
手沿縱軸重複轉動180°
時，其接觸面隨之擴大
兩倍。螺帽和螺栓均
可在15°內完成裝
配。Joker 6003換向
後可直接裝配。

有角度的環形扳手



環形扳頭沿
工具軸身傾15°
避免意外傷害。



6003 Joker 德國Wera梅開扳手-公制



應用：六角螺絲及螺帽

規格：組合扳手；開口扳手轉動角度 7.5°

環形扳手翻轉角度 15°

"Take it easy"工具易尋系統：按顏色標識快速找到需要的尺寸

	mm	mm	mm	mm	mm	
05020200001	8	115	19	4,5	12,5	\$1,061
05020201001	10	125	22	5	15	\$1,091
05020202001	11	135	24,5	5	17	\$1,243
05020203001	12	148	26	5,5	18	\$1,288
05020204001	13	160	27	6	19	\$1,349
05020205001	14	167	29	6	20	\$1,455
05020206001	15	174	32	6	22	\$1,546
05020207001	18	182	35	6,5	23	\$1,697
05020208001	17	190	38	6,5	24,5	\$1,788
05020209001	18	210	39	7,5	26	\$2,031
05020210001	19	230	42	7,5	27,5	\$2,122

6003 Joker 德國Wera梅開扳手-英制



應用：六角螺絲及螺帽

規格：組合扳手；開口扳手轉動角度 7.5°

環形扳手翻轉角度 15°

"Take it easy"易尋系統：按彩色標識快速找到需要的尺寸

	mm	mm	mm	mm	mm	
05020211001	9/16"	115	19	4,5	12,5	\$1,061
05020212001	5/8"	125	22	5	15	\$1,091
05020213001	7/8"	135	24,5	5	17	\$1,243
05020214001	1/2"	160	26	6	19	\$1,349
05020215001	9/16"	167	29	6	20	\$1,455
05020216001	5/8"	182	35	6,5	23	\$1,697
05020217001	11/16"	210	40	7,5	26	\$1,788
05020218001	3/4"	230	42	7,5	27,5	\$2,122

6003 Joker 5 德國Wera梅開扳手5支組-附帆布收納包



	6003-5set	\$7,273
05020230001	6003 Joker	1x 8x115; 1x 10x125; 1x 13x160; 1x 17x190; 1x 19x230

6003 Joker 5set-Taiwan

臺灣限定版-熱銷規格 超值組

- 1x 6003 Joker 10
- 1x 6003 Joker 17
- 1x 6003 Joker 12
- 1x 6003 Joker 19
- 1x 6003 Joker 14
- 6003-5TW - \$7,728**

6003 Joker 11 德國Wera梅開扳手11支組-附帆布收納包



	6003-11set	\$16,061
05020231001	6003 Joker	1x 8x115; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230

新

6003 Joker 5 Imperial 套装1 组合扳手套装, 英制



開口扳手翻轉角度 7.5° + 耐用工具袋

	6003IN-5set	\$6,970
05020240001		
6003 Joker Imperial	1x 5/16"x115; 1x 3/8"x125; 1x 1/2"x160; 1x 5/8"x187; 1x 3/4"x230	



“易尋” 彩色標示系列



用特定的顏色代表不同尺寸，再輔以簡潔的尺寸標示，讓尋找工具變得簡單、快速。Wera獨有的“易尋”彩色標示系列工具包括：用於驅動內六角螺絲的工具（L型扳手、Zyklop套筒）、用於驅動外六角螺絲的工具（Joker扳手、帶固持功能的Zyklop套筒）

新

6003 Joker 8 Imperial 套装1 组合扳手套装, 英制



開口扳手翻轉角度 7.5° + 耐用工具袋

	6003IN-8set	\$12,425
05020241001		
6003 Joker Imperial	1x 5/16"x115; 1x 3/8"x125; 1x 7/16"x135; 1x 1/2"x160; 1x 5/8"x167; 1x 3/4"x182; 1x 7/8"x210; 1x 1"x230	

可搭配Wera 2go工具包系列產品，酷！



Wera獨有的強力魔鬼氈--Joker工具包可輕鬆固定在牆上、架子上、工作間和Wera2go工具包系列產品上

6004 Joker 自動可調式開口扳手 自動調節。牢固夾持。深入吻合。

使用者都渴望擁有一個應用廣泛且便於攜帶使用的緊固工具。

它同時使用於英制和公制。能根據不同螺絲、螺帽尺寸，自動調節開口大小。

安全操作，無危險，作業效率有保障。

光滑的平行雙顎口，能取代尺寸不一的各類開口扳手。安裝六角螺帽或螺絲時，所需尺寸可自動校準。

內置的槓桿結構讓六角螺絲或螺帽緊固在顎口上，顯著降低了打滑或者損壞的危險。

內置的棘輪功能更保障了在鎖緊過程更快速和流暢，不會產生任何滯頓。

顎口的凹槽設計，使其迴轉角僅為 30° 。

借助棘輪功能和顎口凹槽，單臂設計讓扳手進入狹小空間。



流暢自動校準



Joker 6004
開口扳手
帶自動調節大小
並夾緊的平行雙顎口
可取代所有標定
尺寸內的開口扳手。



鎖緊過程中保護螺絲



Joker 6004
平行的光滑顎口
因其表面壓力，
能避免在傳輸
扭力時螺帽和螺絲
棱角因磨損而變形。




棘輪設計提升作業效率



開口的棘輪功能
快速鎖緊螺絲，
無任何滯頓。

小迴轉角



開口凹槽 30°
的迴轉角度。

Joker 6004 自調式開口扳手

自調式棘輪開口扳手，可調節的開口大小範圍，平行的光滑顎口；30° 迴轉角；帶掛孔。

6004 Joker XS



6004XS - \$3,334				
	mm		mm	mm
05020099001	7-10	1/4"-3/8"	115	7.7

*2009年秋天上市

6004 Joker S



6004S - \$3,940				
	mm		mm	mm
05020100001	10-13	1/4"-1/2"	154	10

6004 Joker M



6004M - \$4,546				
	mm		mm	mm
05020103001	13-16	1/2"-3/4"	188	12.4

*2009年秋天上市

6004 Joker L



6004L - \$5,455				
	mm		mm	mm
05020101001	16-19	3/4"-1"	224	14

6004 Joker XL NEW



6004XL - \$6,213				
	mm		mm	mm
05020104001	19-24	3/4"-1 1/4"	256	16

6004 Joker XXL



6004XXL - \$6,970				
	mm		mm	mm
05020102001	24-32	1 1/4"-1 3/4"	322	20

6004 Joker 4 set 1 self-setting spanner set NEW



6004-4SET - \$16,667	
05020110001	6004 Joker XS 1x 7-10 (1/4"-3/8") x117 6004 Joker S 1x 10-13 (1/4"-1/2") x154 6004 Joker M 1x 13-16 (1/2"-3/4") x188 6004 Joker L 1x 16-19 (3/4"-1") x224

Joker 6002 雙開口扳手

新

新

新

新

新



6002 Joker



應用：用於六角螺帽或螺栓
設計：雙開口扳手

6002- 10+13 17+19 20+22 22+24 24+27 27+32 30+32	Color	Hex Head Size					Hex Head Thickness	Price
		mm	mm	mm	mm	mm		
05003760001	Green/Purple	10	23	13	27	5.5	\$2,516	
05003765001	Blue/Purple	17	37	19	42	8.5	\$3,637	
05020260001 ¹⁾	Blue/Purple	20	48	22	51	10	\$5,304	
05020261001 ¹⁾	Blue/Purple	22	48	24	51	10	\$5,455	
05020262001 ¹⁾	Blue/Purple	24	51	27	60	11	\$6,364	
05020263001 ¹⁾	Blue/Purple	27	63	32	66	12	\$8,334	
05020264001 ¹⁾	Blue/Purple	30	63	32	66	12	\$8,485	

¹⁾ 2020年1月開始發售

固持功能



Joker系列的固定功能-螺絲和螺帽能被扳手頭固定並輕鬆定位。因為採用了創新的特殊擋塊來固定緊固件，它可快速、安全地進行緊固，避免浪費時間去尋找掉落的螺絲和螺帽！螺絲或螺帽定位好後，就可以快速地進行緊固，而無需使用任何額外的工具。

一體成型的限位擋塊



扳手很難定位嗎？在有限的空間內很難固定緊固件嗎？想避免人員受傷或緊固件被損壞的風險嗎？這些都是過去的事了。現在再也不需要用手指固定螺絲了。

Joker的限位擋塊可以防止它從緊固件頭部滑落，這使得作業更輕鬆，也可將更多的力量用於緊固工作。



T型柄螺絲刀

T型柄螺絲刀可保證手動緊固螺絲時高扭力的傳輸。

我們致力於尋找一種方式，讓用戶輕鬆且安全地使用螺絲工具。

符合人體工程學的雙重材料T型柄螺絲刀，便是我們的解決方案。

手掌緊握手柄，手指則支託在半圓形凹槽內。整個手部和手柄緊密接觸，不會產生任何摩擦損失。

第二臂桿




長臂作為槓桿，手柄上延伸的刀桿有助於高扭力的傳遞。

高扭矩傳遞



將刀桿作為手臂的延長桿，從而傳遞特別高的扭矩。

新
454 T 型柄六角螺絲刀



應用：用於內六角螺絲
刀桿：六角形
設計：Hex-Plus六角增強型，倒角，鍍鉻
手柄：T型柄，單材料手柄

454N (無HF)						
	mm	mm	mm	mm	mm	
05023330001	2	100	12	32	85	\$591
05023332001	2,5	100	12	32	85	\$607

新
454 HF T型柄-六角螺絲刀Hex-Plus，帶固持功能



應用：內六角螺絲
刀桿：六角
規格：配有長桿和短桿，Hex-Plus，倒角，鍍鉻，帶內六角螺絲的固持功能
手柄：T型，雙重材料，有掛孔
"Take it easy"易尋系統：按彩色標識查找到需要的尺寸(藍色 = 內六角)

454HF						
	mm	mm	mm	mm	mm	
05023334001	3	100	15	38	77	\$819
05023338001	4	100	15	38	77	\$849
05023339001	4	150	15	38	77	\$849
05023340001	4	200	15	38	77	\$879
05023342001	5	100	20	49	99	\$910
05023343001	5	150	20	49	99	\$970
05023344001	5	200	20	49	99	\$1,000
05023346001	6	100	20	49	99	\$955
05023347001	6	150	20	49	99	\$1,000
05023348001	6	200	20	49	99	\$1,046
05023350001	7	200	20	49	99	\$910
05023351001	8	100	20	49	99	\$1,091
05023352001	8	150	20	49	99	\$1,152
05023353001	8	200	20	49	99	\$1,213
05023354001	10	100	20	49	99	\$1,243
05023355001	10	200	20	49	99	\$1,455



螺絲刀帶 "Take it easy"
易尋色標系統



"Take it easy"
易尋色標系列：
通過彩色標示，辨別
螺絲刀頭類型與大
小。
讓用戶更快的在工具
包中找到自己所需要
的工具。



Hex-Plus



既有的內六角螺絲工
具存在一個問題，由
於從工具傳遞外力到
螺絲的接觸面很窄，
導致螺絲頭可能會損
壞，通常是凹處被磨
圓。

Hex-Plus六角增強型工具有較大的接觸面，它從凹槽的平面處驅動螺絲，而不是從角面，可防止這種損壞。

Wera獨有的專利 "Hex-Plus"
保護每一顆標準內六角螺絲！



內六角螺絲的固持功能



內六角螺絲通過一
個彈性球附著在刀
具上，特別適用於
無法用另一手夾持
螺絲的狹小空間。

新**454 HF T型柄六角螺丝刀Hex-Plus, 帶固持功能, 英制**

應用：內六角螺絲


刀桿：六角

規格：長刀桿·Hex-Plus·倒角·鍍鉻·帶內六角螺絲的固持功能

手柄：T型·雙重材料·帶掛孔

帶“Take it easy”易尋系統：按彩色標識查快速找到需要的尺寸(藍色 = 內六角)

	⊙	⌢	⌢	⌢	⌢
	mm	mm	mm	mm	mm
05023358001	1/8"	150	15	38	77
05023360001	1/8"	150	15	38	77
05023361001	1/8"	150	15	38	77
05023362001	1/8"	150	20	49	99
05023363001	1/8"	150	20	49	99
05023364001	1/8"	150	15	49	99
05023365001	1/8"	150	20	49	99
05023366001	1/8"	150	20	49	99

新**495 T型柄環帽螺絲刀**

應用：外六角螺絲

刀桿：圓形

規格：鍍鉻

手柄：T型·雙重材料·帶掛孔

Take it easy：按彩色標示辨識尺寸

	⊙	⌢	⌢	⌢	⌢
	mm	mm	mm	mm	mm
05023381001	5	230	38	77	9°
05023382001	5,5	230	38	77	9°
05023383001	6	230	38	77	9°
05023384001	7	230	49	99	9°
05023385001	8	230	49	99	9°
05023386001	9	230	49	99	9°
05023387001	10	230	49	99	9°
05023388001	11	230	49	99	9°
05023389001	12	230	49	99	9°
05023390001	13	230	49	99	9°

新**454 T型柄Hex-Plus六角螺丝刀, 英制**

應用：內六角螺絲

刀桿：圓形

規格：配有長桿和短桿·Hex-Plus·倒角·鍍鉻

手柄：T型·雙重材料·帶掛孔

帶“Take it easy”易尋系統：按彩色標識快速找到需要的尺寸(藍色 = 內六角)

	⊙	⌢	⌢	⌢	⌢
	mm	mm	mm	mm	mm
05023356001	1/8"	150	12	32	65
05023357001	1/8"	150	12	32	65
05023358001	1/8"	150	12	32	65

新**467 TORX® HF T型柄螺絲刀, 帶固持功能**

應用：TORX®內梅花螺絲

刀桿：圓形

規格：配有長桿和短桿·帶固持功能·適用於Acument Intellectual Properties公司的TORX®螺絲·鍍鉻

手柄：T型·雙重材料·掛孔


帶“Take it easy”易尋系統：按彩色標示快速找到需要的尺寸(綠色 = TORX®)

	⊙	⌢	⌢	⌢	⌢	⊘
	mm	mm	mm	mm	mm	mm
05023367001	TX 6	100	12	32	65	3,0 \$910
05023368001	TX 7	100	12	32	65	3,0 \$910
05023369001	TX 8	100	12	32	65	3,5 \$910
05023370001	TX 9	100	12	32	65	3,5 \$910
05023371001	TX 10	100	12	32	65	4,0 \$940
05023372001	TX 15	100	15	38	77	4,0 \$955
05023373001	TX 20	100	15	38	77	4,5 \$1,031
05023374001	TX 20	200	15	38	77	4,5 \$1,107
05023375001	TX 25	100	15	38	77	5,0 \$1,061
05023376001	TX 25	200	15	38	77	5,0 \$1,122
05023377001	TX 27	200	20	49	99	6,0 \$1,137
05023378001	TX 30	200	20	49	99	6,0 \$1,137
05023379001	TX 40	200	20	49	99	8,0
05023380001	TX 45	200	20	49	99	9,0



新

454/7 HF 套裝 1 Hex-Plus T型柄螺絲扳手套裝，帶固持功能




應用：內六角螺絲，從尺寸3號起帶固持功能
規格：“Take it easy”易尋系列：
按彩色標識快速找到需要的尺寸
(藍色 = 內六角) 7件組 + 2個收納架

	454/7HF	\$6,970
05023460001		
○ 454	1x 2,5x100	
○ 454 HF	1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150; 1x 8x200; 1x 10x200	
Rack	2x 190,0x50,0	

新

467/7 TORX® HF套裝 1 T型柄TORX®螺絲刀套裝，帶固持功能



應用：TORX®星型 固持功能
規格：“Take it easy”易尋系列：
按彩色標識快速找到需要的尺寸
(綠色 = TORX®) 7件組+ 2個收納架

	467/7HF	\$7,879
05023462001		
○ 467 TORX® HF	1x TX 10x100; 1x TX 15x100; 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200; 1x TX 45x200	
Rack	2x 190,0x50,0	

實用塑料收納架



整齊放制螺絲刀的收納架

符合人體工學的雙重材料T型柄



符合人體工學形狀的雙重材料T型柄，手指握柄和舒適表面能最有效地傳輸扭力，緩解作業疲勞。

新

454/10 HF 套裝 Imperial 1 Hex-Plus T型柄螺絲刀套裝，帶固持功能，英制




應用：內六角螺絲，從尺寸 1/8" 起帶固持功能
規格：帶"Take it easy"易帶系統；按彩色標識查找尺寸（藍色 = 內六角）一盒10件套 + 2 個收納架

05023451001	
●	454 Imperial 1x 1/8"x150; 1x 1/4"x150
●	454 Imperial HF 1x 1/8"x150; 1x 1/4"x150; 1x 1/2"x150; 1x 3/4"x150; 1x 1"x150; 1x 1 1/4"x150
	Rack 2x 190,0x50,0

新

Kraftform Kompakt 400



416 R T型手柄，帶可快速裝卸的Rapidaptor接頭
長度 89 mm 起子頭 附收納帆布工具包
17件組

KK-400		\$8,182
05057470001		
●	416 R	1x 1/4"x45
●	851/4 Z PH	1x PH 2x89; 1x PH 3x89
●	856/4 Z PZ	1x PZ 2x89; 1x PZ 3x89
●	867/4 Z TORX*	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89
●	840/4 Z Hex-Plus	1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89; 1x 8,0x89
●	800/4 Z	1x 1,0x5,5x89

適用於-狹小空間的短桿小螺絲起子

雙重材質手柄：硬質 & 軟質區，確保牢固抓握並精確作業。

刀桿全方位體現Wera德國工藝技術的優勢。

刀桿表面特殊處理，具有良好的抗腐蝕性和精度。

六角防滑：有效防止操作時打滑的危險。



Wera Stubby


小巧設計



迷你手柄結構
和短刀桿
Kraftform Stubby
尤其適合在狹小空間
內作業。



使用壽命長



刀桿的特殊表面鍍層
有效防止腐蝕，確保
刀頭精度。



螺絲起子為“Take it easy”
易尋色標系列



“Take it easy”
工具易尋色標系列：
通過彩色標示，辨
別螺絲刀頭類型與大
小。
讓使用者快速的在工
具包中找到所需要的
工具。



新**335 Stubby/迷你螺丝刀**

應用：一字螺絲

刀桿：圓形

規格：鍍鉻

手柄：帶防滑脫保護的Kraftform手柄，雙重材料
 "Take it easy"工具易尋系統：按彩色標示快速找到尺寸 (黃色 = 一字)

335 ST						
	mm	mm	mm	mm	mm	
05008840001	0,8	3,5	24,5	54	1/4"	\$500
05008841001	0,8	4,0	24,5	54	3/16"	\$531
05008842001	1,0	5,5	24,5	54	7/16"	\$546
05008843001	1,2	6,5	24,5	54	1/2"	\$591
05008844001	1,2	8,0	24,5	54	5/8"	

新**355 PZ 米字 Stubby/迷你螺丝刀**

應用：適用於十字螺絲

刀桿：圓形

規格：鍍鉻

手柄：帶防滑脫保護的Kraftform手柄，雙重材料
 "Take it easy"工具易尋系統：按彩色標示快速找到尺寸 (黑色 = Pozidriv)

		mm	mm	mm	mm
05008853001	PZ 1	25	54	4,5	1"
05008854001	PZ 2	25	54	6,0	1"
05008855001	PZ 3	25	54	8,0	1"

新**350 PH 十字 Stubby/迷你螺丝刀**

應用：十字螺絲 Phillips-Recess

刀桿：圓形

規格：鍍鉻

手柄：帶防滑脫保護的Kraftform手柄，雙重材料
 "Take it easy"工具易尋系統：按彩色標示快速找到尺寸 (紅色 = Phillips)

350 ST-PH						
		mm	mm	mm	mm	
05008850001	PH 1	25	54	4,2	1"	\$546
05008851001	PH 2	25	54	5,2	1"	\$591
05008852001	PH 3	25	54	6,2	1"	\$637

新**367 TORX® Stubby 迷你螺丝刀**

應用：TORX® -內梅花螺絲

刀桿：圓形


規格：鍍鉻

手柄：帶防滑脫保護的Kraftform手柄，雙重材料
 "Take it easy"工具易尋系統：按彩色標示快速找到尺寸 (綠色 = TORX®)

		mm	mm	mm	mm
05008856001	TX 10	25	54	3,4	1"
05008857001	TX 15	25	54	3,7	1"
05008858001	TX 20	25	54	4,0	1"
05008859001	TX 25	25	54	4,5	1"
05008860001	TX 27	25	54	5,1	1"
05008861001	TX 30	25	54	5,6	1"
05008862001	TX 40	25	54	-	1"

新

Kraftform Kompakt Stubby 1



手柄 811/1 Stubby + 18個起子頭(長25mm)
19件組 附帆布收納包

型號	KK-ST1	\$5,455
05067471001		
●	811/1 Stubby 1x 1/4"	
●	851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
○	855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25	
○	867/1 TORX* 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; BTZ 1x TX 25x25; 1x TX 30x25	
○	840/1 BTZ 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; Hex-Plus 1x 5,0x25; 1x 5,5x25	
●	800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

新

Kraftform Kompakt Stubby ESD 1



手柄 811/1 ESD Stubby + 9個起子頭(25mm長)
10件組 附帆布收納包

型號	KK-ESD ST1	\$3,485
05067472001		
●	811/1 Stubby 1x 1/4"x54 ESD	
●	851/1 Z PH 1x PH 0x25; 1x PH 1x25; 1x PH 2x25	
●	851/1 J 1x PH 00x25x2,0	
●	800/1 Z 1x 0,5x3,0x25; 1x 0,8x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25; 1x 1,2x8,0x25	

Wera Stubby



“易尋”色標系統



“易尋”色標系列用特定的顏色代表不同規格，再輔以簡潔的尺寸標示，讓尋找工具變得簡單、快速。

小巧設計



迷你手柄結構和短刀桿讓Kraftform Stubby尤其適合在狹小空間內作業。



Wera ESD抗靜電系列



ESD安全螺絲刀的規格要求在歐洲EN61340-5-1標準。這項標準也包括手柄製作時所使用的導線通料。Wera的ESD系列產品滿足這些標準，甚至可以滿足某些技術公司提出的更為嚴苛的標準。

有效保護



Wera ESD的材料表面電阻 ≤ 109 ohm 能有效地保護組件，防止其產生靜電，以免遭受相關的危害。

2021 新品

德國Wera內建起子頭替換式迷你起子(十字一字星型)



	KK-M1	\$1,788
05008873001		
⊕	851/1 BTZ PH	1x PH 1x25; 1x PH 2x25
⊙	867/1 TORX® BTZ	1x TX 15x25; 1x TX 20x25; 1x TX 25x25
⊖	800/1 BTZ	1x 0,8x5,5x25

2021 新品

德國Wera內建起子頭替換式迷你起子(十字一字米字)



	KK-M2	\$1,788
05008874001		
⊖	800/1 BTZ	1x 0,8x5,5x25; 1x 1,2x6,5x25
⊕	851/1 BTZ PH	1x PH 1x25; 1x PH 2x25
⊙	855/1 BTZ PZ	1x PZ 1x25; 1x PZ 2x25

內置起子頭、磁吸接頭



手柄可以打開，存放六支起子頭。
磁性接頭，更方便替換起子頭。

可旋轉設計



旋轉式設計，讓您更輕鬆地拿取起子頭。

輕巧設計、Take It Easy 起子頭



迷你手柄設計，非常適合狹小空間使用。
Take It Easy：規格以顏色來標示，
更快速找到所需起子頭。

新**Stubby 套 1 螺丝刀套装**

應用：一字和十字螺絲Phillips-Recess
規格：5件組

"Take it easy"工具易尋系統：按彩色標示快速找到需要的尺寸

	335
05006870001	
⊖	335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5
⊕	350 PH Stubby 1x PH 1x25; 1x PH 2x25

新**Stubby 套 3 螺丝刀套装**

應用：一字螺絲·十字螺絲Phillips-Recess
和內四方螺絲

規格：5件組

"Take it easy"工具易尋系統：按彩色標示快速找到需要的尺寸

05006872001	
⊕	350 PH Stubby 1x PH 1x25; 1x PH 2x25
⊖	335 Stubby 1x 1,0x5,5x24,5
⊙	368 Stubby 1x # 01x25; 1x # 02x25

新**Stubby 套 2 螺丝刀套装**

應用：一字和十字螺絲 Pozidriv
規格：5件組

"Take it easy"工具易尋系統：按彩色標示快速找到需要的尺寸

	335 ST/5	\$2,576
05006871001		
⊖	335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5	
⊕	355 PZ Stubby 1x PZ 1x25; 1x PZ 2x25	

新**Stubby 套裝 TX 1 螺丝刀套装 TORX®**

應用：TORX® 梅花螺絲

規格：5件組

"Take it easy"工具易尋系統：按彩色標示快速找到需要的尺寸

	367 ST/5	\$2,788
05006876001		
⊙	367 TORX® Stubby 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25	

Kraftform screwdrivers

7件式套裝附贈WERA 2GO帆布包及Wera開瓶器

Kraftform 300/7 set 2 screwdriver set Kraftform Plus



NEW



WERA 2GO COMPATIBLE

Perfect system supplement **300/7 B - \$1,788**

套裝完美搭配使用WERA 2GO帆布包



		300/7-2	\$4,546
05105624001			
+	350 PH	1x PH 1x80; 1x PH 2x100	
-	335	1x 0.5x3.0x80; 1x 0.8x4.0x100; 1x 1.0x5.5x125; 1x 1.2x6.0x100	
	bottle opener	1x 145	
	K240	1x 50.0x240.0	

The Kraftform Quality

Kraftform 100 iS/7 set 3 screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter



NEW



		100is/7 - \$6,667
05130018001		
+	162 iS	1x PH 1x80; 1x PH 2x100
-	160 iS	1x 0.5x4.0x100; 1x 1.0x5.5x125
○	168 i VDE	1x # 1x80; 1x # 2x100
	bottle opener	1x 145
	K240	1x 50.0x240.0

Kraftform 3100 i/7 set 1 Screwdriver set, stainless



NEW



		3100i/7 - \$6,364
05622750001		
+	3162 i VDE	1x PH 2x100
○	3165 i PZ VDE	1x PZ 1x80; 1x PZ 2x100
-	3160 i VDE	1x 0.6x3.5x100; 1x 0.8x4.0x100; 1x 1.0x5.5x125
	bottle opener	1x 147
	K240	1x 50.0x240.0

Kraftform 900/7 set 1 screwdriver set Kraftform Wera: The chiseldriver



NEW



		900/7-1 - \$6,970
05137811001		
+	917 SPH	1x PH 1x80; 1x PH 2x100
○	977 TORX®	1x TX 20x90; 1x TX 25x100
-	932 A	1x 0.6x4.5x90; 1x 1.0x5.5x100; 1x 1.2x7.0x125
	K240	1x 50.0x240.0

Kraftform 900/7 set 2 screwdriver set Kraftform Wera: The chiseldriver



NEW



		900/7-2 - \$6,364
05137812001		
+	917 SPH	1x PH 1x80; 1x PH 2x100
-	902 A	1x 0.6x3.5x90; 1x 0.8x4.5x90; 1x 1.0x5.5x100; 1x 1.2x7.0x125
	bottle opener	1x 145
	K240	1x 50.0x240.0

The Kraftform Quality

新**300/7 Mix 1 螺絲刀套裝**

5支長桿的 Lasertip-螺絲起子
+ 2個短桿的Stubby螺絲起子
應用：一字和十字型螺絲 Phillips-Recess
規格：7件組 + 起子收納架
"Take it easy"工具易尋系統：按彩色標示快速找到需要的尺寸

	300/7	\$4,849
05008900001		
⊕	350 PH Stubby 1x PH 1x25 ¹⁾ ; 1x PH 2x25 ¹⁾	
⊕	350 PH	1x PH 1x80; 1x PH 2x100
⊕	334	1x 1,2x6,5x150
⊕	335	1x 0,5x3,0x80 ¹⁾ ; 1x 1,0x5,5x125
	Rack	1x 190,0x50,0

¹⁾不帶 Lasertip 激光蝕刻刀頭

新**300/7 Mix 2 螺絲刀套裝**

5支長桿的 Lasertip-螺絲起子
+ 2個短桿的Stubby螺絲
應用：一字和米字型螺絲 Pozidriv
規格：7件組 + 起子收納架
"Take it easy"工具易尋系統：按彩色標示快速找到需要的尺寸

05008901001		
	Rack	1x 190,0x50,0
⊕	355 PZ Stubby	1x PZ 1x25 ¹⁾ ; 1x PZ 2x25 ¹⁾
⊕	355 PZ	1x PZ 1x80; 1x PZ 2x200
⊕	334	1x 1,2x6,5x150
⊕	335	1x 0,5x3,0x80 ¹⁾ ; 1x 1,0x5,5x125

¹⁾不帶 Lasertip 激光蝕刻刀頭

Wera Stubby**符合人體工程學**

雙重材料 Kraftform 手柄，柔軟的防滑握持區便於傳送扭力，手柄的硬質區則便於轉動。

**Lasertip 激光蝕刻刀頭 有效防止打滑**

螺絲刀頭用激光蝕刻出帶有鋒利邊緣的溝槽，其硬度可高達 1000 HV 0.3 Wera Lasertip 激光蝕刻刀頭能抓緊螺絲，有效防止打滑，可適用於一字、十字和梅花螺絲。

NEW**Kraftform Kompakt F 1 screwdriving tool set for window installation**

德國Wera專業窗戶工具35件組-帆布包	
05134013001 KK- F1 - \$14,546	
●	393 S 1x 1/4"x173,5
●	813 1x 1/4"x78
●	8001 A 1x 1/4"x87,0
○	870/1 1x 1/4"x25 ¹⁾
■	8794 SA 1x 1/4"x75,0
●	8790 HMA 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0
⊕	851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50
○	867/4 Z 1x TX 8x50; 1x TX 10x50; 1x TX 15x50; TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 30x50
○	840/4 Z Hex-Plus 1x 2,0x50; 1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50
○	950 SPKL Multicolour 1x 2,0x101; 1x 2,5x112
○	950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154
○	967 SXL TORX® HF Multicolour 1x TX 8x90; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 30x195
○	6004 Joker S 1x 10-13 (7/16"-1/2") x 154

¹⁾With friction ball; for manual nut spinner sockets

**Flexible shaft**

採用活動軸身設計，可在不方便操作的位置固定螺絲。是用在狹窄或尷尬空間的最佳利器。

**The Zyklop Mini 1**

使用Zyklop Mini 1 迷你棘輪，即使在狹窄的工作空間內，也可快速地進行旋轉操作。採用起子頭直接安裝。使用Wera 870/1 轉接頭（1/4英寸六角頭到1/4英寸方形頭），也可操作1/4英寸套筒扳手。

**L-keys with retaining function for hexagon socket screws**

扳手長端上的球鎖使得螺絲能夠被緊緊卡住。固持功能則可在只能單手操作的狹窄空間和尷尬空間內特別有效！

**Prevents hand injuries**

Kraftform手柄的設計，使手柄能完美地融入手中，能有效防止手部起水泡、長繭等疲勞造成的損傷。



9100 Guitar tool set



德國Wera專業吉他工具21件組-帆布包 9100

05134015001

\$16,970

●	815 R	1x 1/4"x119
⊕	3851/4	1x PH 1x89; 1x PH 2x89
●	3800/1 TS	1x 1,8x12,0x41
●	3800/4	1x 0,6x3,5x89; 1x 1,2x8,0x89
○	3840/1 TS	1x 0,05"x25
○	3950 PKL	1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154
○	3950 PKL inch	1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154
○○	870/1	1x 1/4"x25 ¹⁾
●	8790 HMA	1x 10,0x23,0; 1x 7/16"x23,0
●	8790 HMA	1x 1/2"x50,0

Deep

9103

9105

9104

9101

9102

9110

KNIPPEX 74 01 140

K120 1x 50,0x70,0

Stainless against extraneous rust



不銹鋼鑽頭3800/1

(1.8 x 12 x 41mm) 是
用於調整琴橋上固定螺絲
的理想工具。使用不銹鋼
材料防止部件生鏽。

Input-Jacker



套裝含的Jacker插口能在
安裝或裝卸時準確定位輸
出插口。外部六角螺絲使用
Zyklop套筒鬆開或擰緊。

Angle wrench to adjust the steel bar in the guitar neck




特殊的Hex-Plus幾何形狀
能更緊固螺絲，從而減少
打滑和損壞的風險，並顯
著提升了扭力。

Stringer for guitars





吉他旋鈕可連接套裝所含
的Kraftform 815 R手柄
。符合人體工學的手柄形
狀使其可舒適地握在手中
。精確傳遞扭力。是吉他
機械師的不二之選！



NEW

Click-Torque C 3 set 2 for concrete fixings



Simple and safe




讓使用者可簡單設置和儲存所需扭力值，顯示數值準確並清晰可讀。

For fitting concrete screws



此工具套件完全符合螺絲製造商的規定，且符合水泥螺絲扭矩安全相關的規範。

Click-Torque Wrench series



準確度可精確到 ± 3 ，符合 DINEN ISO 6789-1:2017-07標準。

	德國Wera 1/2" 扭力扳手 40-200Nm	
05075681001	黑金鋼套筒 11件組-附帆布包	CT-C3IMP
	Click-Torque 1x 1/2", 40-200 Nm	\$30,000
	8790 C Impaktor	1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0
	8894 SC	1x 1/2"x125,0





順滑塑料襯套



採用旋轉式塑料襯套，可實現更靈活的旋轉操作控制。此外，增強型設計保護輪邊。塑料襯套可替換。



輪式螺栓保護



內部塑料插件可為輪式螺栓表面提供保護

花形優化利於扭轉力道傳輸



與雙六角相比，六角形可讓傳輸力道更強，避免螺栓或螺絲頭邊緣因過度受力而產生形變。儘管應用再狹小的空間，細齒棘輪的小迴轉角度也讓雙六角變得多餘。



抗衝擊型



輪式Impaktor套筒採用堅固耐用的Impaktor技術，適合電動或氣動衝擊型工具使用。

新

Wheel Impaktor C 1 套筒組件，1/2" 驱动



帶 1/2" 驅動配合使用衝擊型扳手，帶旋轉順滑型塑料襯套，旋轉時的操作速度更快，控制特性更佳以及更好的輪緣保護。"易尋" 色標系列，可輕鬆找到所需套筒。

	8790 IMP C-3set	\$5,394
0500459001		
	8790 C Wheel Impaktor 1x 17,0x85,0x30,0; 1x 19,0x85,0x30,0; 1x 21,0x85,0x32,0	

新

8790 C Wheel Impaktor 套筒，1/2" 驱动



應用：內六角螺栓、螺絲和螺帽
設計：用於機器操作（非衝擊型）
固定銷、可互換的旋轉順滑塑料襯套、塑料插件保護輪式螺栓表面，鉻鉬合金。
"易尋" 色標系列，可輕鬆找到所需套筒。

	mm	mm	mm
0500459001		17,0	85,0 30,0
05004591001		19,0	85,0 30,0
05004592001		21,0	85,0 32,0

2021 新品

起子/扳手/起子頭/套筒35件工具組 - 帆布包 KK-W1 \$17,576



35件裝 堅固耐用的帆布包
小巧輕便 非常方便隨身攜帶



Code Nr.: 05135926001

8000 A
1/4" x 152





8794 SA
1/4" x 75



8784 A1
1/4" x 1/4"

Joker Double
1 x 10 x 13 x 167



KK 60 i
1 x 0.4 x 2.5 x 154

KK 67 i TORX®
1 x TX 10 x 154



8790 HMA
1 x 5.5 x 23.0;
1 x 6.0 x 23.0;
1 x 7.0 x 23.0;
1 x 8.0 x 23.0;
1 x 10.0 x 23.0;
1 x 11.0 x 23.0;
1 x 12.0 x 23.0;
1 x 13.0 x 23.0




893/4/1 K
1 x 3/8" x 50

855/1 Z PZ
1 x PZ 1 x 25; 1 x PZ 2 x 25




867/1 Z TORX®
1 x TX 25 x 25



KK 62 iS PH
1 x PH 1 x 154;
1 x PH 2 x 154

KK 60 iS
1 x 0.6 x 3.5 x 154;
1 x 0.8 x 4.0 x 154;
1 x 1.0 x 5.5 x 154

1440
1 x 4.5-6.0 x 41.0



840/1 Z Hex-Plus
1 x 3.0 x 25; 1 x 4.0 x 25;
1 x 5.0 x 25; 1 x 6.0 x 25


KK 65 iS PZ
1 x PZ 1 x 154;
1 x PZ 2 x 154

KK 67 iS TORX®
1 x TX 15 x 154;
1 x TX 20 x 154;
1 x TX 25 x 154

247
1 x 0.5 x 3.0 x 70

2021 新品

庭院施工不鏽鋼起子頭17件組 – 附收納包 BC ST/17 **\$9,697**



Code Nr.: 05134021001



881/4/1
1× ¼"x90

9201
4× 27.0



3888/4/1 K
1× ¼"x50




3851/1 TS PH
1× PH 1×25;
1× PH 2×25;
1× PH 3×25



3855/1 TS PZ
1× PZ 1×25;
1× PZ 2×25;
1× PZ 3×25



3867/1 TS TORX®
1× TX 10×25;
1× TX 15×25;
1× TX 20×25
1× TX 25×25
1× TX 30×25
1× TX 40×25



3867/1 TS P TORX®
2× TX 25×25



2021 新品

可調深度鑽頭固定器 **888/4/1 \$3,000**



Code Nr.: 05130002001



870/7
1× ¼"x90



9201
2× 27.0

打入平整的平頭螺絲



888/4/1接頭
可根據螺絲深度調整
可以防止螺絲打入過深

避免積水腐蝕的損害



平頭螺絲與板面齊平
可以避免積水導致腐蝕

起子頭夾具 深度設定





旋轉旋鈕設定
所需螺絲深度
精心設計的接頭夾具
使起子頭完美匹配夾具
永不掉落

2021 新品

頂級木工工具組 – 附收納袋 WERA2GO-H1 \$100,000



Code Nr.: 05134011001



• 134件木工專業套裝，Wera 2go收納包，為木工量身打造
• 品牌工具包括 Wera, BESSY®, KNIPEX®, "KIRSCHEN"®, Lyra®, PICARD® & Stabila®

活動軸身設計



可在不方便操作的位置固定螺絲
非常適合用在狹小空間

固持功能



固定端的球鎖使得螺絲能被緊緊卡住
在只能單手操作時極為方便



Wera
BE A TOOL REBEL

Tool Rebel


Workshop Trolley **Wera** 工具車

\$236,364



- 全部7層抽屜
- 每個抽屜皆有安全扣
- 抽屜可上鎖
- 上面三層工具共126件
- 總重150kg, 承重480kg
- L : 1040mm
- B : 815mm
- H : 495mm

Code : 05501051001



Content:



Wera
BE A TOOL REBEL

Drawer 1



350 PH 1 x 80
350 PH 2 x 100
350 PH 3 x 150

355 PZ 1 x 80
355 PZ 2 x 100

335 0,8 x 4,0 x 100
335 1,0 x 5,5 x 125

367 TX 10 x 80
367 TX 15 x 80
367 TX 20 x 100
367 TX 25 x 100



160 IVDE 0,4 x 2,5 x 80
160 IS VDE 0,6 x 3,5 x 100



932 A 1,0 x 5,5 x 100
932 A 1,2 x 7,0 x 125



1441 Screw gripper



247
Voltage tester



1496 Wera
Bottle opener

Wera ballpoint pen

Drawer 2



Joker 8 Joker 15
Joker 10 Joker 16
Joker 11 Joker 17
Joker 12 Joker 18
Joker 13 Joker 19
Joker 14



950/9 Hex-Plus Multicolour 1




Tool-Check PLUS




967/9 TORX® Multicolour HF 1


Drawer 3




Zyklop Speed 1/2*




Zyklop Metal Switch 1/4*



8794 LC Extension



8794 LA Extension




8794 SC Extension



8794 SA Extension



8794 C Wobble



8794 A Wobble



8790 HMC
10; 11; 12; 13; 14;
15; 16; 17; 18; 19;
20; 21; 22; 24; 27;
30; 32



8784 A1 adaptor



8790 HMA
4; 4,5; 5; 5,5; 6; 7; 8;
9; 10; 11; 12; 13; 14;